



Differential analysis of N-glycoproteome between hepatocellular carcinoma and normal human liver tissues by combination of multiple protease digestion and solid phase based labeling

Sun et al.



RESEARCH



Open Access

Differential analysis of N-glycoproteome between hepatocellular carcinoma and normal human liver tissues by combination of multiple protease digestion and solid phase based labeling

Zhen Sun^{1†}, Deguang Sun^{2†}, Fangjun Wang¹, Kai Cheng¹, Zhang Zhang¹, Bo Xu¹, Mingliang Ye^{1*}, Liming Wang^{2*} and Hanfa Zou¹

Abstract

Background: Dysregulation of glycoproteins is closely related with many diseases. Quantitative proteomics methods are powerful tools for the detection of glycoprotein alterations. However, in almost all quantitative glycoproteomics studies, trypsin is used as the only protease to digest proteins. This conventional method is unable to quantify N-glycosites in very short or long tryptic peptides and so comprehensive glycoproteomics analysis cannot be achieved.

Methods: In this study, a comprehensive analysis of the difference of N-glycoproteome between hepatocellular carcinoma (HCC) and normal human liver tissues was performed by an integrated workflow combining the multiple protease digestion and solid phase based labeling. The quantified N-glycoproteins were analyzed by GoMiner to obtain a comparative view of cellular component, biological process and molecular function.

Results/conclusions: An integrated workflow was developed which enabled the processes of glycoprotein coupling, protease digestion and stable isotope labeling to be performed in one reaction vessel. This workflow was firstly evaluated by analyzing two aliquots of the same protein extract from normal human liver tissue. It was demonstrated that the multiple protease digestion improved the glycoproteome coverage and the quantification accuracy. This workflow was further applied to the differential analysis of N-glycoproteome of normal human liver tissue and that with hepatocellular carcinoma. A total of 2,329 N-glycosites on 1,052 N-glycoproteins were quantified. Among them, 858 N-glycosites were quantified from more than one digestion strategy with over 99% confidence and 1,104 N-glycosites were quantified from only one digestion strategy with over 95% confidence. By comparing the GoMiner results of the N-glycoproteins with and without significant changes, the percentage of membrane and secreted proteins and their featured biological processes were found to be significant different revealing that protein glycosylation may play the vital role in the development of HCC.

Keywords: N-glycoproteome, N-glycosite, Multiple protease digestion, Quantitative analysis

* Correspondence: mingliang@dicp.ac.cn; wangbcc259@163.com

[†]Equal contributors

¹Key Lab of Separation Sciences for Analytical Chemistry, National Chromatographic Research and Analysis Center, Dalian Institute of Chemical

Physics, Chinese Academy of Sciences, Dalian 116023, China

²The Second Affiliated Hospital of Dalian Medical University, Dalian 116027, China



© 2014 Sun et al.; licensee BioMed Central Ltd. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly credited. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

Background

Protein glycosylation, one of the most important posttranslational modifications of proteins, plays a pivotal role in many biological pathways including cell-cell signaling, ion transport, protein stability, vesicle trafficking and so on [1,2]. Aberrant glycosylation has been proved to be associated with disease progression, carcinogenesis and immunity [3-5]. Currently, many glycosylated proteins are approved to be clinical biomarkers, e.g., prostatespecific antigen (PSA) in prostate cancer, cancer antigen (CA) 125 in ovarian cancer, α -fetoprotein (AFP) in HCC, and HER2/neu in breast cancer. Therefore, quantitative analysis of disease-associated alteration in protein glycosylation can help in prognosis, diagnosis and surveillance after surgery.

Several methods have been developed for glycoproteomics analysis, e.g. hydrazide chemistry [6], hydrophilic interaction chromatography (HILIC) [7], lectin affinity chromatography [8], boronic acid chromatography [9], titanium dioxide [10], etc. Considering the facts that hydrazide chemistry can isolate N-glycopeptides with specificity of more than 90% [11] and is compatible with stable isotope labeling, we previously developed a solid phase based labeling approach by integration of N-glycopeptide enrichment and the fast and simple dimethyl labeling derivatization on hydrazide resins for relative quantification of protein glycosylation. It was found that this approach has higher enrichment recovery and detection sensitivity than the dimethyl labeling approach conventionally performed in solution [12].

Liver is the largest visceral organ which is necessary for survival in human body. It involves in a wide range of biological processes, including detoxification, protein synthesis, and production of biochemical necessary for digestion. Liver cancer is the third most common cause of cancer death after lung cancer and stomach cancer [13,14]. Newly developed proteomic techniques have been applied to deeply analyze the proteins and their modifications in human liver tissue. Song et al. conducted a large-scale phosphorylation analysis of human liver and experimentally identified 9,719 p-sites in 2,998 proteins [15]. Chen et al. identified 939 N-glycosylation sites in 523 N-glycosylated proteins by combining multiple protease digestion and hydrazide chemistry for human liver N-glycoproteome analysis [16]. Furthermore, several studies on comparative analyses of HCC and normal human liver tissues were carried out to screen potential diseasespecific biomarkers. In our lab, Wang et al. have done quantitative analysis of HCC and normal human liver tissues in ~30 h by using a fully automated system which quantified ~1,000 proteins [17]. Moreover, the difference in the phosphoproteomes of HCC and normal human liver tissues was also investigated by Song et al. [18], with over 1,800 phosphopeptides corresponding to ~1,000 phosphoproteins reliably quantified in only 42 h using a pseudo triplex labeling system. Nevertheless, the differences in the N-glycoproteome of HCC and normal human liver tissues was still of great importance to be extensively studied.

Using multiple proteases with complementary cleavage specificities for digestion can efficiently improve protein identifications and proteome sequence coverage. This method has already been applied to qualitative analysis of proteome, phosphoproteome, and glycoproteome [16,19-22]. However, no attempt was performed to quantitative analysis of proteome, phosphoproteome and glycoproteome. In this study, digestion with three different digestion strategies (trypsin, trypsin & Glu-C, and chymotrypsin) was combined with the solid phase based labeling approach to comparatively analyze the differential expression of N-glycoproteome between HCC and normal human liver tissues. A total of 2,329 N-glycosites matched with the motif N-X-S/T (X can be any amino acid except proline) on 1,052 N-glycoproteins were quantified by this strategy, which is the largest dataset of quantitative information between human HCC and normal liver tissues up to now.

Results

An integrated workflow incorporated with multiple protease digestion and solid phase based labeling

For a convenient and fast-processing workflow, all the processes including glycoprotein coupling, protease digestion and stable isotope labeling should be performed in one reaction vessel. As shown in Figure 1, the workflow developed in this study enabled the performing of all the above steps in one vessel. The extract of human liver tissues was oxidized by sodium periodate in a centrifugal tube, followed by adding hydrazide resins to the tube for the capturing of the oxidized glycoproteins. After washing, the resins with captured glycoproteins were still left in the tube. Protease was then added to the tube for the digestion of the captured glycoproteins on the hydrazide resins. After digestion, the non-glycosylated peptides were released from the resins and washed away. The remaining glycopeptides on the resins were left in the tube. Dimethyl labeling reagents were then added to the tube for stable isotope labeling of the glycopeptides on the resins. Finally, these labeled N-glycopeptides were released by deglycosylation with PNGase F. After centrifugation, the released light and heavy labeled deglycosylated peptides were collected and then pooled together for nanoLC-MS/MS analysis.

This workflow firstly benefits from the fact that the enrichment process was carried out on the protein level. As the glycoproteins are covalently captured on the hydrazide resins, the exchanges of buffers are extremely convenient. Since most of the membrane proteins are glycosylated,



detergents with high concentrations (i.e. 4% SDS) were added in the homogenization buffer to facilitate the extract of membrane glycoproteins. It is challenging to remove these detergents in conventional approach, while in this workflow they are easily removed by washing the hydrazide resins with 80% ACN. This solid phase design also benefits the downstream sample processes. For example, it allows the labeling of glycopeptides on the hydrazide resins, i.e. solid phase based labeling of glycopeptides for quantitative glycoproteomics. This labeling method was previously proved to be accurate and has good enrichment recovery and high detection sensitivity [12].

Using multiple proteases for digestion is an essential approach to increase the sequence coverage for glycoproteome analysis and the confidence of quantification results of N-glycosites. In addition to trypsin, Glu-C and chymotrypsin were also applied to digest glycoproteins in this study. Trypsin cleavages specifically the C-terminus of basic residues (K and R), while Glu-C cuts the Cterminus of acid residues (D and E) and chymotrypsin cuts the C-terminus of hydrophobic residues (Y, W, F and L). As the other two proteases have complementary cleavage specificities to that of trypsin, it can be expected that many N-glycosites which cannot be identified by trypsin digestion are possibly to be identified by other protease digestions. For the quantification of N-glycosites, it is different with protein quantification in which the result can be obtained by averaging all the quantification results of different tryptic peptides from the parent protein. Nevertheless, applying multiple protease digestion may quantify different N-glycopeptides containing the same Nglycosite. Thus the accuracy for the quantification results of N-glycosites could be improved by averaging the ratios of different N-glycopeptides containing the same N-glycosites. Therefore, it can be expected that this integrated workflow incorporated with multiple protease digestion and solid phase based labeling can be applied to deeply inspect the N-glycosite abundance differences of tissue glycoproteomes.

Evaluating the performance of the integrated workflow

Firstly, the integrated workflow was evaluated by quantitative analysis of two identical samples, i.e. two aliquots of the same protein extract from normal human liver tissue. A total of 1,632 N-glycosites corresponding to 764 Nglycoproteins were successfully quantified by the three digestion strategies (Additional file 1: Table S1). Only one

protease was used for trypsin digestion and chymotrypsin digestion. While for trypsin & Glu-C digestion, these two proteases were added together into the samples for digestion. This is because that Glu-C generated peptides are too big to be identified by MS [19,21] and the in silico sequence coverage for combined trypsin & Glu-C digests was proved to achieve the greatest coverage [20]. The trypsin digestion leaded to quantification of only 1,037 N-glycosites, while the total number of quantified N-glycosites reached 1,632 by using other two digestion strategies (Figure 2A). The number increased by 57.4% indicating the using of complementary proteases does improve the N-glycoproteome coverage significantly. Target/decoy search was performed in this study to control the confidence of peptide identifications. Among all the quantified N-glycosites, only 5 N-glycosites were quantified from decoy sequences. It was found the decoy identifications were only found in the results from one digestion strategy, while no decoy identification was observed for overlapped quantified N-glycosites. Clearly the N-glycosites quantified by more than one digestion strategy are more confident simply because these sites were quantified by multiple N-glycopeptides. Thus, the identification confidence of the 47.1% of the total identified N-glycosites was higher than that of others for they were observed in digestion results from more than one digestion strategy.

Statistically, multiple measurements are essential to improve the analysis accuracy. However, only one measurement is done for conventional quantitative glycoproteomics analysis as majority of N-glycosites are quantified by a single glycopeptide. The main reason is that only one digestion strategy, e.g. trypsin digestion, was commonly used. While in this study some N-glycosites were quantified by several glycopeptides thanks to the using of multiple proteases. For example, the 13 amino acid sequence window of N-glycosite N119 on ERAP2 is KDIEITNATIQSE. This sites were quantified by three different glycopeptides, i.e. DIEITN*ATIQSEEDSR (N* indicates that asparagine was detected with deamidation) with heavy/light ratio 0.85 by trypsin digestion, ITN*ATIQSEEDSR with heavy/light ratio 1.03 by trypsin & Glu-C digestion, and IIIHSK-DIEITN*ATIQSEEDSRY with heavy/light ratio 1.12 by chymotrypsin digestion. Thus this N-glycosite was quantified to be heavy/light ratio of 1.00 by averaging above three ratios. More importantly, RSD could be determined for multiple measurements. For above case, the RSD was determined to be 13.7%, indicating this site was reliably quantified. The total quantified N-glycosites were classified into two groups: 1) the N-glycosites quantified from more than one digestion strategy; 2) the N-glycosites quantified from only one digestion strategy. For the first group, RSD could be determined among the ratios obtained from different digestion strategies. The RSD values could be used to filter out the unreliable quantified results. The distribution of the number of quantified N-glycosites and the percentage of quantified ratio within the range of 0.5-2 across different RSD values are given in Additional file 2: Figure S1. In proteomics, the quantified ratios in the range of 0.5-2 are often considered as no significant change [17,23-25]. In this evaluation experiment, two identical samples were light and heavy labeled, the theoretical ratios are 1:1 and the ratios for all quantified sites should be in the range of 0.5-2. If the ratio beyond this range, it can be considered as inaccurate quantification. It can be seen from Additional file 2: Figure S1, only 1 of the 26 N-glycosites (3.8%) were quantified with heavy/light ratio in the range of 0.5-2 for N-glycosites with RSD > =50%. This means that the quantified ratios with RSD > =50% are not accurate. The percentage of quantified N-glycosites within this ratio range increased to 100% when the RSD value fell below 50%, and kept on 100% when the RSD value continued to decrease to 20%. But the number of quantified Nglycosites filtered with RSD value decreased significantly along with the decrease of the RSD value. So we adopted



Figure 2 The venn diagram showing the overlap of the quantified N-glycosites by using three different digestion strategies (trypsin, trypsin & Glu-C, chymotrypsin). (A) evaluation experiment, (B) differential analysis experiment. For the evaluation experiment, two aliquots of the same protein extract from normal human liver tissue were light and heavy labeled to evaluate the performance of the integrated workflow. For the differential analysis experiment, the samples of normal and HCC human liver tissues were labeled with light and heavy dimethyl labels, respectively. One and three replicate 2D nanoLC-MS/MS runs of the labeled sample were carried out for the evaluation experiment, respectively.

the criterion of RSD <50% to exclude the inaccurate quantification and make relatively more peptides meeting the criterion for research with no sacrifice of the confidence of quantification. After filtering with RSD <50%, about 99.9% of the quantified N-glycosites were located in the ratio range of 0.5-2 with only one exception for this group (Figure 3A). While for the second group, among the 863 quantified N-glycosites, as many as 32 N-glycosites (about 4%) were located out of the ratio range of 0.5-2 (Figure 3A). Obviously, as the sites were reproducibly quantified by multiple glycopeptides, the quantitative results filtered by RSD for the first group were more reliable. Though the N-glycosites quantified from only one digestion strategy were less reliable (group two), over 95% of the quantified ratios located within the range of 0.5-2 indicated the workflow has good performance in quantification. If the confidence of quantification is defined as the percentage of correctly quantified ratios (the ratios quantified in the range of 0.5-2) among all quantified ratios, then the confidence for above two classes of quantified ratios were 99.9% and 95% respectively.

Differential analysis of the N-glycoproteome of normal human liver tissues and human liver tissues with hepatocellular carcinoma

This workflow was then applied to differential analysis of the N-glycoproteome of HCC and normal human liver tissues. Because of the undersampling problem of mass spectrometry (MS), the pooled labeled glycopeptides from each digestion strategy were analyzed by 2D nanoLC-MS/ MS three times (three replicate runs) to achieve as much information as possible for the sample. An average of 1,063 N-glycosites (RSD = 3.7%, n = 3) was quantified by trypsin digestion, 1,046 N-glycosites (RSD = 1.6%, n = 3) was quantified by trypsin & Glu-C digestion, and 301 N-glycosites (RSD = 8.1%, n = 3) was quantified by chymotrypsin digestion. The low RSD for the number of quantified N-glycosites among three replicates indicated the good reproducibility of the workflow. Totally, 2,329 Nglycosites corresponding 1,052 N-glycoproteins were successfully quantified in the combined digestion results from three digestion strategies, of which 754 N-glycosites (32.4%) were additionally quantified by trypsin &



Glu-C digestion and chymotrypsin digestion (Figure 2B, Additional file 3: Table S2). First of all, the results were filtered by the RSD criterion (RSD <50%) in three replicates analyses of each digestion strategy to control the quantification accuracy of technical replicates. Then the filtered results of 2,101 N-glycosites were classified with the method described above. 858 N-glycosites were accurately quantified with RSD <50% for the ratios obtained from more than one digestion strategy. 275 of 858 N-glycosites were located out of the ratio range of 0.5-2 (heavy/light ratio), which was considered to be of significant expression change with more than 99% confidence. 1,104 N-glycosites were only guantified from only one digestion strategy, 428 of which with the ratio >2 or <0.5. These sites were significantly changed in abundance with more than 95% confidence (Figure 3B).

Only the 858 N-glycosites with more than 99% confidence were subjected to further investigation. The N-glycoproteins containing the N-glycosites with or without significant changes were all analyzed by GoMiner to obtain a comparative view of cellular component, biological process and molecular function. For the 583 N-glycosites on 369 Nglycoproteins determined without significant change between HCC and normal human liver tissues, 328 proteins of which were found to be gene ontology (GO)-annotated proteins. And for the 275 N-glycosites on 215 N-glycoproteins determined with significant change, 190 proteins of which were with GO annotation. Comparing the N-glycoproteins with significant change and that without significant change, the percentage of GO-annotated proteins related with the intracellular organelles in the process of glycoprotein synthesis such as golgi apparatus and endoplasmic reticulum was decreased by more than 10% (Figure 4A). Meanwhile, for the N-glycoproteins with subcellular annotation of "plasma membrane" and "extracellular region", both the proportions were increased by more than 10% in the part of N-glycoproteins with significant change. It can be inferred that the enhanced tranport of N-glycoproteins from the intracellular organelles to extracellular matrix may play a vital role in the development of HCC. The featured biological processes involved with membrane proteins and secreted proteins, such as "multicellular organismal process", "developmental process", "signaling", "cellular component organization or biogenesis", "immune system process", "biological adhension" and "response to external stimulus", were



remarkably overexpressed in the significant changed N-glycoproteins part versus the no-change part. Additionally, the molecular functions characteristic for N-glycoproteins, e.g. "catalytic activity", "receptor activity", "enzyme regulator activity" and "structural molecule activity", were also represented differently by more than 10% between the N-glycoproteins part with and without significant change (Figure 4B). Therefore, the differential expressed N-glycoproteins related with these biological processes and molecular functions mentioned above may contribute greatly to the progression of HCC, but further investigations were still needed.

Discussion

Glycoproteins with different linkage of various glycans to Asparagine get involved in multiple critical biological processes, such as cell adhesion, cell migration, signal transduction, receptor activation and so on [26]. Dysregulation of glycoprotein, either on the glycan part or the polypeptide part, is associated with many types of diseases, e.g. cancer, diabetes mellitus, congenital disorder, arthritis, inflammation and so on [26-28]. Although the high-throughput identification of N-glycosites has been extensively carried out on varieties of biological samples, such as mouse tissues [29], human serum/plasma [6,30], seven major model organisms [31], the large scale quantitative analysis of N-glycosites were still lacked and urgently needed. So we designed this integrated workflow incorporating multiple protease digestion and solid phase based labeling method to investigate the differential expression in the N-glycoproteome of HCC and normal human liver tissues.

Nonenzymatic deamidation of glutamine and asparagine occurs spontaneously on proteins and peptides both in vivo and in vitro. For large-scale proteomics analysis, the determination of N-glycosites generally depends on the detection of the deamidation of asparagine in the peptides containing the consensus motif N-X-S/T (X can be any amino acid except proline). Because the nonenzymatic deamidation can also occur on the asparagine in the consensus sequence which is not actually occupied by a glycan, this may cause false positive identification of N-glycosites [32]. Hao et al. ascertained that nonenzymatic asparagines deamidation occurred to some extent on 4-9% of the peptides obtained by an electrostatic repulsion-hydrophilic interaction chromatography (ERLIC) – reverse phase (RP) chromatography, resulting in the false positive identifications of many N-glycosites [33]. Zielinska et al. [29] have used H₂¹⁸O to differentiate native deamidation sites from those occurring during sample preparation, but their approach cannot distinguish the nonenzymatic deamidation that occurs in the consensus sequence during the PNGase F treatment from the real N-glycosites. Compared with above mentioned methods, our workflow was based on solid phase. Sequences with nonenzymatic deamidation that occurs during sample preparation can be cleaned away from the surface of hydrazide resins by rigorous and repeated washings. The only factor in our workflow which may cause false positive identifications was the incubation with PNGase F in the 37°C overnight. To estimate the false positive identifications in our workflow, a negative control with the same experimental procedures but with the omission of PNGase F addition was carried out. Less than 1% of the total quantified N-glycosites in the consensus sequences were also quantified in the negative control (data not shown). Consequently, the false positive identifications caused by nonenzymatic deamidation can be neglected in our workflow.

For large scale proteomic analysis, it would cost several days of precious MS times to analyze a couple of samples [15,34]. It is impractical to analyze large number of samples via large scale proteomics approaches. According to the process flow for the development of novel protein biomarker candidates described by Rifai et al. [35], a simplified, binary comparison between diseased and normal tissues was usually performed by proteomics methods based on MS for the discovery of biomarker candidates. So in practice, different samples were pooled together to reduce the biological variation [29,36-38]. For further analysis, the molecules screened out by large scale proteomics should be individually validated in each case among a large cohort of samples which may involve the environmental, genetic, biological and stochastic variation [39,40]. Our integrated workflow was aimed to provide lists of potential biomarker candidates by differentially analyzing the N-glycoproteome between HCC and normal human liver tissues in a high-throughput manner.

Among the total of 455 N-glycoproteins which was determined with significant change between HCC and normal human liver tissues in our experiment, 116 N-glycosylated molecules are found to be related with various types of human disease in the biomarker filter analysis by Ingenuity Pathway Analysis (IPA), such as cancer, cardiovascular disease, immunological disease and so on. Furthermore, some of the 90 N-glycosylated molecules involved in the human liver diseases are previously reported to be associated with liver cancer (Additional file 4: Table S3). For example, decorin (DCN), a secreted small leucine-rich proteoglycan, has three N-glycosites annotated by Swiss-Prot (N211, N262, N303), two of which were determined with decreased level in HCC versus normal liver tissues (N262 0.65, N303 0.47). Our result was consistent with the findings of Baghy et al., in which the idea that decorin acts as a secreted tumor repressor during hepatocarcinogenesis by hindering the action of another receptor tyrosine kinase, such as the PDGFR α , was supported and DCN was suggested be a novel therapeutic agent in the battle against liver cancer [41]. GPNMB, with N-glycosites of N128 quantified with increased level in HCC in our study, was also demonstrated with significantly enhanced expression level in HCC compared with adjacent normal liver tissues by using histochemical method in the study of Tian et al. [42]. Subramaniam et al. have viewed specific suppression of IGFBP3 expression in primary human HCC tissues compared to adjacent histologically normal tissues [43], while the significant down-regulation of IGFBP3 (N116 0.4) were also observed in our experiment. Besides, many N-glycosyalted molecules which may also be involved in other types of cancer were also detected in our results, e.g. elevated ALCAM shedding in colorectal cancer was correlated with poor patient outcome [44], BMPR2 participated in the regulation of endoglin-mediated suppression of prostate cancer invasion [45], CD36 was demonstrated to be an important index for predicting the occurrence and development of radiation pneumonitis and evaluating the curative effect [46], etc.

Conclusions

Quantitative proteome analysis is a valuable tool to screen the disease-specific biomarkers. In this work, an integrated glycoproteomics workflow was applied to differential analysis of N-glycoproteome between HCC and normal human liver tissues. Multiple protease digestion was also integrated with the solid phase based labeling to increase the coverage of human liver N-glycoproteome analysis and the confidence of the quantified N-glycopeptides. A total of 2,329 N-glycosites matched with the motif N-X-S/T (X can be any amino acid except proline) on 1,052 Nglycoproteins were successfully quantified. Consequently, our integrated workflow will also perform effectively when targeting general population screening of differential Nglycoproteins in HCCs, and provides a valuable public dataset for further verification and validation of potential biomarker candidates of HCC.

Methods

Protein extraction

The HCC and normal human liver tissues were provided by Second Affiliated Hospital of Dalian Medical University (Dalian, China). The normal human liver tissues were the noncancerous liver tissues ≥ 2 cm outside the hepatic cancer nodules removed by surgical operation from patients. The noncancerous liver tissue has been verified by histopathological examination which excluded the presence of invading or microscopic metastatic cancer cells. The HCC tissues were obtained from the HCC patients of advanced stage by surgical operation. The utilization of human tissues was complied with guidelines of Ethics Committee of the Hospital.

The isolated human liver tissue was cut into pieces at first and washed several times with PBS buffer to remove the remaining blood. For large scale proteomic analysis, the noncancerous liver tissues from five patients with hepatic cancer were pooled together to reduce the biological variation [29,36-38], and so were the HCC tissues. Then the liver tissue was placed in an ice-cold homogenization buffer I (10 mM HEPES, 1.5 mM MgCl₂, 5 mM KCl, 0.1 mM EDTA, 2% protease inhibitor cocktail (pH = 7.4)), followed by homogenization using an IKA Ultra Turbax blender. After that, the tissue was transferred into a Potter-Elvejhem homogenizer with a Teflon piston and homogenized for a second time on the ice. The supernatant was collected after centrifugation of the homogenates at 1,000 g for 5 min to pellet the nuclei and debris. Then 5 volumes of buffer II (0.1 M Tris-HCl, 4% SDS, 1% Triton, pH = 7.4) was added to the sample for sonication using an ultrasonic cell disrupter (3 s with 3 s intervals for 180 times at 400 W) and centrifuged at 20,000 g for 15 min. The supernatant was collected and the concentration of proteins was measured by BCA assay.

Oxidation of glycan and enrichment of N-glycoproteins

Three batches of 2 mg human liver extract were pretreated in parallel. Firstly, the samples were desalted with Zeba spin desalting column (Thermo Scientific, USA) after incubation in boiling water for 10 min. Then the desalted solutions were resuspended with oxidation buffer (150 mM NaCl + 100 mM NaAc + 2% SDS + 2% Triton, pH 5.5). Sodium periodate was added into the solutions to oxidize the glycan in the dark at room temperature for 1 h. Finally, the oxidized samples were added into the prewashed hydrazide resins (Bio-Rad, USA) after quenching the oxidation reaction with sodium thiosulfate. The coupling reaction was performed with gentle shaking at room temperature overnight.

Digestion of the captured N-glycoproteins on hydrazide resins with multiple proteases

After the removal of supernatant, the resins with captured N-glycoproteins were diluted with 50 mM Tris + 1% SDS + 1% Triton (pH = 8). The glycoproteins on the resins were reduced with 20 mM dithiothreitol at 37° C for 2 h and carboxyamidomethylated with 40 mM iodoacetamide at room temperature for 40 min in the dark. Then 100 mM NH₄HCO₃, 80% ACN and 100 mM NH₄HCO₃ were sequentially added to wash the resins to remove non-specifically bound proteins. Trypsin, trypsin & Glu-C, and chymotrypsin were chose as proteases to digest the three batches of captured glycoproteins on the resins respectively. For trypsin & Glu-C digestion, the two proteases were added into the sample together. The experimental procedures with each protease were all the same but different with the quantity of proteases added.

After the last wash of 100 mM NH₄HCO₃, each protease was added to digest the captured glycoproteins. The digest conditions of each protease were described as follows: Trypsin (Sigma-Aldrich, USA) was added with a weight ratio of trypsin to protein at 1/25 and incubated at 37°C overnight; Trypsin & Glu-C were added with a weight ratio of trypsin to protein at 1/25 and Glu-C (Roche, Germany) to protein at 1/20 and incubated at 37°C overnight; Chymotrypsin (Sigma-Aldrich, USA) was added with a weight ratio of chymotrypsin to protein at 1/10 and incubated at 37°C overnight.

Dimethyl labeling the captured N-glycopeptides on the hydrazide resin and releasing N-glycopeptides from hydrazide resins

After incubation with the selected protease overnight, 1.5 M NaCl, 80% ACN and 100 mM NH₄HCO₃ were added sequentially to wash away the digested peptides from resins. As described in our previous work [12], 400 µL 100 mM TEAB was added to the hydrazide resins, followed by the addition of 32 μ L 4% CH₂O/CD₂O to the sample to be light or heavy labeled respectively and the additional addition of 32 µL 0.6 M NaBH₃CN to both samples. The dimethyl labeling reaction was carried out at room temperature for 2 h with gentle shaking. After rinsing the hydrazide resins twice with deionized water to remove the remaining dimethyl labeling reagents, the N-glycopeptides were released by adding 1,000 unit PNGase F (New England Biolabs, USA) in 10 mM NH₄HCO₃ to the resins and incubating at 37°C overnight with gentle shaking. The released deglycosylated peptides were carefully collected by gentle centrifugation.

Mass spectrometry data acquisition

The enriched N-glycopeptides were analyzed by 2D nanoLC-MS/MS system [17] on LTQ-Orbitrap Velos (Thermo, San Jose, CA, USA) and one tenth of the labeled N-glycopeptides were analyzed each time. The LTQ-Orbitrap Velos system was equipped with an Accela 600 HPLC (Thermo, San Jose, CA, USA) involving a 7 cm phosphate monolithic trap column and a 12 cm C18 capillary analysis column with spray emitter. The SCX column was prepared by the same method as described by Wang et al. [47] and separation column was packed with C18 AQ beads (3 μ m, 120 Å). Formic acid water solution (Buffer A) and pure acetonitrile (ACN) with 0.1% formic acid (Buffer B) were used for the generation of linear gradient for RPLC separation. The peptide sample was first

loaded onto the monolithic trap, then a series stepwise elution with salt concentrations of 100, 200, 300, 400, 500 and 1,000 mM NH₄Ac was used to gradually elute peptides from the phosphate monolithic column onto the C18 analytical column. After each salt elution, binary separation gradient from 5% to 35% in 120 min with a flow rate of ~ 300 nL/min was applied to separate peptides prior to MS detection.

A spray voltage of 2.2 kV was applied between the spray tip and the MS interface. The temperature of the ion transfer capillary was set as 250°C. The mass spectrometer was set that one full MS scan was followed by 20 MS/MS scans on the 20 most intense ions by collision induced dissociation (CID). 300 was set as the minimum signal threshold for MS/MS scan. The normalized collision energy was set at 35.0%, and the activation time was 10 ms. The mass resolution was set at 60 000 for full MS. The dynamic exclusion was set as follows: repeat count, 1; duration, 30 s; exclusion list size, 500; exclusion duration, 90 s. The scan range was set from m/z 400 to 2,000. System control and data collection were carried out by Xcalibur software version 2.1.

Protein identification and quantification

All the RAW files collected by Xcalibur 2.1 were searched by MaxQuant version 1.2.2.5 against a composite database including original and reversed human protein database of International Protein Index (IPI human v3.80 fasta, including 86,719 entries, ftp://ftp.ebi.ac.uk/pub/databases/ IPI). The parameters were set as follows: proteases, trypsin, 2 missed cleavages (trypsin & Glu-C, 4 missed cleavages or chymotrypsin, 4 missed cleavages); static modification, Cysteine Carboxamidomethylation; variable modification, oxidation of methionine and deamidation of glutamine/ asparagine; mass tolerance, 20 ppm for parent ions and 0.5 Da for fragment ions. For the quantitative analysis of the results, peptide N termini and the side chain of lysine residues were set with light (+28.0313 Da) and heavy dimethylation labels (+32.0564 Da). The false detection rate (FDR) was determined by equation of $FDR = [2 \times FP / (FP + TP)] \times$ 100%, where TP (true positive) is the number of peptides that were identified based on sequences in the forward database component and FP (false positive) is the number of peptides that were identified based on sequences in the reverse database component. The FDR values for peptide identifications were controlled less than 1%. GoMiner, the software which can make the biological interpretation in the context of the Gene Ontology [48], was applied to classify the cellular component, biological process and molecular function of the quantified N-glycoproteins between HCC and normal human liver tissues with the newly updated database (version_go_201202).

Additional files

Additional file 1: Table S1. The detailed information about the N-glycoproteins and N-glycosites quantified from normal human liver tissues.

Additional file 2: Figure S1. The distribution of the percentage of quantified N-glycosites within the ratio range of 0.5-2 in three ranges of RSD value (>50%, 30%-50%, 20%-30%) (A), and the number of quantified N-glycosites filtered with different RSD values (<20%, <30% or <50%) (B), in the results of the evaluation experiment.

Additional file 3: Table S2. The detailed information about the N-glycoproteins and N-glycosites quantified from HCC and normal human liver tissues.

Additional file 4: Table S3. The detailed information about quantified N-glycoproteins and N-glycosites involved in human liver diseases.

Competing interests

The authors declare that they have no competing interests.

Authors' contributions

HZ initiated this study, HZ and MY designed experiments; ZS performed most of the experiments; ZS, FW and KC analyzed data; ZZ and BX participated in glycoprotein enrichment and dimethyl labeling; DS and LW performed tissue collection and histopathological examination; ZS, FW, MY and HZ wrote the manuscript. All authors read and approved the final manuscript.

Acknowledgement

The authors greatly appreciate Dr. Daniel Figeys for the help of Ingenuity Pathway Analysis (IPA). This work was supported by the China State Key Basic Research Program Grant (2013CB911202, 2012CB910101, 2012CB910604), the Creative Research Group Project of NSFC (21321064), the National Natural Science Foundation of China (21235006, 81161120540, 21275142), National Key Special Program on Infection diseases (2012ZX10002009-011) and Analytical Method Innovation Program of MOST (2012IM030900).

Received: 26 September 2013 Accepted: 23 April 2014 Published: 1 July 2014

References

- Roth J: Protein N-glycosylation along the secretory pathway: Relationship to organelle topography and function, protein quality control, and cell interactions. *Chem Rev* 2002, **102**:285–303.
- Spiro RG: Protein glycosylation: nature, distribution, enzymatic formation, and disease implications of glycopeptide bonds. *Glycobiology* 2002, 12:43R–56R.
- 3. Glinsky GV: Antigen presentation, aberrant glycosylation and tumor progression. *Crit Rev Oncol Hematol* 1994, **17:**27–51.
- Lowe JB: Glycosylation, immunity, and autoimmunity. Cell 2001, 104:809–812.
- Marth JD, Grewal PK: Mammalian glycosylation in immunity. Nat Rev Immunol 2008, 8:874–887.
- Zhang H, Li XJ, Martin DB, Aebersold R: Identification and quantification of N-linked glycoproteins using hydrazide chemistry, stable isotope labeling and mass spectrometry. Nat Biotechnol 2003, 21:660–666.
- Zhang H, Guo T, Li X, Datta A, Park JE, Yang J, Lim SK, Tam JP, Sze SK: Simultaneous Characterization of Glyco- and Phosphoproteomes of Mouse Brain Membrane Proteome with Electrostatic Repulsion Hydrophilic Interaction Chromatography. *Mol Cell Proteomics* 2010, 9:635–647.
- Kaji H, Saito H, Yamauchi Y, Shinkawa T, Taoka M, Hirabayashi J, Kasai K, Takahashi N, Isobe T: Lectin affinity capture, isotope-coded tagging and mass spectrometry to identify N-linked glycoproteins. *Nat Biotechnol* 2003, 21:667–672.
- Zhang Q, Tang N, Brock JWC, Mottaz HM, Ames JM, Baynes JW, Smith RD, Metz TO: Enrichment and Analysis of Nonenzymatically Glycated Peptides: Boronate Affinity Chromatography Coupled with Electron-Transfer Dissociation Mass Spectrometry. J Proteome Res 2007, 6:2323–2330.

- Larsen MR, Jensen SS, Jakobsen LA, Heegaard NHH: Exploring the sialiome using titanium dioxide chromatography and mass spectrometry. *Mol Cell Proteomics* 2007, 6:1778–1787.
- Zhang H, Yi EC, Li X-j, Mallick P, Kelly-Spratt KS, Masselon CD, Camp DG, Smith RD, Kemp CJ, Aebersold R: High Throughput Quantitative Analysis of Serum Proteins Using Glycopeptide Capture and Liquid Chromatography Mass Spectrometry. Mol Cell Proteomics 2005, 4:144–155.
- Sun Z, Qin HQ, Wang FJ, Cheng K, Dong MM, Ye ML, Zou HF: Capture and Dimethyl Labeling of Glycopeptides on Hydrazide Beads for Quantitative Glycoproteomics Analysis. Anal Chem 2012, 84:8452–8456.
- Jemal A, Bray F, Center MM, Ferlay J, Ward E, Forman D: Global cancer statistics. CA Cancer J Clin 2011, 61:69–90.
- Ferlay J, Shin H-R, Bray F, Forman D, Mathers C, Parkin DM: Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008. Int J Cancer 2010, 127:2893–2917.
- Song CX, Ye ML, Liu ZX, Cheng H, Jiang XN, Han GH, Zhou SY, Tan YX, Wang HY, Ren J, Xue Y, Zou HF: Systematic Analysis of Protein Phosphorylation Networks From Phosphoproteomic Data. *Mol Cell Proteomics* 2012, 11:1070–1083.
- Chen R, Jiang XN, Sun DG, Han GH, Wang FJ, Ye ML, Wang LM, Zou HF: Glycoproteomics Analysis of Human Liver Tissue by Combination of Multiple Enzyme Digestion and Hydrazide Chemistry. J Proteome Res 2009, 8:651–661.
- Wang FJ, Chen R, Zhu J, Sun DG, Song CX, Wu YF, Ye ML, Wang LM, Zou HF: A Fully Automated System with Online Sample Loading, Isotope Dimethyl Labeling and Multidimensional Separation for High-Throughput Quantitative Proteome Analysis. Anal Chem 2010, 82:3007–3015.
- Song CX, Wang FJ, Ye ML, Cheng K, Chen R, Zhu J, Tan YX, Wang HY, Figeys D, Zou HF: Improvement of the Quantification Accuracy and Throughput for Phosphoproteome Analysis by a Pseudo Triplex Stable Isotope Dimethyl Labeling Approach. Anal Chem 2011, 83:7755–7762.
- Bian Y, Ye M, Song C, Cheng K, Wang C, Wei X, Zhu J, Chen R, Wang F, Zou H: Improve the Coverage for the Analysis of Phosphoproteome of HeLa Cells by a Tandem Digestion Approach. J Proteome Res 2012, 11:2828–2837.
- Biringer RG, Amato H, Harrington MG, Fonteh AN, Riggins JN, Hühmer AFR: Enhanced sequence coverage of proteins in human cerebrospinal fluid using multiple enzymatic digestion and linear ion trap LC-MS/MS. Brief Funct Genomic Proteomic 2006, 5:144–153.
- Swaney DL, Wenger CD, Coon JJ: Value of Using Multiple Proteases for Large-Scale Mass Spectrometry-Based Proteomics. J Proteome Res 2010, 9:1323–1329.
- Wang W, Han G, Ye M, Shi H, Zou H, Huo K: Mapping of phosphorylation sites in human MSK1 activated by a novel interaction with MRK-β. *Electrophoresis* 2010, 31:1283–1293.
- Tenga MJ, Lazar IM: Impact of Peptide Modifications on the Isobaric Tags for Relative and Absolute Quantitation Method Accuracy. Anal Chem 2011, 83:701–707.
- Armenta JM, Hoeschele I, Lazar IM: Differential Protein Expression Analysis Using Stable Isotope Labeling and PQD Linear Ion Trap MS Technology. J Am Soc Mass Spectrom 2009, 20:1287–1302.
- Casado P, Cutillas PR: A Self-validating Quantitative Mass Spectrometry Method for Assessing the Accuracy of High-content Phosphoproteomic Experiments. Mol Cell Proteomics 2011, 10:M110.003079.
- 26. Ohtsubo K, Marth JD: Glycosylation in Cellular Mechanisms of Health and Disease. *Cell* 2006, **126**:855–867.
- 27. Hakomori S: Tumor malignancy defined by aberrant glycosylation and sphingo(glyco)lipid metabolism. *Cancer Res* 1996, **56**:5309–5318.
- Aebi M, Hennet T: Congenital disorders of glycosylation: genetic model systems lead the way. Trends Cell Biol 2001, 11:136–141.
- Zielinska DF, Gnad F, Wisniewski JR, Mann M: Precision Mapping of an In Vivo N-Glycoproteome Reveals Rigid Topological and Sequence Constraints. *Cell* 2010, 141:897–907.
- Liu T, Qian W-J, Gritsenko MA, Camp DG, Monroe ME, Moore RJ, Smith RD: Human PlasmaN-Glycoproteome Analysis by Immunoaffinity Subtraction, Hydrazide Chemistry, and Mass Spectrometry. J Proteome Res 2005, 4:2070–2080.
- Zielinska Dorota F, Gnad F, Schropp K, Wi, Mann M: Mapping N-Glycosylation Sites across Seven Evolutionarily Distant Species Reveals a Divergent Substrate Proteome Despite a Common Core Machinery. Mol Cell 2012, 46:542–548.

- Palmisano G, Melo-Braga MN, Engholm-Keller K, Parker BL, Larsen MR: Chemical Deamidation: A Common Pitfall in Large-Scale N-Linked Glycoproteomic Mass Spectrometry-Based Analyses. J Proteome Res 2012, 11:1949–1957.
- Hao P, Ren Y, Alpert AJ, Sze SK: Detection, Evaluation and Minimization of Nonenzymatic Deamidation in Proteomic Sample Preparation. Mol Cell Proteomics 2011, 10. doi:10.1074/mcp.O1111.009381.
- Kaji H, Shikanai T, Sasaki-Sawa A, Wen H, Fujita M, Suzuki Y, Sugahara D, Sawaki H, Yamauchi Y, Shinkawa T, Taoka M, Takahashi N, Isobe T, Narimatsu H: Large-scale Identification of N-Glycosylated Proteins of Mouse Tissues and Construction of a Glycoprotein Database, GlycoProtDB. J Proteome Res 2012, 11:4553–4566.
- Rifai N, Gillette MA, Carr SA: Protein biomarker discovery and validation: the long and uncertain path to clinical utility. *Nat Biotech* 2006, 24:971–983.
- Rai AJ, Gelfand CA, Haywood BC, Warunek DJ, Yi J, Schuchard MD, Mehigh RJ, Cockrill SL, Scott GBI, Tammen H, Schulz-Knappe P, Speicher DW, Vitzthum F, Haab BB, Siest G, Chan DW: HUPO Plasma Proteome Project specimen collection and handling: Towards the standardization of parameters for plasma proteome samples. *Proteomics* 2005, 5:3262–3277.
- Agrawal D, Chen T, Irby R, Quackenbush J, Chambers AF, Szabo M, Cantor A, Coppola D, Yeatman TJ: Osteopontin Identified as Lead Marker of Colon Cancer Progression, Using Pooled Sample Expression Profiling. J Natl Cancer Inst 2002, 94:513–521.
- Sun B, Utleg AG, Hu Z, Qin S, Keller A, Lorang C, Gray L, Brightman A, Lee D, Alexander VM, Ranish JA, Moritz RL, Hood L: Glycocapture-Assisted Global Quantitative Proteomics (gagQP) Reveals Multiorgan Responses in Serum Toxicoproteome. J Proteome Res 2013, 12:2034–2044.
- Barderas R, Mendes M, Torres S, Bartolomé RA, López-Lucendo M, Villar-Vázquez R, Peláez-García A, Fuente E, Bonilla F, Casal JI: In-depth Characterization of the Secretome of Colorectal Cancer Metastatic Cells Identifies Key Proteins in Cell Adhesion, Migration, and Invasion. *Mol Cell Proteomics* 2013, 12:1602–1620.
- Megger DA, Bracht T, Kohl M, Ahrens M, Naboulsi W, Weber F, Hoffmann A-C, Stephan C, Kuhlmann K, Eisenacher M, Schlaak JF, Baba HA, Meyer HE, Sitek B: Proteomic Differences Between Hepatocellular Carcinoma and Nontumorous Liver Tissue Investigated by a Combined Gel-based and Label-free Quantitative Proteomics Study. *Mol Cell Proteomics* 2013, 12:2006–2020.
- Tansky MF, Pothoulakis C, Leeman SE: Functional consequences of alteration of N-linked glycosylation sites on the neurokinin 1 receptor. Proc Natl Acad Sci U S A 2007, 104:10691–10696.
- 42. Jiang D-K, Sun J, Cao G, Liu Y, Lin D, Gao Y-Z, Ren W-H, Long X-D, Zhang H, Ma X-P, Wang Z, Jiang W, Chen TY, Gao Y, Sun LD, Long JR, Huang HX, Wang D, Yu HJ, Zhang PY, Tang LS, Peng B, Cai H, TT L, Zhou P, Liu F, Lin XL, Tao S, Wan B, Sai Y, *et al*: Genetic variants in STAT4 and HLA-DQ genes confer risk of hepatitis B virus-related hepatocellular carcinoma. *Nat Genet* 2013, 45:72–75.
- Friedman SL: Evolving challenges in hepatic fibrosis. Nat Rev Gastroenterol Hepatol 2010, 7:425–436.
- 44. Van Zijl F, Mair M, Csiszar A, Schneller D, Zulehner G, Huber H, Eferl R, Beug H, Dolznig H, Mikulits W: Hepatic tumor-stroma crosstalk guides epithelial to mesenchymal transition at the tumor edge. Oncogene 2009, 28:4022–4033.
- Jamal BT, Nita-Lazar M, Gao Z, Amin B, Walker J, Kukuruzinska MA: N-glycosylation status of E-cadherin controls cytoskeletal dynamics through the organization of distinct beta-catenin- and gamma-catenin-containing AJs. Cell Health Cytoskelet 2009, 2009:67–80.
- 46. Fiorentino M, Altimari A, Ravaioli M, Gruppioni E, Gabusi E, Corti B, Vivarelli M, Bringuier P-P, Scoazec J-Y, Grigioni WF, D'Errico-Grigioni A: Predictive Value of Biological Markers for Hepatocellular Carcinoma Patients Treated with Orthotopic Liver Transplantation. *Clin Cancer Res* 2004, 10:1789–1795.

- Wang FJ, Dong J, Jiang XG, Ye ML, Zou HF: Capillary trap column with strong cation-exchange monolith for automated shotgun proteome analysis. Anal Chem 2007, 79:6599–6606.
- Zeeberg BR, Feng WM, Wang G, Wang MD, Fojo AT, Sunshine M, Narasimhan S, Kane DW, Reinhold WC, Lababidi S, Bussey KJ, Riss J, Barrett JC, Weinstein JN: GoMiner: a resource for biological interpretation of genomic and proteomic data. *Genome Biol* 2003, 4:R28.

doi:10.1186/1559-0275-11-26

Cite this article as: Sun *et al.*: Differential analysis of N-glycoproteome between hepatocellular carcinoma and normal human liver tissues by combination of multiple protease digestion and solid phase based labeling. *Clinical Proteomics* 2014 **11**:26.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

) BioMed Central

Submit your manuscript at www.biomedcentral.com/submit