

CORRECTION

Correction: Ultraconserved elements (UCEs) resolve the phylogeny of Australasian smurf-weevils

Matthew H. Van Dam, Athena W. Lam, Katayo Sagata, Bradley Gewa, Raymond Laufa, Michael Balke, Brant C. Faircloth, Alexander Riedel

The figure captions for Figs 7, 9 and 10 are incorrect. The figures appear in the correct order. Please view the corrected figure captions for Figs 7, 9 and 10 here.



OPEN ACCESS

Citation: Van Dam MH, Lam AW, Sagata K, Gewa B, Laufa R, Balke M, et al. (2018) Correction: Ultraconserved elements (UCEs) resolve the phylogeny of Australasian smurf-weevils. PLoS ONE 13(9): e0205049. <https://doi.org/10.1371/journal.pone.0205049>

Published: September 27, 2018

Copyright: © 2018 Van Dam et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Fig 7. ASTRAL species tree derived from RAxML trees. Node values indicate bootstrap support values. LEFT: ASTRAL species tree, input trees derived from single-partitioned RAxML analyses of individual gene trees. RIGHT: ASTRAL species tree, input trees derived from multi-partitioned RAxML analyses of individual gene trees.

<https://doi.org/10.1371/journal.pone.0205049.g001>




Fig 9. ASTRAL species tree derived from RAxML single-partition versus MrBayes multi-partition. LEFT: ASTRAL species tree, input trees derived from single-partitioned RAxML analyses (each gene tree reconstructed using a single partition), of individual gene trees. RIGHT: ASTRAL species tree, input trees derived from multi-partitioned MrBayes analyses of individual gene trees. Node values indicate support values of MrBayes posterior (minus burn-in) used as ASTRAL bootstrap replicates.

<https://doi.org/10.1371/journal.pone.0205049.g002>




Fig 10. Phylogenetic tree results of the Eupholini weevils, branch colors correspond to species clades. LEFT: SVDQuartets species tree. Dashed lines denote nodes that differ between trees. Node values indicate bootstrap support values. RIGHT: ASTRAL species tree, input trees derived from multi-partitioned MrBayes analyses of individual gene trees. Node values indicate support values of MrBayes posterior (minus burn-in) used as ASTRAL bootstrap replicates.

<https://doi.org/10.1371/journal.pone.0205049.g003>

Reference

- Van Dam MH, Lam AW, Sagata K, Gewa B, Laufa R, Balke M, et al. (2017) Ultraconserved elements (UCEs) resolve the phylogeny of Australasian smurf-weevils. PLoS ONE 12(11): e0188044. <https://doi.org/10.1371/journal.pone.0188044> PMID: 29166661