



Corrigendum: Evaluation of Human Milk Microbiota by 16S rRNA Gene **Next-Generation Sequencing (NGS)** and Cultivation/MALDI-TOF Mass **Spectrometry Identification**

OPEN ACCESS

Edited by:

Spyridon Ntougias, Democritus University of Thrace, Greece

Reviewed by:

Danae Venieri, Technical University of Crete, Greece

*Correspondence:

Primož Treven Primoz.Treven@bf.uni-lj.si

Specialty section:

This article was submitted to Systems Microbiology, a section of the journal Frontiers in Microbiology

Received: 19 November 2019 Accepted: 09 January 2020 Published: 29 January 2020

Citation:

Treven P, Mahnič A, Rupnik M, Golob M, Pirš T, Matijašić BB and Lorbeg PM (2020) Corrigendum: Evaluation of Human Milk Microbiota by 16S rRNA Gene Next-Generation Sequencing (NGS) and Cultivation/MALDI-TOF Mass Spectrometry Identification. Front. Microbiol. 11:31. doi: 10.3389/fmicb.2020.00031

Primož Treven 1*, Aleksander Mahnič 2, Maja Rupnik 2,3, Majda Golob 4, Tina Pirš 4, Bojana Bogovič Matijašić 1 and Petra Mohar Lorbeg 1

¹ Department of Animal Science, Biotechnical Faculty, Institute of Dairy Science and Probiotics, University of Ljubljana, Ljubljana, Slovenia, ² National Laboratory of Health, Environment and Food, Maribor, Slovenia, ³ Faculty of Medicine, University of Maribor, Maribor, Slovenia, ⁴ Faculty of Veterinary Medicine, Institute of Microbiology and Parasitology, University of Ljubljana, Ljubljana, Slovenia

Keywords: milk microbiota, microbiota assembly, breastfeeding, breast pump, probiotic drops

A Corrigendum on

Evaluation of Human Milk Microbiota by 16S rRNA Gene Next-Generation Sequencing (NGS) and Cultivation/MALDI-TOF Mass Spectrometry Identification

by Treven, P., Mahnič, A., Rupnik, M., Golob, M., Pirš, T., Matijašić, B. B., et al. (2019). Front. Microbiol. 10:2612. doi: 10.3389/fmicb.2019.02612

In the original article, there was an error. The line in the Abstract section: "The use of a breast pump was significantly associated with composition of HMM, lower microbial load, and higher abundance of cultivable staphylococci," was not correct.

A correction has been made to the Abstract: "The use of a breast pump was significantly associated with composition of HMM, higher microbial load, and lower abundance of cultivable staphylococci."

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Copyright © 2020 Treven, Mahnič, Rupnik, Golob, Pirš, Matijašić and Lorbeg. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

1