



Corrigendum to: Consistency of the determinants of early initiation of breastfeeding in Ghana: insights from four Demographic and Health Survey datasets

Precious A. Duodu^a, Henry O. Duah^b, Veronica M. Dzomeku^a, Adwoa B. Boamah Mensah^a, Josephine Aboagye Mensah^c, Ernest Darkwah^d and Pascal Agbadi^{a,*}

^aDepartment of Nursing, Faculty of Allied Health Sciences, College of Health Sciences, Kwame Nkrumah University of Science and Technology, Private Mail Bag, Kumasi, Ghana; ^bResearch Department, Foundation of Orthopaedic and Complex Spine Hospital, Post Office Box KD 779 Kanda, Accra, Ghana; ^cChild Health Directorate, Komfo Anokye Teaching Hospital, P.O.Box 1934 Adum-Kumasi, Ghana; ^dDepartment of Psychology, University of Ghana, Post Office Box LG 84, Legon, Accra, Ghana

*Corresponding author: Tel: +233549423559; E-mail: pascalagbadi@gmail.com

International Health, doi: 10.1093/inthealth/ihaa017.

In Table 1 of the above article, the values for 'Singleton' and 'Multiple birth' in 2003 were inverted. This has now been corrected as follows:

	2003
Type of Birth	
Singleton	3494 (96.0)
Multiple birth	145 (4.0)