

<https://doi.org/10.1038/s41467-020-14710-5>

OPEN

Publisher Correction: Metabolic engineering of *Escherichia coli* for shikimate pathway derivative production from glucose-xylose co-substrate

Ryosuke Fujiwara , Shuhei Noda, Tsutomu Tanaka  & Akihiko Kondo

Correction to: *Nature Communications* <https://doi.org/10.1038/s41467-019-14024-1>, published online 14 January 2020.

In the original version of this Article, Fig. 3 was incorrectly duplicated as Fig. 7. Also, the legend to Fig. 7 panel ‘e’ should read ‘Production yield of *cis,cis*-muconic acid (MA) from glucose (g of produced MA g⁻¹ of consumed glucose). Red, orange, yellow, purple, and blue symbols indicate the results of cultivation in 0%, 25%, 50%, 75%, and 100% glucose medium, respectively, in ‘a–e’; ‘a–h’ were referred to in the original version. This has been corrected in both the PDF and HTML versions of the Article.

Published online: 20 February 2020



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2020