

RESEARCH ARTICLE

The Development of a Strategic Prioritisation Method for Green Supply Chain Initiatives

S. Maryam Masoumik, Salwa Hanim Abdul-Rashid*, Ezutah Udonyo Olugu

Centre for Product Design and Manufacturing (CPDM), Department of Mechanical Engineering, Faculty of Engineering, University of Malaya, Kuala Lumpur, Malaysia

* salwa_hanim@um.edu.my



Abstract

To maintain a competitive position, companies are increasingly required to integrate their proactive environmental strategies into their business strategies. The shift from reactive and compliance-based to proactive and strategic environmental management has driven companies to consider the strategic factors while identifying the areas in which they should focus their green initiatives. In previous studies little attention was given to providing the managers with a basis from which they could strategically prioritise these green initiatives across their companies' supply chains. Considering this lacuna in the literature, we present a decision-making method for prioritising green supply chain initiatives aligned with the preferred green strategies alternatives for the manufacturing companies. To develop this method, the study considered a position between determinism and the voluntarism orientation of environmental management involving both external pressures and internal competitive drivers and key resources as decision factors. This decision-making method was developed using the analytic network process (ANP) technique. The elements of the decision model were derived from the literature. The causal relationships among the multiple decision variables were validated based on the results of structural equation modelling (SEM) using a dataset collected from a survey of the ISO 14001-certified manufacturers in Malaysia. A portion of the relative weights required for computation in ANP was also calculated using the SEM results. A case study is presented to demonstrate the applicability of the method.

OPEN ACCESS

Citation: Masoumik SM, Abdul-Rashid SH, Olugu EU (2015) The Development of a Strategic Prioritisation Method for Green Supply Chain Initiatives. PLoS ONE 10(11): e0143115. doi:10.1371/journal.pone.0143115

Editor: Yong Deng, Southwest University, CHINA

Received: October 6, 2014

Accepted: November 1, 2015

Published: November 30, 2015

Copyright: © 2015 Masoumik et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Data Availability Statement: All relevant data are within the paper and its Supporting Information files.

Funding: This work was supported by University of Malaya Research Grant RP033B-15AET (<http://umresearch.um.edu.my/index.php>) to SHA-R.

Competing Interests: The authors have declared that no competing interests exist.

Introduction

In today's competitive market, the companies are increasingly being encouraged to incorporate environmental strategies into their business strategies. The increased competition and globalisation have caused organisations to shift from local optimisation at the firm level towards the entire supply chain [1]. Hence the scope of environmental activities is extended beyond the firm's internal borders [2]. This operational transition in environmental practice provides companies with opportunities for the broader development of sustainability [3]. In this respect, integrating environmental strategies into supply chain management has become a subject of growing interest among academics and practitioners.

Environmentally conscious thinking in supply chain management offers a long list of green initiatives in various operational areas across the value chain from the raw material supply to product usage and even further to post-use processes including reverse logistics, product recovery and recycling [1, 2, 4, 5]. However, the resource constraint does not allow companies to implement all these practices in an effective way [6]. That is why managers have to strategically prioritise their green supply chain initiatives (GSCIs) to gain as many environmental and competitive benefits as possible.

The pressures from external stakeholders, such as regulators, customers, suppliers, competitors, community groups and the media, force organisations to implement several determinant and regulatory-driven green practices. However, there are still numerous voluntary environmental activities that can be initiated by companies depending upon their competitive position and their internal resources [7]. This provides the opportunity for making strategic choices concerning those GSCIs that can be initiated proactively.

To implement strategic planning concerning green supply chain initiatives, business managers are required to simultaneously consider external pressures, internal competitive drivers and firm's key resources.

However, there has been little discussion in the literature that shows how external pressures and internal resources interactively can affect managers' decisions to prioritise green strategies and initiatives [8]. Most of the previous research attempting to develop a decision-making framework for prioritising GSCIs is more focused on the operational level than the strategic level (See e.g., [9–11]).

Considering this lacuna in the literature, the present study aims to develop a decision-making method for prioritising green strategies and GSCIs while considering both external and internal strategic factors. This decision method will help business managers answer the following questions while they are developing their strategic environmental plan:

1. What will be the priorities of green strategies if the company aims to satisfy the following objectives simultaneously?
 - Meeting the demands of external stakeholders
 - Achieving the firm's desired competitive advantages
 - Optimising the exploitation of the firm's key resources
2. What will be the priorities of GSCIs if the company aims to adopt the prioritised green strategies?

To develop a more reliable method, the present study is devoted to establishing the link between empirical studies and the approach of quantitative decision-making modelling that has only been carried out in a small number of previous studies [12]. For this purpose we used the concept of analytic network process (ANP) modelling [13] for structuring our decision framework and then conducted an empirical study to explore the relationships between the factors and the relative weights of variables required for solving the problem using the ANP technique. We have analysed the causal relationship model by applying the method of partial least square-based structural equation modelling (PLS-SEM) [14] using the dataset generated from our survey of Malaysian ISO 14001-certified manufacturers.

To demonstrate the applicability of the proposed method, we tested the method using the case study of a manufacturer from the electronics industry in Malaysia.

Theoretical Background

Recently, researchers and practitioners have shown an increased interest in the topic of green supply chain drivers, pressures and practices. There have been several empirical studies in the

literature analysing the determinant factors and their impacts on the development of green initiatives in supply chains [15–21].

Most previous studies assumed that there is a direct relationship between external drivers and green supply chain initiatives. Most researchers referred to external drivers as institutional pressures imposed by regulatory bodies [15, 16, 18, 22–25], customers [15, 16, 18, 22–26], competitors [24, 25, 27], and society [18, 25, 26]. However, when it comes to internal drivers, there is no such consensus regarding the operationalization of the concept. “Supplier’s readiness in terms of having awareness, and know-how” [23], “external knowledge exchange” [28], “purchasing’s environmental capabilities” [20], and “waste reduction resources” [29], are some examples of internal drivers in previous studies, which can be categorized under the category firm’s key resources. Firm’s competitive advantage is another category of internal drivers that has been addressed in published articles in terms of cost reduction [15, 18, 22], competitive reasons [30, 31] and organization’s value [18].

From the literature review, it can be seen that the external drivers have received more attention from researchers compared to the internal drivers. Examining the impact of firms’ key resources as an internal driver or enabler to drive the green initiatives is placed in second rank. Although there are several arguments proving that the implementation of green initiatives generates competitive value for companies [32–34], few studies considered the firm’s desire to gain competitive advantages as an internal factor to drive GSCM.

Additionally, several attempts have been made to evaluate environmentally related practices by applying the ANP/AHP techniques. So far, however, these studies paid more attention to the operational level of decision making than the strategic level.

Previous studies suggested various independent decision factors that impact the priority vector of green supply chain initiatives. These include internal factors, such as “time period” [9, 35], “product life cycle stages” [10], “performance criteria” [10, 11, 36] and “firm’s readiness to implement GSCM” [35]; and external factors, such as “regulatory environment” [9], “customer requirements” [37, 38] and “non-government organization’s influence” [38].

In reviewing the internal decision factors, it can be seen that the internal strategic factors associated with competitive advantage have been partially addressed in a few studies. For example, Sarkis [10], and Buyukozkan and Cifci [11] considered “cost” as an independent factor that impacts on the priority vector of alternative green supply chain systems. Bai and Sarkis [39] also suggested economic performance as an influencing factor for ranking green supplier development programmes. Other elements associated with competitive advantage, such as “reputation and legitimacy” and “future positioning”, have been neglected in previous studies.

A firm’s key resources constitute another internal strategic factor that has been rarely addressed in the literature. In its general form, the influence of a firm’s key resources on the prioritisation decision for green supply chain initiatives has been presented as the readiness of a firm’s operational process to contribute to green programmes [35].

With regards to external strategic factors, a few studies include institutional pressures, such as regulatory pressures [9], customer pressures [37, 38], and society pressures [38] in their decision model. However, competitive pressure has been ignored in previous studies.

While the role of a firm’s environmental strategic approach to drive the implementation of green supply chain initiatives is emphasized in the literature [40, 41], most of the established decision models for ranking the green initiatives did not take this factor into account. In other words, they suggested the decision model for ranking green supply chain initiatives in various operational areas without considering the fact that the firm’s green strategic approach affects the scope of green supply chain improvement efforts.

Only a few studies paid attention to the role of green strategies in prioritising green supply chain initiatives. In this respect, the study conducted by Chen et al. [42] made an attempt to

establish a decision model for green strategy selection. They suggested four types of green strategy, namely, risk-based, efficiency-based, innovation-based and closed loop strategy. However, they formulated the decision model for prioritising green strategies by taking a backward approach, which implies that the prioritisation of green strategies has been made based on the current environmental performance of the organisation. Researchers using this approach first identify the organisation's green management perspective based on the environmental activities performed by the company and then obtain the priorities of green strategies and initiatives with respect to this perspective. The green initiatives introduced in their model include green design, green manufacturing, green purchasing and green marketing.

Because organisations have to adopt a proactive approach to gain competitive advantages, the model suggested in this paper will take a forward approach. In this approach, the company first decides which green strategy should receive the most focus while considering all the external and internal factors. Then, in the second stage the priorities of GSCIs to achieve these prioritised strategic goals will be determined. These priorities will be made based on two factors, the importance of the green initiatives to the fulfilment of the requirements of the green strategy and the current performance of the firm in each green initiative.

The first step in making the strategic prioritisation of GSCIs is to determine the green strategies preferences of the company. To do so, we applied two well-known theories, namely, the natural resource-based view (NRBV) [43–45] and institutional theory [46].

According to institutional theory, external pressures, by forcing companies to implement regulatory-driven practices, reduce the variation in firms' environmental strategies. Meanwhile, the natural resource-based view (NRBV) suggests that the firm's key resources providing differentiation can increase the variation of strategies [47].

Institutional theory emphasises the role of external pressures imposed on the organisation to develop green initiatives. The main sources of external pressures are regulatory bodies, customers, competitors, and society (in terms of NGOs, the media, and community groups) [25, 46]. The strategic factors associated with institutional pressures that are external to companies force them to implement some determinant environmental-related activities that are usually homogenous in the same industry.

According to the NRBV framework, there are three main green strategies, namely, pollution prevention, product stewardship, and clean technology, which can bring to companies the competitive advantages of cost reduction, reputation and legitimacy, and future positioning, respectively. The strategic factors of competitive advantages expected by companies can motivate them to incorporate several voluntary green initiatives in their environmental improvement programs. These voluntary green practices can provide companies the expected competitive advantages.

Each of the above-mentioned green strategies dictates a series of green initiatives in various operations of the supply chain based on the following definitions:

- Pollution prevention refers to reducing waste and emissions from the company's current operations through the incremental improvement of the company's existing products and processes.
- Product Stewardship relates to reducing the environmental impact of a company's existing products and processes at every stage of a product's life cycle (from supplying raw material, through the production processes, to product consumption and disposal of end-of-life products).

- Clean technology extends beyond a company's existing products and business models. Companies adopting this approach use innovative technologies and make a disruptive change in their product and process design so they can gain benefits from future market opportunities.

By referring to the definition of these green strategies, adoption of these strategies can be realised through the various green initiatives across the supply chain classified in the following categories [27, 48]:

- Product design for the environment involves initiatives relating to the design of products for reuse, recycling, or recovery, the design of products for reducing emissions and other environmental design objectives.
- Greening upstream relates to using environmentally friendly materials, collaboration with suppliers in environmental objectives, and other upstream activities.
- Green production includes activities such as the optimisation of manufacturing processes to reduce waste, the consumption of materials and energy and the recycling of materials internally in the company.
- Greening downstream addresses environmentally friendly transportation, green packaging, and cooperation with customers in environmental objectives.
- Greening post-use refers to initiatives treating used products such as recovery activities for used or defective products/components or recycling from end-of-life products.

According to NRBV, key resources such as continuous improvement, stakeholder integration, and disruptive change enable companies to implement these green strategies. The strategic factors of a firm's key resources can help managers make more realistic decisions on launching green initiatives with achievable performance targets.

As a consequence of applying these two theories, we introduced five clusters in our decision-making model. There are three clusters for the strategic factors that influence the prioritisation of green strategies, namely, institutional pressures, firm's desired competitive advantages, and firm's key resources. The other two clusters are green strategies and green supply chain initiatives.

Research Methodology

To develop a decision-making method for prioritising green strategies and initiatives, this study went through six steps within three main stages in the research process (see Fig 1).

Establish the GSCIs prioritising network

The study begins with a review of the literature on green strategies and GSCIs and the factors that influence the decisions of firms' managers in the prioritisation of green strategies and initiatives. The outcome of this step is a conceptual model of the causal relationship among the determinant factors, green strategies, green initiatives and performance.

To validate the developed conceptual model, we conducted a questionnaire survey among the ISO 14001-certified manufacturers in Malaysia. The manufacturing sector of Malaysia accounted for 24.9% of the gross domestic product (GDP) in 2012, and is considered to be the second largest contributor in Malaysia's GDP [49]. Through the contribution of 66.5% in the value of total exports in the first quarter of 2014, it is also placed in first position in terms of the contribution to Malaysia's export market. These facts show the importance of the manufacturing sector in respect of Malaysia's economic growth. However, as a developing country, the rapid movement of Malaysia towards industrialization makes the manufacturing sector a




Fig 1. The proposed research process.

doi:10.1371/journal.pone.0143115.g001

significant source of environmental issues within the country [50], which implies the importance of improving the environmental performance of the manufacturing sector.

Since the food industry does not cover all operational areas of green supply chain initiatives, this industry is excluded from the scope of study. For example, the initiative of eco-product design and the initiative of greening post-use in the food industry would be limited to packaging and is not applicable to food products.

ISO 14001 certified companies were selected as they are more likely to incorporate the green supply chain initiatives into their business. This is supported by previous studies [51–54].

The unit of analysis in this study is the individual company. The sampling frame was obtained from SIRIM and the Federation of Malaysian Manufacturers (FMM) directory [55] of Malaysian manufacturers.

Table 1 shows the operationalisation of the constructs that were the basis of our questionnaire development.

The dataset is comprised of 139 completed questionnaires out of 430 questionnaires that we distributed to each firm's Environmental Management Representative (ERM). The ERM is a key informant in EMS ISO 14001-certified companies who has knowledge about green issues [56]. The given sample size of 139 companies meets the requirement of 10 times rule that implies minimum sample size should 10 times the maximum number of arrowheads pointing at a latent variable anywhere in the PLS path method [14]. Table 2 shows the profile of the respondent companies.

We used a web-based survey solution, SurveyMonkey [57], to distribute our questionnaires and followed-up with phone call to increase the response rate. As the collected information from ERM is about the green strategies, practices, and performance of the company, this study does not constitute "human subject research". However, regarding the confidentiality issue, we submitted a cover page with the questionnaire stating that "*the results and contributions will be solely used for academic research purposes and research article publications and no attempt will be made at identifying the individuals and/or the organizations they represent in any publications*". We asked the respondents to fill up the questionnaire if they agree to these terms and conditions. Before analysing data, all identifiable information was removed from the data set to be insured that the respondent and its organization's identification is kept confidential.

The collected data have been analysed by applying partial least square-based structural equation modelling (PLS-SEM) [14] using the SmartPLS software version 2 [58].

Structural equation modelling (SEM) is a second-generation statistical method that has several advantages in comparison with traditional methods such as multiple regression analysis. One of the most important feature of SEM is its ability to simultaneously test the relationships between the multiple variables as a structural model and the relationship between a latent variable and its indicators as a measurement model [14]. Recent research on green supply chains increasingly uses structural equation modelling to examine the causal relationship between green initiatives and their performance [26, 48, 59, 60].

There are two types of SEM, namely, covariance-based SEM (CB-SEM), and partial least square-based SEM (PLS-SEM). CB-SEM is applied in confirmatory research to test the established theories, while PLS-SEM is used in exploratory research to develop theories [14].

There are several reasons why researchers in the strategic management discipline use PLS-SEM. The main reasons are the ability to predict and explain the variance of key target constructs, handle the small sample size, manage the non-normal data and analyse the formatively measured constructs [61]. We have also adopted this method for two main reasons. First, because PLS-SEM focuses on prediction, we could use this method for obtaining the importance of the decision factors in achieving the key target constructs, which in our research are the green strategies adoption. Second, the ability of this method to analyse the formatively measured constructs provides us with the opportunity to calculate the weights of the measures for every GSCI. Therefore, we could develop a performance measurement system for calculating the performance of GSCIs based on the results of our empirical study. Using these features of the PLS-SEM method, we were able to conduct importance-performance matrix analysis (IPMA) [14] and obtain the ultimate priorities of GSCIs.

With regards to the factors and their relationship in the validated model, a decision-making tool was designed by using the ANP technique [13].

Table 1. Constructs operationalisation.

Cluster 1: Institutional Pressures (IP)	
Regulatory Pressures (RIP)	The coercive isomorphic pressures imposed by regulatory bodies to force organisations to adopt environmental strategies
Market Pressures (MIP)	The normative isomorphic pressures imposed by companies' customers and export markets on companies to adopt environmental strategies
Competitor Pressures (CIP)	The mimic isomorphic pressures from competitors that drive companies to adopt environmental strategies
Society Pressures (SIP)	The coercive isomorphic pressures imposed by local communities and environmental interest groups that influence companies' decisions on adopting environmental strategies
Cluster 2: Firm's Desired Competitive Advantages (CA)	
Cost Reduction (CRA)	The advantage of cost reduction through making a set of functional policies and managerial attention to cost control in the firm's value chain without ignoring the quality of goods and services
Reputation and Legitimacy (RLA)	The advantage of strengthening the brand and corporate image through collaboration with the firm's key stakeholders and gaining competitive pre-emption through establishing rules, regulations, or standards that are uniquely tailored to the firm's capability
Future Positioning (FPA)	The advantages of gaining future market share and capturing the opportunity share by shaping the future and building new spaces in the market.
Cluster 3: Firm's Key Resources (KR)	
Continuous Improvement (CIR)	The ability to continuously improve the firm's processes
Stakeholder Integration (SIR)	The ability to integrate the views of the key stakeholders into the business processes
Disruptive Change (DCR)	The ability to address areas of knowledge that are uncertain, constantly evolving, and dynamically complex
Cluster 4: Green Strategies (GS)	
Pollution Prevention (PPS)	Reducing waste and emissions from the company's current operations through incremental improvement of the company's existing products and processes
Product Stewardship (PSS)	Reducing the environmental impact of a company's existing products and processes at every stage of a product's life cycle (from supplying raw material, through the production processes, to product consumption and disposal of end-of-life products)
Clean Technology (CTS)	Applying innovative clean technologies and making a disruptive change in the product and process design and gaining benefits from future market opportunities
Cluster 5: Green Supply Chain Initiatives (GCSIs)	
Product design for the environment (EDP)	Involves initiatives relating to the design of products for reuse, recycling, or recovery, design of products for reducing emissions and other environmental design objectives
Greening Upstream (GUM)	Relates to using environmentally friendly materials, collaboration with suppliers in environmental objectives, and other upstream activities
Greening Production (GPN)	Includes activities such as the optimisation of manufacturing processes to reduce waste, the consumption of materials and energy and the recycling of materials internally in the company
Greening Downstream (GDM)	Addresses environmentally friendly transportation, green packaging, and cooperation with customers in environmental objectives
Greening post-Use (GPU)	Refers to initiatives treating used products such as recovery activities for used or defective products/components or Recycling from End-of-Life products.

doi:10.1371/journal.pone.0143115.t001

Table 2. Profile of responding companies.

Variable	Categories	Frequency	%
Type of Industry	Automotive and other Transport Equipment	25	17.99%
	Electrical and Electronics	50	35.97%
	Metal, Machinery, Equipment and Appliances	20	14.39%
	Rubber and Plastic Products	15	10.79%
	Chemical and Chemical Products	13	9.35%
	Textiles, Paper Products, Furniture, and Products of Wood	16	11.51%
Company's age	< = 15 Years	17	12.23%
	15 Years >	122	87.77%
Company's size	5–50	25	17.99%
	51–150	50	35.97%
	151–500	20	14.39%
	501–1000	15	10.79%
	1000>	13	9.35%
Ownership	Local owned (Fully Malaysian)	48	34.53%
	Local and Foreign Joint Venture	19	13.67%
	Foreign-based Company	72	51.80%
Market	Local	25	17.99%
	Regional/Asian	50	35.97%
	Global	20	14.39%
	Local & Regional	15	10.79%
	Local & Global	13	9.35%
Suppliers	Local	25	17.99%
	Regional/Asian	50	35.97%
	Global	20	14.39%
	Local & Regional	15	10.79%
	Local & Global	13	9.35%

doi:10.1371/journal.pone.0143115.t002

ANP is a more general form of the analytic hierarchy process (AHP) technique that was developed to prioritise the alternatives in a decision problem by formulating the problem as a hierarchic structures consisting of a goal, criteria, and alternatives [62]. As opposed to the hierarchic structure, ANP formulates the decision problem as a network consisting of clusters and elements within these clusters. The representation of the decision problem as a network structure allows us to see the mutual relationship between the decision clusters or elements among the different levels and the two-way relationship between the elements at the same level, indicating the inner dependencies between the elements within a cluster [13].

ANP was selected, firstly, because it is the most commonly applied method for evaluation GSCM decision alternatives. Secondly, with regards to the nature of the decision model developed in this research, which underlines the satisfaction of the requirements imposed by both external and internal drivers, simultaneously, adopting a win-win approach in the decision making procedure is critical. As Seuring [12] noted, while most model-based techniques take a trade-off approach to optimise sustainability-related decisions, the analytic network process takes a win-win approach to satisfy the decision criteria. Finally, given the complexity of the decision environment in this study, ANP is a suitable technique that can handle several decision variables included in various clusters having inner dependencies between the variables within a cluster [13]. The ability of the ANP technique to handle the complex decision

environment in the research areas of environmental and supply chain management has been confirmed by several researchers [10, 11, 37, 63–65].

Obtaining the relative intensities of clusters and elements

To obtain the relative intensities of the clusters and elements in the model, we applied two approaches. First, we made twelve sets of pairwise comparisons for determining the relative importance of the cluster's institutional pressures, key resources, and competitive advantages and their elements in respect to the goal. Based on the AHP approach [62], we used a scale from 1 (equally important) to 9 (extremely more important) to make the pairwise comparison. For this purpose, a firm's environmental manager representative (EMR) was asked a number of pairwise comparison questions. The environmental management representatives (EMR), who were requested to complete the pairwise comparisons questionnaire in this research, were introduced in the literature as a key informant person in the area of green supply chain management [56]. S1, S2, S3 and S4 Appendices present the questionnaires for pairwise comparisons. One example question is, "How much more important is satisfying the requirements of regulatory pressures than the market pressures while planning green strategies and initiatives?" To ensure the consistency of the judgments in making pairwise comparisons, we have also calculated the consistency ratio (C.R), which should be approximately 0.10 or less. The formula for C.R calculation can be found in most AHP and ANP books (see [66]).

Second, we prepared four matrices of relative importance by calculating the results of the total effect of a given variable on a target variable in the structural model. The total effect has been derived from a PLS path model by estimating the direct, indirect and total relationship in the structural model.

Determining the priorities

For performing computations and obtaining the priorities in the ANP model, we used the "Super decision" software. We used the direct mode in the "Super decision" software to input the weights that were calculated based on the total effects derived from PLS path model. After entering the raw data in the "Super decision" software, the computations were performed, forming the unweighted supermatrix, weighted supermatrix, and limit matrix. The limit matrix provides the relative priorities for each alternative considered within the decision framework. These priorities show the importance of every green strategy in satisfying the internal and external factors and the importance of every GSCI in achieving the prioritised green strategies. To ensure the model stability, we executed sensitivity analysis, which shows how the optimal solution responds to changes in input parameters.

To adjust the priorities according to the current performance of the company, it was necessary to calculate the company's performance in every area of green supply chain operation and conduct the importance-performance analysis. This technique can improve the method of prioritisation [67].

To conduct an importance-performance analysis, we developed a performance measurement system including the measurement indicators and their weights associated with the GSCIs. The indicators are the formative measures that we have already collected data for and analysed in the PLS-SEM. The weights for these formative measures are also derived from the results of measurement model in the PLS-SEM. To calculating the performance, we asked each company to assign a score between 0 (not at all) to 100 (excellent) to each indicator. The final priorities of GSCIs were made based on importance-performance matrix analysis (IPMA).

Evaluation of the method's usability

As the last phase of the research, the usability of the developed prioritisation method was evaluated using the case study. To evaluate the method's usability, a 2-hour feedback session was conducted by involving the environmental management representative (EMR) in the process of method's implementation and evaluation.

For conducting a systematic evaluation, an interview protocol was also developed to consider the user's feedback through semi-structured interviews. This interview protocol included questions on usability dimensions, namely, learnability, efficiency, and helpfulness, which were selected from the dimensions suggested by the literature for evaluation of the software usability [68–70]. These three dimensions were selected because they were frequently addressed in various usability questionnaires and were also more relevant to the evaluation purpose of this research.

At the beginning of the meeting, the purpose of the method, the concept behind the prioritisation method, the procedure for prioritising green strategies and green supply chain initiatives, and the main functions of the method were briefly explained for the contributors in the evaluation process. The EMR was then asked to provide the input regarding the current performance score of the green supply chain initiatives in his/her company. After inputting the performance scores, the EMR was asked to make pairwise comparisons. By taking these inputs, the final report showing the priority vector of green supply chain initiatives was made using the Super Decisions [71] software, which is a free software for ANP and AHP models, and an Excel sheet which was designed for analyzing the importance-performance. At the end of the feedback session, the EMR was asked to express her opinion about the method's usability in terms of learnability, efficiency and helpfulness. These feedback was then summarized and analysed.

Establishing the Decision Model

According to the findings from the literature review (presented in section 2), we have introduced five clusters in our decision model, namely, institutional pressures, competitive advantages, key resources, environmental strategies, and GSCIs. Each of these clusters has its own elements, as shown in Table 1. In order investigate the relationship between these elements, we have developed a causal relationship model and tested the model with a dataset generated from the survey amongst the ISO 14001-certified manufacturers in Malaysia. Fig 2 shows the conceptual model.

To test the conceptual model we applied the partial I square-based SEM (PLS-SEM) technique. To ensure the validity and reliability of the model, we evaluated the measurement model for both reflective and formative measures.

Validity and Reliability

To evaluate the reflective measurement model, we analysed composite reliability (CR), convergent validity, and discriminate validity following the methodology documented by Hair et al. [14]. Table 3 depicts the results of the reflective measurement model tests. The factor loadings for all reflective items (except the item RIP1, which was deleted) exceeded the recommended value of 0.7. Composite reliability, which is a measure of internal consistency reliability, ranged from 0.815 to 0.946, which is acceptable [72]. Convergent validity refers to the extent to which a measure positively correlates with alternative measures of the same construct [14]. To analyse the convergent validity, we considered the outer loadings of the indicators and the average variance extracted (AVE). All the values of AVE, which refers to the communality of the constructs [14], are acceptable according to the minimum recommended value of 0.5 [73, 74].




Fig 2. Causal relationship between the decision elements.

doi:10.1371/journal.pone.0143115.g002

Discriminate validity refers to the distinction of a construct from the other constructs in the measurement model. To test the discriminate validity, we used Fronell-Larcker criterion approach. According to this approach, the square root of the AVE for each construct must be larger than its correlation with other constructs [14]. This held true for our measurement model (see Table 4).

To evaluate the formative measurement model, we first assessed the collinearity issues by examining the variance inflation factors (VIF), which are recommended to be less than the value of 5 [14]. Except for one indicator (GDMcm2), all the VIF in our formative measurement model satisfy this condition (see Table 5). However, because this item is not interchangeable and it satisfies the condition of VIF less than 10 recommended by the general statistics theory [75, 76], we retain this variable. Second, we proceeded with analysing the significance of the outer weights. For this purpose, we ran the bootstrapping procedure by creating 1000 random subsamples. The t-value calculated after running this procedure shows each indicator weight’s significance. As seen from Table 5, there are several indicators that have an insignificant weight (less than 1.645). However, we did not delete these items because their outer loadings are above 0.5, which shows that the item has absolute importance but no relative importance [14].

Common method variance (CMV) has been also examined by using Harmen’s single factor test in the SPSS software and the results showed that the measures are not affected by CMB.

Significant causal relationships

To investigate how each decision element in a cluster influences its related elements in the other clusters, we evaluated the structural model to investigate the proposed relationship in our conceptual model. gcq shows the results presenting the significant and non-significant relationships. The decision model was formed based on the significant relationships. For example, according to the results, the element of society pressures has no significant relationship with the elements in the cluster green strategy, so we removed this element from our final decision model (see Fig 3).

Table 3. Evaluation of reflective measurement model.

Construct	Item	Loading	AVE	CR
Regulatory pressures	RIP2	0.619	0.526	0.815
	RIP3	0.731		
	RIP4	0.787		
	RIP5	0.754		
Customer pressures	MIP1	0.741	0.627	0.909
	MIP2	0.743		
	MIP3	0.744		
	MIP4	0.807		
	MIP5	0.867		
	MIP6	0.838		
Competitor pressures	CIP1	0.768	0.715	0.937
	CIP2	0.865		
	CIP3	0.876		
	CIP4	0.861		
	CIP5	0.816		
	CIP6	0.881		
Society pressures	SIP1	0.719	0.507	0.837
	SIP2	0.764		
	SIP3	0.704		
	SIP4	0.653		
	SIP5	0.716		
Cost reduction	CRA1	0.922	0.791	0.919
	CRA2	0.909		
	CRA3	0.835		
Reputation and legitimacy	RLA1	0.828	0.635	0.874
	RLA2	0.817		
	RLA3	0.752		
	RLA4	0.789		
Future positioning	FPA1	0.831	0.773	0.931
	FPA2	0.866		
	FPA3	0.903		
	FPA4	0.914		
Continuous improvement	CIR1	0.764	0.699	0.921
	CIR2	0.793		
	CIR3	0.880		
	CIR4	0.860		
	CIR5	0.878		
Stakeholder integration	SIR1	0.883	0.757	0.949
	SIR2	0.921		
	SIR3	0.923		
	SIR4	0.896		
	SIR5	0.734		
	SIR6	0.851		
Disruptive change	DCR1	0.814	0.736	0.933
	DCR2	0.874		
	DCR3	0.886		
	DCR4	0.823		

(Continued)

Table 3. (Continued)

Construct	Item	Loading	AVE	CR
	DCR5	0.889		
Pollution prevention strategy	PPS1	0.931	0.846	0.943
	PPS2	0.944		
	PPS3	0.884		
Product stewardship strategy	PSS1	0.880	0.805	0.943
	PSS2	0.915		
	PSS3	0.894		
	PSS4	0.900		
Clean technology strategy	CTS1	0.878	0.814	0.946
	CTS2	0.929		
	CTS3	0.884		
	CTS4	0.918		

doi:10.1371/journal.pone.0143115.t003

Obtaining the Relative Intensities of Clusters and Elements

Results from the case study

To obtain the relative intensities of the first three clusters and their elements with respect to the objective of the strategic improvement of green supply chain management, we suggest using the firm’s environmental management representative’s judgment for making pairwise comparison between the clusters and elements. The reason behind this is that the environmental management representative is a key informant in Malaysian ISO 14001-certified companies who has the appropriate knowledge about green issues [56]. We have already executed this pairwise comparison in company X as our case study in this research.

Company X is a subsidiary of a Japanese manufacturer that produces electronic components in Malaysia. The company is a large-size company with more than 15 years experiences in the electronics manufacturing industry. The company works with several suppliers from Asia, and its products are sold in Southeast Asia and the rest of the world.

Similar to AHP, pairwise comparison is made based on a scale from 1 to 9 in which 1 indicates the equal importance of two elements regarding their contribution to the objective and 9 indicates the absolute importance of one element over the other.

The responses to pairwise comparisons are presented in S5, S6, S7, and S8 Appendices to show the calculation of the relative weights for the clusters and their associated elements in the first level of the decision model. The calculation is made by using the Super Decisions [71] software, which is a free software for ANP and AHP models.

The relative weights of the clusters with respect to the goal in company X are 0.121957, 0.558425, and 0.319618 for institutional pressures, competitive advantages, and key resources, respectively.

5.2 Results from the survey

To obtain the relative intensities of the elements in the cluster green strategies and GSCIs, we calculated the total effect of each independent element on its associated dependent variables. For this purpose, we ran the PLS algorithm for the modified causal relationship model including only significant relationships. The results of the total effect are shown in Table 7.

Then, by normalising the values of the elements in one cluster with respect to its control variable in another cluster, we obtained the relative priority vector. For example, the results of

Table 4. Fronell-Larcker criterion analysis.

	RIP	MIP	CIP	SIP	CRA	RLA	FPA	CIR	SIR	DCR	PPS	PSS	CTS	EDP	GUM	GNP	GDM	GPU	ENpp	ENps	ENct	
RIP	0.725																					
MIP	0.393	0.792																				
CIP	0.405	0.503	0.845																			
SIP	0.279	0.367	0.313	0.712																		
CRA	0.204	0.174	0.411	0.217	0.890																	
RLA	0.357	0.217	0.583	0.288	0.518	0.797																
FPA	0.231	0.173	0.566	0.208	0.502	0.736	0.879															
CIR	0.403	0.218	0.493	0.263	0.470	0.508	0.532	0.836														
SIR	0.427	0.310	0.564	0.281	0.362	0.502	0.488	0.638	0.870													
DCR	0.368	0.226	0.533	0.302	0.324	0.618	0.551	0.654	0.756	0.858												
PPS	0.380	0.253	0.524	0.255	0.434	0.545	0.568	0.586	0.468	0.511	0.920											
PSS	0.399	0.402	0.585	0.318	0.419	0.612	0.540	0.567	0.595	0.637	0.628	0.897										
CTS	0.331	0.323	0.586	0.301	0.417	0.592	0.635	0.566	0.545	0.647	0.674	0.757	0.902									
EDP	0.254	0.273	0.362	0.315	0.265	0.350	0.399	0.343	0.307	0.408	0.534	0.505	0.572	NA								
GUM	0.327	0.426	0.500	0.285	0.280	0.346	0.344	0.430	0.457	0.505	0.523	0.606	0.687	0.710	NA							
GNP	0.326	0.336	0.425	0.335	0.287	0.306	0.346	0.335	0.364	0.397	0.566	0.497	0.618	0.699	0.801	NA						
GDM	0.302	0.442	0.496	0.437	0.249	0.389	0.344	0.401	0.450	0.476	0.425	0.554	0.660	0.614	0.747	0.665	NA					
GPU	0.292	0.390	0.308	0.201	0.042	0.226	0.147	0.163	0.299	0.328	0.201	0.324	0.398	0.358	0.557	0.531	0.519	NA				
ENpp	0.272	0.247	0.420	0.300	0.228	0.360	0.422	0.441	0.346	0.389	0.545	0.494	0.609	0.586	0.666	0.678	0.620	0.474	NA			
ENps	0.229	0.256	0.316	0.339	0.094	0.301	0.226	0.239	0.285	0.332	0.318	0.384	0.467	0.463	0.596	0.655	0.649	0.630	0.696	NA		
ENct	0.307	0.333	0.338	0.307	0.190	0.320	0.320	0.341	0.300	0.367	0.497	0.474	0.615	0.629	0.710	0.735	0.641	0.542	0.838	0.753	NA	

doi:10.1371/journal.pone.0143115.t004

Table 5. Evaluation of formative measurement model.

Construct		Item	Weight	Loading	t-value	VIF	
Product design for the environment		EDP1	0.070	0.795	0.383	2.539	
		EDP2	0.230	0.860	1.615	2.631	
		EDP3	0.286	0.889	1.694	3.157	
		EDP4	0.383	0.929	2.257	3.640	
		EDP5	0.154	0.887	0.913	3.690	
Greening upstream	Green purchasing	GUMpur1	0.297	0.750	2.618	1.514	
		GUMpur2	0.269	0.865	2.061	2.420	
		GUMpur3	0.583	0.935	5.211	2.263	
	Green supplier management	GUMsm1	0.373	0.868	2.480	2.246	
		GUMsm2	0.344	0.908	2.118	3.268	
		GUMsm3	0.282	0.905	1.415	4.637	
		GUMsm4	0.125	0.880	0.734	4.051	
Green production		GPN1	0.217	0.766	1.844	2.555	
		GPN2	0.119	0.758	0.738	2.495	
		GPN3	0.001	0.744	0.005	3.062	
		GPN4	0.209	0.781	1.313	3.690	
		GPN5	0.299	0.827	2.371	2.276	
		GPN6	0.266	0.809	2.132	2.148	
		GPN7	0.183	0.640	1.417	1.455	
Greening downstream	Green distribution	GDM1dis	0.102	0.699	0.899	1.749	
		GDM2dis	0.562	0.935	3.016	2.367	
		GDM3dis	0.455	0.887	3.080	1.876	
	Green customer management	GDMcm1	0.390	0.849	2.989	1.916	
		GDMcm2	0.044	0.853	0.157	5.410	
		GDMcm3	0.138	0.824	0.930	4.012	
		GDMcm4	0.073	0.828	0.309	4.201	
		GDMcm5	0.166	0.823	0.908	3.942	
		GDMcm6	0.349	0.919	1.693	3.360	
Greening post-use	Packaging recovery	GPUpack1	0.219	0.630	1.213	1.353	
		GPUpack2	0.629	0.904	4.135	1.431	
		GPUpack3	0.363	0.809	1.989	1.641	
	Product recovery	GPUpro1	0.109	0.646	0.571	1.557	
		GPUpro2	0.333	0.745	1.795	1.479	
		GPUpro3	0.440	0.831	2.715	1.496	
		GPUpro4	0.392	0.805	2.486	1.593	
	Investment recovery	GPUirec1	0.469	0.834	2.558	1.645	
		GPUirec2	0.432	0.826	2.417	1.687	
		GPUirec3	0.200	0.578	0.777	3.044	
		GPUirec4	0.222	0.619	0.914	3.137	
Strategic environmental performance	Pollution prevention performance	ENPpp1	0.437	0.794	2.532	1.548	
		ENPpp2	0.348	0.828	1.977	2.293	
		ENPpp3	0.139	0.780	0.760	2.409	
		ENPpp4	0.380	0.674	2.464	1.198	
	Product stewardship performance	ENPps1	0.388	0.768	1.906	1.647	
		ENPps2	0.244	0.767	1.259	2.036	

(Continued)

Table 5. (Continued)

Construct	Item	Weight	Loading	t-value	VIF
	ENPps3	0.122	0.824	0.529	3.108
	ENPps4	0.139	0.734	0.781	2.735
	ENPps5	-0.070	0.795	0.314	4.052
	ENPps6	0.441	0.834	2.440	3.259
Clean technology performance	ENPct1	0.199	0.781	1.477	2.412
	ENPct2	0.235	0.787	1.312	3.676
	ENPct3	0.117	0.770	0.684	3.489
	ENPct4	0.421	0.811	2.804	1.521
	ENPct5	0.287	0.794	1.858	1.719

doi:10.1371/journal.pone.0143115.t005

our survey show that competitor pressures has a total effect of 0.2532, 0.1451, and 0.2143 on the adoption of pollution prevention, product stewardship, and clean technology strategy, respectively. By normalising these total effects, we can obtain the relative importance of each strategy in satisfying the requirements of competitive pressures by 0.41332, 0.236859, and 0.34982, respectively.

Determining the Priorities

Computing the importance. After obtaining all the relative intensities of the clusters and elements in the ANP model, the importance of green strategies and GSCIs was computed by forming the supermatrix. We used the Super Decisions [71] software to form the supermatrix, perform the computations and obtaining the limiting priorities.

Tables 8, 9, and 10 show the unweighted, weighted, and limiting supermatrix, respectively.

The unweighted supermatrix is an arrangement of all priority vectors, representing the impact of a given set of elements in a cluster on another element in the network. The priorities vector for the elements in each cluster can be seen from the unweighted supermatrix.

The weighted supermatrix was formed by normalising the values in every column of the unweighted supermatrix, so that the sum of the column was equal to the value of 1. To normalise the values, the relative score of each element was multiplied by the relative importance of its cluster.

The optimum solution was obtained using the limiting priorities. The limiting priorities were computed by multiplying the weighted supermatrix by itself *n* times until the columns stabilised. The final ranking shows the influence of each of the GSCIs on the objective of the strategic improvement of green supply chain management. According to the results, the ranking of the green strategy is: 1-pollution prevention, 2-product stewardship, and 3-clean technology. For the implementation of this ranking of green strategies, the importance of each green initiative is: 1-greening upstream, 2-green production, 3-product design for the environment, 4-greening downstream, and 5-greening post-use.

To ensure the stability of our final outcome, we conducted a sensitivity analysis. The results show that changes in the input parameters by the value of 70% do not affect the overall rank of GSCIs, confirming that the solution is robust. For example, the results of sensitivity analysis for 4 elements are illustrated in Figs 4, 5, 6, and 7.

Computing the performance. To complete our analysis and finalise the priorities, we calculated the performance of each GSCI in company X. For this purpose, we asked the company

Table 6. Evaluation of structural model.

Relation	Path coefficient	Standard Error	T-Value	Result
RIP -> PPS	0.121	0.075	1.617*	Significant
Regulatory pressures->Pollution prevention strategy				
RIP -> PSS	0.036	0.060	0.606	Non-significant
Regulatory pressures->Product stewardship strategy				
RIP -> CTS	0.015	0.068	0.224	Non-significant
Regulatory pressures->Clean technology strategy				
MIP -> PPS	-0.035	0.092	0.382	Non-significant
Customer pressures->Pollution prevention strategy				
MIP -> PSS	0.122	0.079	1.548*	Significant
Customer pressures->Product stewardship strategy				
MIP -> CTS	0.083	0.084	0.995	Non-significant
Customer pressures->Clean technology strategy				
CIP -> PPS	0.263	0.079	3.344***	Significant
Competitor pressures->Pollution prevention strategy				
CIP -> PSS	0.143	0.089	1.612*	Significant
Competitor pressures->Product stewardship strategy				
CIP -> CTS	0.149	0.086	1.728**	Significant
Competitor pressures->Clean technology strategy				
SIP -> PPS	0.033	0.077	0.422	Non-significant
Society pressures->Pollution prevention strategy				
SIP -> PSS	0.045	0.073	0.612	Non-significant
Society pressures->Product stewardship strategy				
SIP -> CTS	0.052	0.066	0.784	Non-significant
Society pressures->Clean technology strategy				
CRA -> PPS	0.135	0.074	1.831**	Significant
Cost reduction->Pollution prevention strategy				
RLA -> PSS	0.334	0.092	3.644***	Significant
Reputation and legitimacy ->Product stewardship strategy				
FPA -> CTS	0.332	0.081	4.115***	Significant
Future positioning->Clean technology strategy				
CIR -> PPS	0.336	0.096	3.510***	Significant
Continuous improvement->Pollution prevention strategy				
SIR -> PSS	0.284	0.075	3.762***	Significant
Stakeholder integration ->Product stewardship strategy				
DCR -> CTS	0.347	0.078	4.477***	Significant
Disruptive change->Clean technology strategy				
PPS -> EDP	0.251	0.126	1.989**	Significant
Pollution prevention strategy->Product design for the environment				
PPS -> GUM	-0.042	0.073	0.581	Non-significant
Pollution prevention strategy->Greening upstream				
PPS -> GPN	0.180	0.081	2.220**	Significant
Pollution prevention strategy->Green production				
PPS -> GDM	-0.194	0.082	2.366***	Significant
Pollution prevention strategy->Greening downstream				
PPS -> GPU	-0.222	0.117	1.902**	Significant
Pollution prevention strategy->Greening post-use				
PSS -> EDP	0.096	0.119	0.805	Non-significant
Product stewardship strategy->Product design for the environment				
PSS -> GUM	0.151	0.080	1.902**	Significant
Product stewardship strategy->Greening upstream				
PSS -> GPN	-0.146	0.075	1.942**	Significant
Product stewardship strategy->Green production				
PSS -> GDM	0.071	0.110	0.646	Non-significant
Product stewardship strategy->Greening downstream				
PSS -> GPU	0.051	0.134	0.384	Non-significant
Product stewardship strategy->Greening post-use				
CTS -> EDP	0.330	0.138	2.391***	Significant
Clean technology strategy->Product design for the environment				
CTS -> GUM	0.333	0.101	3.310***	Significant
Clean technology strategy->Greening upstream				
CTS -> GPN	0.090	0.100	0.903	Non-significant
Clean technology strategy->Green production				
CTS -> GDM	0.303	0.119	2.540***	Significant
Clean technology strategy->Greening downstream				
CTS -> GPU	0.060	0.149	0.402	Non-significant
Clean technology strategy->Greening post-use				
EDP -> GUM	0.468	0.082	5.692***	Significant
Product design for the environment->Greening upstream				
EDP -> GPN	0.219	0.087	2.530***	Significant
Product design for the environment->Green production				
EDP -> GDM	0.118	0.091	1.302*	Significant
Product design for the environment->Greening downstream				
EDP -> GPU	-0.164	0.128	1.286*	Significant
Product design for the environment->Greening post-use				
GUM -> GPN	0.569	0.089	6.424***	Significant
Greening upstream->Green production				
GUM -> GDM	0.410	0.119	3.459***	Significant
Greening upstream->Greening downstream				
GUM -> GPU	0.190	0.186	1.022	Non-significant
Greening upstream->Greening post-use				

(Continued)

Table 6. (Continued)

Relation	Path coefficient	Standard Error	T-Value	Result
GPN -> GDM	0.137	0.089	1.534*	Significant
GPN -> GPU	0.370	0.131	2.825***	Significant
GDM -> GPU	0.240	0.145	1.658**	Significant
EDP -> ENpp	0.125	0.119	1.044	Non-significant
EDP -> ENps	-0.021	0.088	0.245	Non-significant
EDP -> ENct	0.140	0.078	1.788**	Significant
GUM -> ENpp	0.159	0.120	1.322*	Significant
GUM -> ENps	0.014	0.103	0.141	Non-significant
GUM -> ENct	0.160	0.111	1.449*	Significant
GPN -> ENpp	0.327	0.142	2.303**	Significant
GPN -> ENps	0.296	0.123	2.399***	Significant
GPN -> ENct	0.327	0.122	2.689***	Significant
GDM -> ENpp	0.190	0.094	2.034**	Significant
GDM -> ENps	0.313	0.102	3.078***	Significant
GDM -> ENct	0.143	0.080	1.782**	Significant
GPU -> ENpp	0.054	0.084	0.638	Non-significant
GPU -> ENps	0.306	0.084	3.647***	Significant
GPU -> ENct	0.152	0.077	1.978**	Significant

* $p < 0.1$

** $p < 0.05$

*** $p < 0.01$

doi:10.1371/journal.pone.0143115.t006




Fig 3. Decision model for improvement of strategic green supply chain management.

doi:10.1371/journal.pone.0143115.g003

to make a score between 0 (not at all), and 100 (fully implemented) for each indicator associated with the green initiatives. Then, we calculated the performance of the GSCIs by applying the Eq (1). The indicators and their relative weights are given in Table 11. The weights were extracted from the measurement model of the final causal relationship model, calculated by using the software SmartPLS.

$$\text{Performance GSCI}_i = \sum_{j=1}^m \text{Score } I_{ij} * \text{Weight } I_{ij} \tag{1}$$

where $i = 1, \dots, 5$; and $m =$ Total numbers of the indicators in variable GSCI_i .

Importance-Performance analysis. By combining the results of the importance and performance analyses, we can obtain the optimal solution for company X. For this purpose, we multiplied the value of “opportunity for improvement” for each green initiative (that is, one hundred minus the value of the performance) with its value of importance and calculated the contribution of the green initiatives in achieving the prioritised green strategies. Fig 8 illustrates the importance-performance matrix. The results of the final ranking of the green initiatives are given in gcq. The highest rank goes to the green production initiative, with a value of 39.19%

Table 7. The total effect of the elements on the target variable

	Pollution prevention	Product stewardship	Clean technology
Regulatory pressures	0.1191	0.0000	0.0000
Customer pressures	0.0000	0.1435	0.0000
Competitor pressures	0.2532	0.1451	0.2143
Cost reduction	0.1379	0.0000	0.0000
Reputation and legitimacy	0.0000	0.3457	0.0000
Future positioning	0.0000	0.0000	0.3146
Continuous improvement	0.3408	0.0000	0.0000
Stakeholder integration	0.0000	0.2982	0.0000
Disruptive change	0.0000	0.0000	0.3597
Product design for the environment	0.3659	0.3640	0.4716
Greening upstream	0.5511	0.4622	0.5068
Greening production	0.3967	0.4783	0.4151
Greening downstream	0.2130	0.4105	0.1851
Greening post-use	0.0000	0.3148	0.1440

doi:10.1371/journal.pone.0143115.t007

contribution in improving the company’s performance in green strategy adoption. Product design for the environment accounts for the lowest rank, with a value of 5.28%.

Each of green initiatives prioritised in this step has several sub-practices (See Table 11). The priorities for these various practices in each GSCI can be obtained by multiplying the value of

Table 8. Unweighted supermatrix.

		Goal	Institutional pressures			Competitive advantages			Key resources			Green strategies			Green supply chain initiatives				
		Goal	RIP	MIP	CIP	CRA	RLA	FPA	CIR	SIR	DCR	PPS	PSS	CTS	EDP	GUM	GPN	GDM	GPU
Goal	Goal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Institutional pressures	RIP	0.33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	MIP	0.26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	CIP	0.41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Competitive advantages	CRA	0.33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RLA	0.33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	FPA	0.33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Key resources	CIR	0.33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	SIR	0.33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DCR	0.33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Green strategies	PPS	0	1.00	0	0.41	1.00	0	0	1.00	0	0	0	0	0	0	0	0	0	0
	PSS	0	0	1.00	0.24	0	1.00	0	0	1.00	0	0	0	0	0	0	0	0	0
	CTS	0	0	0	0.35	0	0	1.00	0	0	1.00	0	0	0	0	0	0	0	0
Green supply chain initiatives	EDP	0	0	0	0	0	0	0	0	0	0	0.24	0.18	0.27	0	0	0	0	0
	GUM	0	0	0	0	0	0	0	0	0	0	0.36	0.23	0.29	0	0	0	0	0
	GPN	0	0	0	0	0	0	0	0	0	0	0.26	0.24	0.24	0	0	0	0	0
	GDM	0	0	0	0	0	0	0	0	0	0	0.14	0.20	0.11	0	0	0	0	0
	GPU	0	0	0	0	0	0	0	0	0	0	0.16	0.08	0	0	0	0	0	0

doi:10.1371/journal.pone.0143115.t008

Table 9. Weighted supermatrix.

		Goal	Institutional pressures			Competitive advantages			Key resources			Green strategies			Green supply chain initiatives				
		Goal	RIP	MIP	CIP	CRA	RLA	FPA	CIR	SIR	DCR	PPS	PSS	CTS	EDP	GUM	GPN	GDM	GPU
Goal	Goal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Institutional pressures	RIP	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	MIP	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	CIP	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Competitive advantages	CRA	0.19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RLA	0.19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	FPA	0.19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Key resources	CIR	0.11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	SIR	0.11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DCR	0.11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Green strategies	PPS	0	1.00	0	0.41	1.00	0	0	1.00	0	0	0	0	0	0	0	0	0	0
	PSS	0	0	1.00	0.24	0	1.00	0	0	1.00	0	0	0	0	0	0	0	0	0
	CTS	0	0	0	0.35	0	0	1.00	0	0	1.00	0	0	0	0	0	0	0	0
Green supply chain initiatives	EDP	0	0	0	0	0	0	0	0	0	0	0.24	0.18	0.27	0	0	0	0	0
	GUM	0	0	0	0	0	0	0	0	0	0	0.36	0.23	0.29	0	0	0	0	0
	GPN	0	0	0	0	0	0	0	0	0	0	0.26	0.24	0.24	0	0	0	0	0
	GDM	0	0	0	0	0	0	0	0	0	0	0.14	0.20	0.11	0	0	0	0	0
	GPU	0	0	0	0	0	0	0	0	0	0	0.16	0.08	0	0	0	0	0	0

doi:10.1371/journal.pone.0143115.t009

Table 10. Limit supermatrix.

		Goal	Institutional pressures			Competitive advantages			Key resources			Green strategies			Green supply chain initiatives				
		Goal	RIP	MIP	CIP	CRA	RLA	FPA	CIR	SIR	DCR	PPS	PSS	CTS	EDP	GUM	GPN	GDM	GPU
Goal	Goal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Institutional pressures	RIP	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	MIP	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	CIP	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Competitive advantages	CRA	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	RLA	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	FPA	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Key resources	CIR	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	SIR	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DCR	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Green strategies	PPS	0.12	0.50	0	0.21	0.50	0	0	0.50	0	0	0	0	0	0	0	0	0	0
	PSS	0.11	0	0.50	0.12	0	0.50	0	0	0.50	0	0	0	0	0	0	0	0	0
	CTS	0.10	0	0	0.17	0	0	0.50	0	0	0.50	0	0	0	0	0	0	0	0
Green supply chain initiatives	EDP	0.08	0.12	0.09	0.12	0.12	0.09	0.14	0.12	0.09	0.14	0.24	0.18	0.27	0	0	0	0	0
	GUM	0.10	0.18	0.11	0.15	0.18	0.11	0.15	0.18	0.11	0.15	0.36	0.23	0.29	0	0	0	0	0
	GPN	0.08	0.13	0.12	0.12	0.13	0.12	0.12	0.13	0.12	0.12	0.26	0.24	0.24	0	0	0	0	0
Green supply chain initiatives	GDM	0.05	0.07	0.10	0.07	0.07	0.10	0.05	0.07	0.10	0.05	0.14	0.20	0.11	0	0	0	0	0
	GPU	0.03	0	0.08	0.03	0	0.08	0.04	0	0.08	0.04	0	0.16	0.08	0	0	0	0	0

doi:10.1371/journal.pone.0143115.t010




Fig 4. The results of sensitivity analysis for the node “Regulatory Pressures”.

doi:10.1371/journal.pone.0143115.g004




Fig 5. The results of sensitivity analysis for the node “Future Positioning”.

doi:10.1371/journal.pone.0143115.g005




Fig 6. The results of sensitivity analysis for the node “Stakeholder Integration”.

doi:10.1371/journal.pone.0143115.g006




Fig 7. The results of sensitivity analysis for the node “Product Stewardship”.

doi:10.1371/journal.pone.0143115.g007

Table 11. Performance measurement indicators and their relative weights.

Operational Area			Performance Measures	Weights	
Green Supply Chain Operational (GSCO)	Eco-Product Design		1. Design of products for reduced consumption of materials.	0.078281	
			2. Design of products for reduced consumption of energy.	0.229461	
			3. Design of products for reuse, recycling, or recovery of materials/ components.	0.174082	
			4. Design of products to avoid or reduce use of hazardous material in products or in their manufacturing processes.	0.341189	
			5. Product design considering product life cycle costs.	0.176987	
Performance	Greening upstream	Green Purchasing (0.573547)	1. Use of environmental-friendly raw materials (recyclable/renewable) in products.	0.224774	
			2. Substitution of polluting and hazardous materials/parts.	0.238483	
			3. Reducing scarce resource usage in products.	0.536742	
			Green Supplier Management (0.426453)	1. Supplier selection considering environmental criteria.	0.37031
				2. Providing support for suppliers to establish and implement their own green programs.	0.248753
		Greening Production		3. Collaboration with suppliers for planning and implementing green.	0.271822
				4. Drive the suppliers to increase their environmental responsiveness.	0.109115
				1. Optimisation of manufacturing processes to reduce solid wastes.	0.199082
				2. Optimisation of manufacturing processes for reduced consumption of energy.	0.095561
				3. Optimisation of manufacturing processes to reduce water wastes.	0.006246
	Greening Downstream		4. Optimisation of manufacturing processes to reduce air emissions.	0.176794	
			5. Process design focused on using renewable/recyclable materials.	0.212784	
			6. Process design focused on using renewable energy.	0.174789	
			7. Recycling of materials internally in the company.	0.134744	
			Green Distribution (0.399107)	1. Eco labelling of products.	0.080777
		2. Environmental improvement in packaging.		0.496973	
		Green Customer Management (0.600893)		3. Change for more environmentally friendly transportation.	0.42225
				1. Providing information to consumers on environment-friendly products.	0.329149
				2. Cooperation with customer for product eco-design.	0.04903

(Continued)

Table 11. (Continued)

Operational Area		Performance Measures	Weights
		3. Cooperation with customers for cleaner production.	0.106448
		4. Cooperation with customers for green packaging.	0.065802
		5. Cooperation with customers for using less energy during product transportation.	0.158998
		6. Cooperation with customers for environmental friendly use of products.	0.290573
Greening	Packaging Recovery	1. Collecting used packaging from customers for reuse or recycling.	0.263962
Post-Use	(0.019003)	2. Returning the packaging of suppliers' products to them for reuse or recycling.	0.438686
		3. Recycling of packages.	0.297352
	Product Recovery	1. Collecting used products from customers for recycling, reclamation, or reuse.	0.148374
	(0.382307)	2. Returning products to suppliers for recycling, retaining of materials, or remanufacturing.	0.178752
		3. Recovering from used or defective products/components (i.e., remanufacturing, repair, rework, or refurbishing).	0.294075
		4. Recycling from End-of-Life products/ components.	0.3788
	Investment Recovery	1. Use of recycled materials or used/ recovered components in new products.	0.434876
	(0.598689)	2. Use of rebuilt or remanufactured parts for the purpose of after-sales services.	0.310782
		3. Sale of scrap or used materials.	0.088806
		4. Sale of recycled materials or recovered parts.	0.165537

doi:10.1371/journal.pone.0143115.t011

“opportunity for improvement” for each indicator with its relative weights, presented in [Table 11](#).

The final list of prioritised green strategies, GSCIs, and the various practices in each initiative can help company X initiate its strategic plan for its environmental improvement program. For example because the two highest ranks are assigned to the area of green production and greening upstream, improving these areas can be a good start for improving the firm’s green supplier management. Given the high priority of greening upstream, the company is recommended to pay close attention to expanding the extent of environmental actions to its supplier. Communicating a shared vision among the firm’s suppliers toward the pollution prevention strategy as the first-ranked green strategy is suggested as the starting point. The prioritised list of practices in the area of greening upstream also can be considered a guideline for developing the detailed environmental assessment program for suppliers.




Fig 8. Importance-performance analysis of green supply chain initiatives.

doi:10.1371/journal.pone.0143115.g008

Evaluation of the method’s usability

To evaluate the usability of the proposed method for the strategic prioritisation of green supply chain initiatives, the EMR in the case study were asked to comment on the entire method and then to give her feedback overall and for each dimension of usability, namely, learnability, helpfulness and efficiency. Her comments and feedback are transcribed and analysed here under.

From the evaluator’ overall opinion about the entire system, it can be seen that she found the method helpful. In addition, she believed that the proposed method is comprehensive, systematic and structured, and involves comprehensive strategic factors and green supply chain initiatives. Regarding the applicability of the outputs, she believed that the outputs are applicable and are consistent with her expectations.

Table 12. The final ranking of green initiatives in company X.

Green supply chain initiatives	I ¹	P ²	P*I ³	O ⁴	O*I ⁵	TC ⁶
Design for the environment	0.23	92.28	21.22	7.72	1.78	5.28%
Greening upstream	0.29	72.67	21.07	27.33	7.93	23.52%
Green production	0.25	47.14	11.79	52.86	13.21	39.19%
Greening downstream	0.15	72.71	10.91	27.29	4.09	12.13%
Greening post-use	0.08	16.23	1.30	83.77	6.70	19.88%
Sum			66.29		33.71	

¹ Importance

² Performance

³ Performance*Importance

⁴ Opportunity for improvement

⁵ Opportunity for improvement* Importance

⁶ Total contribution in improvement opportunities

doi:10.1371/journal.pone.0143115.t012

“The decision factors considered in this software are very comprehensive” “This method systematically makes the priorities, now we make decisions based on one-to-one factor, but this software compares between several strategic factors and gives us the priorities.”

“The results go along with what I understand the way the company gives priorities too. So, the understanding I have now about what the company directs me to do, is supported, it goes along the same line as the report, it doesn’t go against. If it is just produces different report I would be shocked, but from my experience it seems consistent. I mean from my understanding about the companies’ road versus the output of the method, the results are consistent with my expectations.”

Regarding the method’s learnability, the expert user concurred that the method is easy to learn and understandable.

“Regarding the learnability there is no problem, actually it is not very complicated”

From the summary of the feedback obtained, it is found that the evaluator believes that the proposed method helps her to do her job more effectively. She found the method useful for gap analysis and prioritising their environmental improvement opportunities. She also commented that using this method strengthens the decision making process and increases her confidence level while making decisions. She also believed that the data-driven nature of this method provides her with the ability to make solid justification while suggesting environmental improvement programmes to her top managers.

“This method is useful for us if we want to see where we are now, what we want is also there, that is good. From this method we can identify our weaknesses, from the prioritised list of initiatives we know what we should do, so we can improve ourselves in that area. It helps us to come up with some ideas for improvement of our environmental performance.”

“It is just a check and balance to see that you are right on track, you may know that your main things are logically this, this, . . ., but this method actually proves, it can prove it using numerical data and calculation, so it helps to further strengthen your decisions.”

“When we use this method if somebody asks why these priorities, we know that these priorities are made based on comprehensive strategic factors and we can justify that these priorities are based on this, this, . . . Now our justification for giving the priority is not very systematic. But, with this method, because the solution is based on statistics, we have quantitative evidence and it is much easier to explain to people rather than qualitative justification. Qualitative justification always leads to arguments. Justification is very important for us, because top management ask for justification because the implementation of these initiatives is costly.”

The evaluator also gave good commendations concerning the system efficiency. She believed that the system is efficient in terms of the output she received as compared with the time she spent to implement the method and the volume of input she provided to get the results.

“It is quiet efficient in a couple of hours we can get a comprehensive report.”

“I do find that it is very useful because you can do a lot of things with this, it doesn’t demand a lot of inputs and it produces a lot of data for you and you can get a lot of useful information from it.”

Conclusions and Implications for Future Research

By linking the findings from the empirical study of Malaysian industries to the formal assessments of green strategies and GSCIs offered in an ANP decision framework, we developed a practical tool to help company managers develop a strategic goal-oriented plan for their environmentally related programs.

First, this tool determines the priorities of green strategies by identifying managers' preferences with respect to satisfying external pressures and the desired competitive advantages while considering the firm's capability to implement these strategies. Second, the GSCIs will be prioritised according to their relative importance to the adoption of the prioritised strategies. Third, regarding the firm's current performance in each green initiative, the final priorities for improving these performances will be calculated.

There are several opportunities to improve this work as stated below:

- The list of decision factors offered in this study is derived from the literature review. This list can be extended by conducting qualitative research among practitioners who are experts in this research area.
- The environmental management representatives (EMR) who were requested to complete the questionnaire in this research were introduced in the literature as a key informant person in the area of green supply chain management. It is assumed that EMRs have insights into the company's strategies and policies. However, it is suggested that ANP questionnaire and the part of the survey questionnaire that relates to the firm's strategy are completed by a involving the firm's top manager. This might improve the accuracy of the answers. Due to the limitation of the sample size for every specific industry, we used the commutative data collected from multiple industries in our empirical study. Conducting an empirical study for every particular industry can provide an opportunity to developing a more accurate and reliable tool for every specific industry.
- The indicators for evaluating the performance of GSCIs have been proposed based on the various studies on the green supply chain. These indicators can be customised for each particular industry by studying the environmental reports of the leading companies in each industry.
- With respect to the ANP technique and performance measurement system, the nature of the present study leaves room for the application of fuzzy methods in the form of linguistic variables for pairwise comparison and performance metric evaluation.

Supporting Information

S1 Appendix. The questionnaire for cluster comparisons with respect to the company's business strategy.

(DOCX)

S2 Appendix. The questionnaire for comparisons with respect to the company's business strategy in competitive values cluster.

(DOCX)

S3 Appendix. The questionnaire for comparisons with respect to the company's business strategy in internal resources cluster.

(DOCX)

S4 Appendix. The questionnaire for comparisons with respect to company's business strategy in external pressures cluster.

(DOCX)

S5 Appendix. Pairwise comparison for clusters IP, CA, and KR and calculation of their relative weights.

(DOCX)

S6 Appendix. Pairwise comparison for the elements in cluster IP and calculation of their relative weights.

(DOCX)

S7 Appendix. Pairwise comparison for the elements in cluster CA and calculation of their relative weights.

(DOCX)

S8 Appendix. Pairwise comparison for the elements in cluster KR and calculation of their relative weights.

(DOCX)

Acknowledgments

The authors would like to extend their appreciation to University of Malaya for the Postgraduate Research Fund (Grant no. RP033B-15AET) that made this study and paper possible.

Author Contributions

Analyzed the data: SMM SHA-R EUO. Contributed reagents/materials/analysis tools: SMM SHA-R EUO. Wrote the paper: SMM SHA-R EUO.

References

1. Lambert DM, Cooper MC (2000) Issues in supply chain management. *Industrial marketing management* 29: 65–83.
2. Corbett CJ, Klassen RD (2006) Extending the horizons: Environmental excellence as key to improving operations. *M&Som-Manufacturing & Service Operations Management* 8: 5–22.
3. Linton JD, Klassen R, Jayaraman V (2007) Sustainable supply chains: An introduction. *Journal of Operations Management* 25: 1075–1082.
4. Handfield R, Sroufe R, Walton S (2005) Integrating environmental management and supply chain strategies. *Business strategy and the environment* 14: 1–19.
5. Comas Martí JM, Seifert RW (2012) Assessing the Comprehensiveness of Supply Chain Environmental Strategies. *Business strategy and the environment*.
6. Porter ME, Kramer MR (2006) Strategy and society: The link between competitive advantage and corporate social responsibility. *Harvard Business Review* 84: 78–92. PMID: [17183795](#)
7. Delmas M, Toffel MW (2004) Stakeholders and environmental management practices: an institutional framework. *Business strategy and the environment* 13: 209–222.
8. Sarkis J, Zhu QH, Lai KH (2011) An organizational theoretic review of green supply chain management literature. *International Journal of Production Economics* 130: 1–15.
9. Sarkis J (1998) Evaluating environmentally conscious business practices. *European Journal of Operational Research* 107: 159–174.
10. Sarkis J (2003) A strategic decision framework for green supply chain management. *Journal of Cleaner Production* 11: 397–409.
11. Buyukozkan G, Cifci G (2012) Evaluation of the green supply chain management practices: a fuzzy ANP approach. *Production Planning & Control* 23: 405–418.
12. Seuring S (2013) A review of modeling approaches for sustainable supply chain management. *Decision Support Systems* 54: 1513–1520.
13. Saaty TL, Vargas LG (2006) *Decision making with the analytic network process: Economic, political, social and technological applications with benefits, opportunities, costs and risks*. Springer.
14. Hair JF Jr, Hult GTM, Ringle C, Sarstedt M (2013) *A Primer On Partial Least Squares Structural Equation Modeling (PLS-SEM)*. SAGE Publications, Inc 328 p.

15. Zhu QH, Sarkis J, Geng Y (2005) Green supply chain management in China: Pressures, practices and performance. *International Journal of Operations & Production Management* 25: 449–468.
16. Zailani SHM, Eltayeb TK, Hsu C-C, Tan KC (2012) The impact of external institutional drivers and internal strategy on environmental performance. *International Journal of Operations & Production Management* 32: 721–745.
17. Wu G-C, Ding J-H, Chen P-S (2012) The effects of GSCM drivers and institutional pressures on GSCM practices in Taiwan's textile and apparel industry. *International Journal of Production Economics* 135: 618–636.
18. Walker H, Di Sisto L, McBain D (2008) Drivers and barriers to environmental supply chain management practices: Lessons from the public and private sectors. *Journal of Purchasing and Supply Management* 14: 69–85.
19. Lee SY, Klassen RD (2008) Drivers and Enablers That Foster Environmental Management Capabilities in Small-and Medium-Sized Suppliers in Supply Chains. *Production and Operations Management* 17: 573–586.
20. Large RO, Thomsen CG (2011) Drivers of green supply management performance: Evidence from Germany. *Journal of Purchasing and Supply Management* 17: 176–184.
21. Diabat A, Govindan K (2011) An analysis of the drivers affecting the implementation of green supply chain management. *Resources Conservation and Recycling* 55: 659–667.
22. Zhu Q, Sarkis J, Lai K (2007) Green supply chain management: pressures, practices and performance within the Chinese automobile industry. *Journal of Cleaner Production* 15: 1041–1052.
23. Lee SY (2008) Drivers for the participation of small and medium-sized suppliers in green supply chain initiatives. *Supply Chain Management-an International Journal* 13: 185–198.
24. Thun JH, Müller A (2010) An empirical analysis of green supply chain management in the German automotive industry. *Business strategy and the environment* 19: 119–132.
25. Hsu C- C, Tan KC, Zailani SHM, Jayaraman V (2013) Supply chain drivers that foster the development of green initiatives in an emerging economy. *International Journal of Operations & Production Management* 33: 656–688.
26. Chien MK, Shih LH (2007) An empirical study of the implementation of green supply chain management practices in the electrical and electronic industry and their relation to organizational performances. *International Journal of Environmental Science and Technology* 4: 383–394.
27. Zhu Q, Sarkis J (2007) The moderating effects of institutional pressures on emergent green supply chain practices and performance. *International Journal of Production Research* 45: 4333–4355.
28. Gavronski I, Klassen RD, Vachon S, do Nascimento LFM (2011) A resource-based view of green supply management. *Transportation Research Part E-Logistics and Transportation Review* 47: 872–885.
29. Simpson D (2012) Institutional pressure and waste reduction: The role of investments in waste reduction resources. *International Journal of Production Economics* 139: 330–339.
30. Erol I, Velioglu MN, Serifoglu FS, Buyukozkan G, Aras N, et al. (2010) Exploring reverse supply chain management practices in Turkey. *Supply Chain Management-an International Journal* 15: 43–54.
31. Testa F, Iraldo F (2010) Shadows and lights of GSCM (Green Supply Chain Management): determinants and effects of these practices based on a multi-national study. *Journal of Cleaner Production* 18: 953–962.
32. Esty DC, Winston AS (2009) Green to gold: How smart companies use environmental strategy to innovate, create value, and build competitive advantage. John Wiley & Sons Inc.
33. Porter ME, Van der Linde C (1995) Green and competitive: ending the stalemate. *Harvard Business Review* 73: 120–134.
34. Sharma S, Vredenburg H (1998) Proactive corporate environmental strategy and the development of competitively valuable organizational capabilities. *Strategic Management Journal* 19: 729–753.
35. Sarmiento R, Thomas A (2010) Identifying improvement areas when implementing green initiatives using a multitier AHP approach. *Benchmarking: An International Journal* 17: 452–463.
36. Bai CG, Sarkis J (2010) Green supplier development: analytical evaluation using rough set theory. *Journal of Cleaner Production* 18: 1200–1210.
37. Buyukozkan G, Berkol C (2011) Designing a sustainable supply chain using an integrated analytic network process and goal programming approach in quality function deployment. *Expert Systems with Applications* 38: 13731–13748.
38. Luthra S, Garg D, Haleem A (2013) Identifying and ranking of strategies to implement green supply chain management in Indian manufacturing industry using Analytical Hierarchy Process. *Journal of Industrial Engineering and Management* 6: 930–962.

39. Bai C, Sarkis J (2010) Green supplier development: analytical evaluation using rough set theory. *Journal of Cleaner Production* 18: 1200–1210.
40. Azzone G, Bertelè U, Noci G (1997) At last we are creating environmental strategies which work. *Long Range Planning* 30: 478–571.
41. Banerjee SB (2001) Corporate environmental strategies and actions. *Management Decision* 39: 36–44.
42. Chen C-C, Shih H-S, Shyr H-J, Wu K-S (2012) A business strategy selection of green supply chain management via an analytic network process. *Computers & Mathematics with Applications* 64: 2544–2557.
43. Hart SL, Milstein MB, Caggiano J (2003) Creating Sustainable Value [and Executive Commentary]. *The Academy of Management Executive* (1993–2005): 56–69.
44. Hart SL, Dowell G (2011) Invited Editorial: A Natural-Resource-Based View of the Firm Fifteen Years After. *Journal of management* 37: 1464–1479.
45. Hart SL (1995) A natural-resource-based view of the firm. *Academy of management review*: 986–1014.
46. DiMaggio PJ, Powell WW (2000) The iron cage revisited institutional isomorphism and collective rationality in organizational fields. *Advances in strategic management* 17: 143–166.
47. Oliver C (1997) Sustainable competitive advantage: Combining institutional and resource-based views. *Strategic management journal* 18: 697–713.
48. Rao P, Holt D (2005) Do green supply chains lead to competitiveness and economic performance? *International Journal of Operations & Production Management* 25: 898–916.
49. Ministry of International Trade and Industry (2013) MITI Weekly Bulletin, Volume 228.
50. Eltayeb TK, Zailani S (2009) Going green through green supply chain initiatives towards environmental sustainability. *Operations and Supply Chain Management* 2: 93–110.
51. Darnall N, Edwards D (2006) Predicting the cost of environmental management system adoption: the role of capabilities, resources and ownership structure. *Strategic management journal* 27: 301–320.
52. Srout R (2003) Effects of environmental management systems on environmental management practices and operations. *Production and Operations Management* 12: 416–431.
53. Gonzalez P, Sarkis J, Adenso-Diaz B (2008) Environmental management system certification and its influence on corporate practices: Evidence from the automotive industry. *International Journal of Operations & Production Management* 28: 1021–1041.
54. Ann GE, Zailani S, Wahid NA (2006) A study on the impact of environmental management system (EMS) certification towards firms' performance in Malaysia. *Management of Environmental Quality: An International Journal* 17: 73–93.
55. Federation of Malaysian Manufacturers (2013) FMM directory 2013.
56. Eltayeb TK, Zailani S, Ramayah T (2011) Green supply chain initiatives among certified companies in Malaysia and environmental sustainability: Investigating the outcomes. *Resources Conservation and Recycling* 55: 495–506.
57. Lee SY, Rhee S-K (2007) The change in corporate environmental strategies: a longitudinal empirical study. *Management Decision* 45: 196–216.
58. Ringle CM, Wende S, Becker J-M (2005) SmartPLS. Hamburg, Germany: SmartPLS.
59. Rao P, Singh AK, la O'Castillo O, Intal PS Jr, Sajid A (2009) A metric for corporate environmental indicators. . . for small and medium enterprises in the Philippines. *Business strategy and the environment* 18: 14–31.
60. Yang C-S, Lu C-S, Haider JJ, Marlow PB (2013) The effect of green supply chain management on green performance and firm competitiveness in the context of container shipping in Taiwan. *Transportation Research Part E: Logistics and Transportation Review* 55: 55–73.
61. Hair JF, Sarstedt M, Pieper TM, Ringle CM (2012) The Use of Partial Least Squares Structural Equation Modeling in Strategic Management Research: A Review of Past Practices and Recommendations for Future Applications. *Long Range Planning* 45: 320–340.
62. Saaty TL (1980) *The Analytic Hierarchy Process: Planning, Priority Setting, Resource Allocation*. New York: McGraw-Hill International Book Co.
63. Borchardt M, Sellitto MA, Pereira GM, Gomes LP (2012) Ecodesign case studies for furniture companies using the analytic hierarchy process. *International Journal of Industrial Engineering: Theory, Applications and Practice* 19.
64. Wey W-M (2005) An integrated expert system/operations research approach for the optimization of waste incinerator siting problems. *Knowledge-Based Systems* 18: 267–278.

65. Tseng M-L, Lin R-J, Lin Y-H, Chen R-H, Tan K (2014) Close-loop or open hierarchical structures in green supply chain management under uncertainty. *Expert Systems with Applications* 41: 3250–3260.
66. Saaty TL (1999) *Decision making for leaders: the analytic hierarchy process for decisions in a complex world*. RWS publications.
67. Slack N (1994) The importance-performance matrix as a determinant of improvement priority. *International Journal of Operations & Production Management* 14: 59–75.
68. Kirakowski J, Corbett M (1993) SUMI: The software usability measurement inventory. *British journal of educational technology* 24: 210–212.
69. Lewis JR (1995) IBM computer usability satisfaction questionnaires: psychometric evaluation and instructions for use. *International Journal of Human-Computer Interaction* 7: 57–78.
70. Harper BD, Norman KL (1993) Improving user satisfaction: The questionnaire for user interaction satisfaction version 5.5. *Proceedings of the 1st Annual Mid-Atlantic Human Factors Conference*. pp. 224–228.
71. Analytic Network Process Team (2015) *Super Decisions software*. Pittsburg, PA: Creative Decisions Foundation. Available: <http://www.superdecisions.com/>.
72. Gefen D, Straub D, Boudreau M-C (2000) Structural equation modeling and regression: Guidelines for research practice. *Communications of the association for information systems* 4: 7.
73. Bagozzi RP, Yi Y (1988) On the evaluation of structural equation models. *Journal of the academy of marketing science* 16: 74–94.
74. Fornell C, Larcker DF (1981) Structural equation models with unobservable variables and measurement error: Algebra and statistics. *Journal of marketing research*: 382–388.
75. Hair JF (2009) *Multivariate data analysis*.
76. Petter S, Straub D, Rai A (2007) Specifying formative constructs in information systems research. *Mis Quarterly*: 623–656.