

VOLUME 53 · NUMBER 4 December 2018

Neutrophil oxidative burst as a diagnostic indicator of IgG-mediated anaphylaxis

Dong Il Won¹, Sujeong Kim², Eun Hee Lee³

¹Department of Clinical Pathology, ²Division of Allergy and Infectious Diseases, Department of Internal Medicine, School of Medicine, Kyungpook National University, Daegu, ³Green Cross Reference Laboratory, Yongin, Korea

p-ISSN 2287-979X / e-ISSN 2288-0011 https://doi.org/10.5045/br.2018.53.4.299 Blood Res 2018;53:299-306.

Received on June 24, 2018 Revised on July 26, 2018 Accepted on July 30, 2018

Background

IgG-mediated anaphylaxis occurs after infusion of certain monoclonal antibody-based therapeutics. New *in vitro* tests are urgently needed to diagnose such reactions. We investigated whether allergens trigger neutrophil oxidative burst (OB) and if neutrophil OB occurs due to allergen-specific IgG (sIgG).

Methods

Neutrophil OB was measured by dihydrorhodamine 123 flow cytometry using a leukocyte suspension spiked with a very small patch of the allergen crude extract, *Dermatophagoides farinae* (*Der f*). The mean fluorescence intensity ratio of stimulated to unstimulated samples was calculated as the neutrophil oxidative index (NOI).

Results

The *Der f*-specific NOI (*Der f*-sNOI) showed a time-dependent increase after *Der f* extract addition. At 15 min activation, higher *Der f*-slgG levels were associated with lower *Der f*-sNOI values in 31 subjects (P < 0.05). This inverse relationship occurs due to the initial blocking effect of free *Der f*-slgG. Additionally, neutrophil OB was nearly absent (*Der f*-sNOI of -1) in two cases: a subject with undetectable *Der f*-slgG levels and washed leukocyte suspensions deprived of *Der f*-slgG.

Correspondence to Dong Il Won, M.D., Ph.D. Department of Clinical Pathology, Kyungpook National University School of Medicine, 130 Dongdeok-ro, Jung-gu, Daegu 41944, Korea E-mail: wondi@knu.ac.kr

© 2018 Korean Society of Hematology

Conclusion

Allergens can trigger neutrophil OB via preexisting allergen-sIgG. Neutrophil OB can be easily measured in a leukocyte suspension spiked with the allergen. This assay can be used to diagnose IgG-mediated anaphylaxis.

Key Words Neutrophils, Oxidative burst, Anaphylaxis, Immunoglobulin G, Dihydrorhodamine 123

INTRODUCTION

IgE-mediated anaphylaxis has been widely studied and is thought to be the main anaphylactic pathway. However, increasing evidence from animal studies supports the presence of a second pathway [1]. Such IgE-independent mechanisms can be mediated by IgG antibodies or complement proteins [2, 3]. In the IgG-dependent pathway, macrophages and IgG, rather than mast cells and IgE, are the main immune components involved, and platelet-activating factor (PAF), rather than histamine, is the main mediator released [4].

In mice, the IgG-dependent pathway requires proportionately higher amounts of antibody and antigen than the IgE-mediated pathway [1, 5]. High doses of allergen can induce IgG-mediated anaphylaxis by forming complexes that activate macrophages and basophils through the Fc γ receptor (Fc γ R) III. In a mouse model, this mechanism acted in concert with neutrophil activation resulting from the interaction between allergen-specific IgG2 and Fc γ RIV on cells. PAF was also the predominant mediator [6].

In humans, IgG receptors can activate PAF secretion by macrophages and neutrophils [1, 7] and PAF can activate mast cells *in vitro* [8]; thus, PAF may contribute to human anaphylaxis [9]. IgG-mediated immune reactions in humans were observed following administration of certain drugs, including monoclonal antibodies (such as omalizumab and infliximab), von Willebrand's factor, and dextran. Given the

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (http://creativecommons.org/licenses/by-nc/4.0)
which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

increased use of different monoclonal antibodies in the clinical practice for treating immune disorders, an increase in this type of IgG-mediated anaphylaxis may occur [4].

The IgE-independent mechanism is clinically indistinguishable from IgE-mediated anaphylaxis [10]. To detect suspected drug-induced anaphylaxis, *in vivo* drug provocation testing is not recommended due to the risk of inducing a harmful reaction. Instead, whether such infusion reactions represent drug-induced anaphylaxis should be determined *in vitro* [11]. However, current *in vitro* tests for confirming the culprit drug mainly target specific IgE (sIgE) or basophils, through sIgE quantification, measurement of released mediators, such as tryptase and histamine, by mast cells, and basophil activation testing (BAT) [10].

Therefore, new tests for detection of the IgE-independent mechanism, particularly whether and when IgG-mediated anaphylaxis occurs, are urgently needed. We investigated the action of circulating neutrophils in peripheral blood. Neutrophils destroy microorganisms by producing reactive oxygen species as part of normal host defenses against infectious diseases [12].

The aim of this study was to develop an assay for diagnosis of IgG-mediated anaphylaxis. We investigated whether allergens trigger neutrophil oxidative burst (OB) and whether neutrophil OB occurs due to allergen-specific IgG (sIgG). Crude extracts of *Dermatophagoides farinae* (*Der f*) (American house dust mite) were employed as the allergen and neutrophil OB was measured by a dihydrorhodamine 123 (DHR 123) assay using flow cytometry.

MATERIALS AND METHODS

Subjects

A total of 31 subjects were selected according to the following criteria: 1) subjects who visited the allergy clinic of the Kyungpook National University Hospital (Daegu, Korea) and 2) subjects for whom multiallergen testing was conducted by the Department of Laboratory Medicine. The male to female ratio of the enrolled subjects was 16/15 and the median age was 44 years (3–76 yr). Lithium heparin tubes were used to collect whole venous blood samples for multiallergen testing. Samples that remained from these tests were used in the study. All participants provided informed written consent and the study was approved by the institutional review board. Experiments were performed within 4 h after blood collection.

Flow cytometry

A FACSCalibur flow cytometer equipped with the blue laser (488 nm) was calibrated daily using CaliBRITE beads and FACSComp software (BD Biosciences, San Jose, CA, USA). At acquisition, using CellQuest Pro software (BD Biosciences, San Jose, CA, USA), forward and side light scatter (FSC and SSC, respectively) were linearly amplified, whereas all fluorescence was logarithmically amplified. Dong Il Won, et al.

DHR assay by flow cytometry: Leukocyte suspensions were separated from whole blood using an overlay procedure [13]. Briefly, 500 μ L of whole blood was carefully overlaid onto 1.0 mL of Histopaque-1077 (Sigma-Aldrich, St. Louis, MO, USA) in a 1.5 mL microcentrifuge tube. The tube was left standing at room temperature for 20 min for red blood cell sedimentation. The supernatant (250 μ L of plasma containing leukocytes) was carefully aspirated with a micropipette.

The isolated leukocyte suspension of each subject was divided into two fractions ("stimulated" and "unstimulated"), with a volume of 60 µL per tube, to which 2.0 µL of thawed and diluted DHR 123 (Sigma-Aldrich; final concentration = 375 ng/mL) were added [12, 14]. Both tubes were incubated at 37°C for 5 min in shaking water bath to allow loading of DHR 123 into the cells, and the fraction to be stimulated (or the "stimulated" fraction) was spiked with a patch (diameter of -1 mm) of Der f extract (Institute of Allergy of Yonsei University College of Medicine, Seoul, Korea). Both tubes were subsequently incubated for 15 min at 37°C in shaking water bath. Next, 125 µL of ethylenediaminetetraacetic acid (EDTA)-phosphate buffered saline (PBS) (0.01 M EDTA in PBS) at 4°C were added to the tubes to stop the reaction and the samples were immediately submitted to flow cytometry analysis. The fluorescence of rhodamine 123 was measured using an FL1 (fluorescence 1) detector with a 530/30 bandpass filter.

The mean fluorescence intensity (MFI) of rhodamine 123 and the mean FSC of neutrophils were determined (Fig. 1). Two regional gates were used for neutrophils: one in the FSC/SSC plot and the other in the rhodamine 123/SSC plot. The MFI value and mean FSC value were expressed as the geometric means of the main portion (M1 or M2) of the peak in the rhodamine 123 histogram and in the FSC histogram of gated neutrophils, respectively. The change in MFI for unstimulated and stimulated neutrophils was expressed as the neutrophil oxidative index (NOI), which was calculated using Equation 1:

NOI=MFI (stimulated)/MFI (unstimulated) ----- (1).

The change in FSC (\triangle FSC) was calculated using Equation 2:

 \triangle FSC=mean FSC (stimulated) - mean FSC (unstimulated) -- (2).

The cutoff value for distinguishing positive from negative results was 1.20 for NOI and 50 for \triangle FSC.

CD63 assay: A BAT was performed by three-color flow cytometry [15]. For basophil priming, interleukin-3 (Sigma-Aldrich) was added to 100 μ L of whole blood and incubated for 10 min at 37°C. This primed whole blood was spiked with a patch of *Der f* extract, and the reaction mixture was incubated for 30 min at 37° in shaking water bath. Samples were marked with the fluorescently labeled antibodies CD123 phycoerythrin-cyanine 5, CD203c allophyocyanin and CD36 fluorescein isothiocyanate for 30 min at 4°C. Following red blood cell lysis with 3.0 mL lysing





Abbreviations: Der f, Dermatophagoides farinae; FSC, forward scatter; MFI, mean fluorescence intensity; NOI, neutrophil oxidative index; SSC, side scatter.

solution and a single washing step, the remaining pellet was resuspended in PBS for flow cytometry data acquisition (all from BD Biosciences). For the CD63+ proportion of basophils, the cutoff value for distinguishing positive from negative results was 3.0%.

Determination of *Der FslgE*, *Der FslgG* (total), and *Der FslgG4* levels

The level of *Der f*-specific (*Der f*-s) IgG (i.e., *Der f*-sIgG) antibodies (total) in the plasma samples was measured by enzyme-linked immunosorbent assay using RIDASCREEN

Specific IgG kits and discs of *Der f* (R-Biopharm AG, Darfmstadt, Germany), with a limit of detection (LOD) of 2.5 μ g/mL, and the levels of *Der f*-sIgE or *Der f*-sIgG4 antibodies were measured by a chemiluminescent immunoassay using ImmunoCAP Specific IgG (Thermo Fisher Scientific, Waltham, MA, USA), with an LOD of 0.1 μ g/mL.

Statistical analyses

Statistical analyses were performed using SPSS Version 19.0 (SPSS, Inc., Chicago, IL, USA). The two groups were compared using regression analysis or Wilcoxon signed rank test. *P* values < 0.05 were considered statistically significant. The results were expressed as median values (range).

RESULTS

Time course of \triangle FSC and NOI following activation with *Der* f extract

The leukocyte suspension was isolated using an overlay method for minimal manipulation. In unstimulated samples (not spiked with *Der f* extract), a time-dependent increase in the rhodamine 123 fluorescence of neutrophils was observed (Fig. 2A).

The stimulated samples (spiked with *Der f* extract) showed a faster increase in MFI than unstimulated samples, with a time-dependent increase observed in *Der f*-sNOI (Fig. 2B). \triangle FSC reached a peak at 30 min of activation. When the linearity of these indices, according to the activation time from 0 min (prior to spiking) to 40 min, was evaluated, the linearity of the *Der f*-sNOI values was significant (P <0.01). However, that of \triangle FSC values was not significant (P=0.118). Based on these results, 15 min was adopted as the activation period throughout this study. Measurements of the total 31 enrolled subjects revealed that \triangle FSC was significantly correlated with *Der f*-sNOI (P < 0.00005, Fig. 3).

A single subject (73-year-old woman) among 31 subjects enrolled showed a *Der f*-sIgG level below the LOD of 2.5 μ g/mL (undetectable). This may be a case of life-long "non-responder," i.e. who does not produce *Der f*-sIgG (see the DISCUSSION section). When excluding this potential non-responder against *Der f*, the level of *Der f*-sIgG was found to increase with age (P < 0.05, Fig. 4A). However, no other significant relationship between *Der f*-sIgG and either *Der f*-sIgE (Fig. 4B) or *Der f*-sIgG4 (Fig. 4C) was observed.

Der fsNOI and *Der* fs Δ FSC values according to *Der* fslgG level

Neutrophil OB was nearly absent (NOI= -1) in both cases of the lowest and highest *Der f*-sIgG levels (\leq 2.5 and 48.8 µg/mL, respectively). This resulted in a funnel-shaped dis-



Fig. 3. Correlation between *Der f*-sNOI vs. \triangle FSC measured at 15 min activation in the 31 enrolled subjects. Correlation between *Der f*-sNOI and \triangle FSC measured at 15 min after activation in the 31 enrolled subjects. \triangle FSC was significantly correlated with *Der f*-sNOI (*P* < 0.00005).



Fig. 2. Time course experiments showing effects of activation period on neutrophil reaction against *Der f* extract. Measurements were performed from 0 min (just prior to addition) to 40 min after adding *Der f* extract in 10 min intervals (total of five times). The typical results of four separate experiments are shown. **(A)** Raw data of FSC and MFI values. The difference between stimulated values and unstimulated values was significant (*P* < 0.05) starting at 10 min activation for both FSC and MFI. Asterisks indicate significant stimulated values. **(B)** Calculated indices (Δ FSC and NOI). The linearity of *Der f*-sNOI values according to the activation time was significant (*P* < 0.01, asterisk), which was not observed for the Δ FSC values. Abbreviations: *Der f*, *Dermatophagoides farinae*; FSC, forward scatter; MFI, mean fluorescence intensity; NOI, neutrophil oxidative index; SSC, side scatter.



Fig. 4. Blood levels of *Der f*-slgG (total) in 31 subjects and their correlation with **(A)** subject age (P < 0.05); **(B)** *Der f*-slgE level; and **(C)** *Der f*-slgG4 level. In the panel C, lgG4 levels of five subjects with less than the limit of detection (0.1 µg/mL) were assumed to be 0.05 µg/mL for convenience. The red and blue arrows indicate extreme cases of *Der f*-slgG levels (highest and lowest, respectively). In panel A, the case with the lowest (undetectable) *Der f*-slgG levels (73-year-old woman, potential non-responder against *Der f*) was excluded from the regression analysis.



Fig. 5. *Der f*-sNOI and *Der f*-s Δ FSC according to the *Der f*-slgG level. The relationship between *Der f*-slgG levels and **(A)** NOI; **(B)** 1/NOI (*P* < 0.05); and **(C)** Δ FSC (*P* = 0.201). The red and blue arrows indicate extreme cases of *Der f*-slgG levels (highest and lowest, respectively). In panel B, the case with the lowest (undetectable) *Der f*-slgG levels (73-year-old woman, potential non-responder against *Der f*) was excluded from the regression analysis.

tribution of the 31 subjects' dots in the *Der f*-sIgG vs. *Der f*-sNOI plot (Fig. 5A). When the lowest level case (non-responder against *Der f*) was excluded, the remaining subjects with detectable *Der f*-sIgG levels showed significant relationship between the two parameters (Fig. 5B); as the *Der f*-sIgG level increased, *Der f*-sNOI decreased (P < 0.05). *Der f*-specific \triangle FSC (*Der f*-s \triangle FSC) appeared to be negatively but not significantly correlated with *Der f*-sIgG levels (Fig. 5C).

Relationship between *Der F*-sNOI and other parameters

No significant relationship was found between *Der f*-sNOI and *Der f*-sIgG4, *Der f*-specific BAT (*Der f*-sBAT, percentage of CD63+ basophils), or *Der f*-sIgE (Fig. 6A–D). A decreasing trend in *Der f*-sNOI was observed with increasing age, but the results were not significant (P=0.157).

Depriving leukocyte suspension of free preexisting Der FslgG

We selected four subjects who were previously positive for both *Der* $f_{s} \triangle FSC$ and *Der* $f_{s}NOI$. Their leukocyte suspensions were washed three times with 3.0 mL of Roswell Park Memorial Institute medium to remove free preexisting *Der* $f_{s}IgG$. Neutrophil reactions were nearly absent in all the washed leukocyte suspensions, with a *Der* $f_{s} \triangle FSC$ value (cutoff=50) of 2.0 (-6.0–15.0) and *Der* $f_{s}NOI$ value (cutoff=1.20) of 1.05 (0.98–1.09). This suggests that neutrophil OB following the addition of *Der* f extract occurred because of free preexisting *Der* $f_{s}IgG$ in the suspension.



Fig. 6. Der *f*-sNOI and its relationship with (A) Der *f*-slgG4; (B) Der *f*-slBAT; (C) Der *f*-slgE; and (D) subject's age (*P*=0.157). No significant relationships were found. The red and blue arrows indicate extreme cases of Der *f*-slgG levels (highest and lowest, respectively). Abbreviations: BAT, basophil activation test; Der *f*, Dermatophagoides farinae; NOI, neutrophil oxidative index.

DISCUSSION

In this study, we verified that an allergen can trigger neutrophil OB via a preexisting allergen-sIgG immune complex, as measured by the DHR assay using leukocyte suspensions spiked with the allergen. This protocol is relatively simple and cost-effective.

In our protocol without red cell lysis, the leukocyte suspension was separated from red blood cells using an overlay method [13], which is suitable for rapid processing with minimal manipulation of leukocytes. We used *Der f* extract as an allergen to verify the role of allergen-sIgG in triggering neutrophil OB. In the Korean population, *Der f* is the most common sensitized allergen identified by the skin prick test (positivity of 40.9%) and ImmunoCAP (36.8%) [16].

Shortly after adding a tiny patch of *Der f* extract, a higher *Der f*-sIgG level was associated with a lower *Der f*-sNOI value. This result supports a previous study demonstrating that a high level of mite-sIgG is protective against mite anaphylaxis [17]. As soluble *Der f* allergen is slowly but

continuously released into the suspension plasma, the blocking effect [5] of free *Der f*-sIgG is dominant during the initial activation period. However, this effect is shortly exhausted by released excessive allergen, which consumes free sIgG over an extended period. These immune complexes eventually attach to Fc γ receptors on neutrophils [18-20] to trigger oxidative burst, which can be measured as *Der f*-sNOI (see Fig. 2: time course of neutrophil activation with *Der f* extract). In the leukocyte suspension separated by the overlay method, neutrophils were activated by themselves by slowly increasing their rhodamine 123 fluorescence, even when on stand-by status. Thus, the next steps of our protocol should be performed immediately after leukocyte separation.

In addition to the role of preexisting *Der f*-sIgG in neutrophil OB in our study, the direct effect of the *Der f* extract on neutrophils is another probable mechanism, similar to the effects observed for Hevein [21]. However, the latter mechanism is not likely in our study for two reasons: 1) a subject with undetectable *Der f*-sIgG ($<2.5 \mu$ g/mL), who was a potential "non-responder" [22] to *Der f*, showed a

Der $f \triangle FSC$ of -0 and *Der* f-NOI of -1 (almost no neutrophil reaction); and 2) washed leukocyte suspensions from which *Der* f-sIgG was removed showed the same results.

We investigated the relationship between *Der Fs*NOI and parameters other than *Der Fs*IgG, *Der Fs*IgG4, *Der Fs*BAT, *Der Fs*IgE, and subjects' age. No parameters were significantly correlated with *Der Fs*NOI. The insignificant but decreasing trend in *Der Fs*NOI values with age may be related to the increased *Der Fs*IgG levels during aging.

Upon *in vivo* basophil activation, granules fuse with the plasma membrane and their contents are released in the extracellular environment within minutes, which can induce a chain reaction of neutrophil OB [23-25]. We investigated whether this chain reaction occurs in our *in vitro* model using a leukocyte suspension and we did not find a significant correlation between *Der f*-sBAT and *Der f*-sNOI in the 31 subjects assessed (Fig. 6B). This finding suggests that neither *in vitro* basophil activation nor subsequent neutrophil OB occurs when our protocol is used.

Our protocol may be applicable for *in vitro* diagnosis of IgG-mediated anaphylaxis due to intravenously infused drugs or for detection of anti-drug antibodies that neutralize the biological activity of therapeutic proteins [26]. For this purpose, the amount of drug added should be sufficient to overcome the initial blocking effect of free sIgG. In contrast, when the allergen amount is optimized to reflect the blocking effect of free sIgG, this assay may be useful to assess the immunotherapy effectiveness.

We conclude that allergens can trigger neutrophil OB via preexisting allergen-sIgG and that neutrophil OB can be easily measured in a DHR assay using a leukocyte suspension spiked with the allergen. These findings can be used for *in vitro* diagnosis of IgG-mediated anaphylaxis induced by intravenously infused drugs.

Authors' Disclosures of Potential Conflicts of Interest

No potential conflicts of interest relevant to this article were reported.

REFERENCES

- Finkelman FD. Anaphylaxis: lessons from mouse models. J Allergy Clin Immunol 2007;120:506-15.
- Muñoz-Cano R, Picado C, Valero A, Bartra J. Mechanisms of anaphylaxis beyond IgE. J Investig Allergol Clin Immunol 2016;26:73-82.
- Finkelman FD, Khodoun MV, Strait R. Human IgE-independent systemic anaphylaxis. J Allergy Clin Immunol 2016;137:1674-80.
- Escribese MM, Rosace D, Chivato T, Fernández TD, Corbí AL, Barber D. Alternative anaphylactic routes: the potential role of macrophages. Front Immunol 2017;8:515.
- Strait RT, Morris SC, Finkelman FD. IgG-blocking antibodies inhibit IgE-mediated anaphylaxis in vivo through both antigen interception and Fc gamma RIIb cross-linking. J Clin Invest 2006;116:833-41.

- Jönsson F, Mancardi DA, Kita Y, et al. Mouse and human neutrophils induce anaphylaxis. J Clin Invest 2011;121:1484-96.
- Jönsson F, Mancardi DA, Zhao W, et al. Human FcγRIIA induces anaphylactic and allergic reactions. Blood 2012;119:2533-44.
- Kajiwara N, Sasaki T, Bradding P, et al. Activation of human mast cells through the platelet-activating factor receptor. J Allergy Clin Immunol 2010;125:1137-45.
- Vadas P, Gold M, Perelman B, et al. Platelet-activating factor, PAF acetylhydrolase, and severe anaphylaxis. N Engl J Med 2008; 358:28-35.
- Montañez MI, Mayorga C, Bogas G, et al. Epidemiology, mechanisms, and diagnosis of drug-induced anaphylaxis. Front Immunol 2017;8:614.
- Khodoun MV, Strait R, Armstrong L, Yanase N, Finkelman FD. Identification of markers that distinguish IgE- from IgG-mediated anaphylaxis. Proc Natl Acad Sci U S A 2011;108:12413-8.
- Walrand S, Valeix S, Rodriguez C, Ligot P, Chassagne J, Vasson MP. Flow cytometry study of polymorphonuclear neutrophil oxidative burst: a comparison of three fluorescent probes. Clin Chim Acta 2003;331:103-10.
- Robinson JP, Carter WO. Flow cytometric analysis of granulocytes. In: Bauer KD, Duque RE, Shankey TV, eds. Clinical flow cytometry: principles and application. 2nd ed. Baltimore, MD: Williams & Wilkins, 1993:405-33.
- 14. Richardson MP, Ayliffe MJ, Helbert M, Davies EG. A simple flow cytometry assay using dihydrorhodamine for the measurement of the neutrophil respiratory burst in whole blood: comparison with the quantitative nitrobluetetrazolium test. J Immunol Methods 1998;219:187-93.
- Kim Z, Choi BS, Kim JK, Won DI. Basophil markers for identification and activation in the indirect basophil activation test by flow cytometry for diagnosis of autoimmune urticaria. Ann Lab Med 2016;36:28-35.
- Park HJ, Lee JH, Park KH, et al. A nationwide survey of inhalant allergens sensitization and levels of indoor major allergens in Korea. Allergy Asthma Immunol Res 2014;6:222-7.
- Hirai T, Yoshioka Y, Takahashi H, et al. High-dose cutaneous exposure to mite allergen induces IgG-mediated protection against anaphylaxis. Clin Exp Allergy 2016;46:992-1003.
- Fossati G, Bucknall RC, Edwards SW. Insoluble and soluble immune complexes activate neutrophils by distinct activation mechanisms: changes in functional responses induced by priming with cytokines. Ann Rheum Dis 2002;61:13-9.
- Coxon A, Cullere X, Knight S, et al. Fc gamma RIII mediates neutrophil recruitment to immune complexes. a mechanism for neutrophil accumulation in immune-mediated inflammation. Immunity 2001;14:693-704.
- Zhang W, Voice J, Lachmann PJ. A systematic study of neutrophil degranulation and respiratory burst in vitro by defined immune complexes. Clin Exp Immunol 1995;101:507-14.
- Rojas E, Llinas P, Rodríguez-Romero A, et al. Hevein, an allergenic lectin from rubber latex, activates human neutrophils' oxidative burst. Glycoconj J 2001;18:339-45.
- Shouval D, Roggendorf H, Roggendorf M. Enhanced immune response to hepatitis B vaccination through immunization with a Pre-S1/Pre-S2/S vaccine. Med Microbiol Immunol 2015;204: 57-68.

- 23. Doener F, Michel A, Reuter S, et al. Mast cell-derived mediators promote murine neutrophil effector functions. Int Immunol 2013;25:553-61.
- 24. Jönsson F, Mancardi DA, Albanesi M, Bruhns P. Neutrophils in local and systemic antibody-dependent inflammatory and anaphylactic reactions. J Leukoc Biol 2013;94:643-56.
- 25. Hart PH. Regulation of the inflammatory response in asthma by mast cell products. Immunol Cell Biol 2001;79:149-53.
- 26. Shibata H, Nishimura K, Miyama C, et al. Comparison of different immunoassay methods to detect human anti-drug antibody using the WHO erythropoietin antibody reference panel for analytes. J Immunol Methods 2018;452:73-7.