Supplemental Online Content

Oshman L, Kirch M, Solway E, et al. Older adults' views on insurance coverage for weight management medications. *JAMA Netw Open.* 2025;8(3):e252008. doi:10.1001/jamanetworkopen.2025.2008

eTable. Weight Management Medication Use by Type of Insurance

This supplemental material has been provided by the authors to give readers additional information about their work.

eTable 1: Weight management medication use by type of insurance

	Among those with public insurance only ^a	Among those with any commercial insurance ^b
Type of weight management		
medication used	% (95% CI)	% (95% CI)
Wegovy (semaglutide)	1.2 (0.6, 2.4)	0.8 (0.4, 1.7)
Ozempic (semaglutide)	5.2 (2.8, 9.6)	5.5 (3.9, 7.6)
Saxenda (liraglutide) ^c	0.2 (0.1, 0.8)	1.3 (0.5, 3.0)
Qsymia (phentermine-topiramate)	0.8 (0.2, 3.2)	0.2 (0.0, 0.7)
Contrave (bupropion-naltrexone) ^d	0.0 (0.0, 0.1)	1.3 (0.5, 3.6)
Phentermine ^c	4.7 (3.1, 7.2)	7.3 (5.1, 10.5)

Pearson, *p<.05, **p<.01, ***p<.001

^aPublic insurance only indicates one of the following sources of insurance with no supplemental plans: traditional Medicare, Medicare Advantage, Medicaid, VA/CHAMPA, military health care (TRICARE).

^bCommercial insurance includes employer-sponsored insurance, retiree health plans, supplemental Medicare plans, and individual plans through the marketplace.

^cPearson Chi² p<0.05

^dPearson Chi² p<0.001