SCIENTIFIC REPORTS

OPEN

Published online: 31 May 2018

Publisher Correction: Impaired photosynthesis and increased leaf construction costs may induce floral stress during episodes of global warming over macroevolutionary timescales

Matthew Haworth[1], Claire M. Belcher[2], Dilek Killi[3], Rebecca A. Dewhirst[2], Alessandro Materassi[4], Antonio Raschi[4] & Mauro Centritto[1]

Correction to: *Scientific Reports* https://doi.org/10.1038/s41598-018-24459-z, published online 18 April 2018

This Article contains an error in the legend of Figure 1.

"The box signifies the distribution of the 25–75% quartiles, the median is represented by a horizontal line within the box, horizontal bars either side of the box indicate minimum/maximum values. ⃰ indicates significant different between the 25 and 35 °C treatments at the 0.05 significance level."

should read:

"The box signifies the distribution of the 25–75% quartiles, the median is represented by a horizontal line within the box, horizontal bars either side of the box indicate minimum/maximum values. *indicates significant different between the 25 and 35 °C treatments at the 0.05 significance level."

[1]The Italian National Research Council - Tree and Timber Institute (CNR-IVALSA) Via Madonna del Piano 10, Sesto Fiorentino, 50019, Florence, Italy. [2]University of Exeter wildFIRE Lab, Hatherly Labs Prince Wales Road Exeter, EX PS, Devon, England. [3]Department of Agrifood Production and Environmental Sciences (DiSPAA), University of Florence Piazzale delle Cascine, 28 50144, Florence, Italy. [4]The Italian National Research Council – Institute of Biometeorology (CNR-IBIMET) Via Giovanni Caproni, 8 50145, Florence, Italy. Correspondence and requests for materials should be addressed to M.H. (email: haworth@ivalsa.cnr.it)