BMC Neurology

CORRECTION

Correction: Early neurological deterioration in acute ischemic stroke patients after intravenous thrombolysis with alteplase predicts poor 3-month functional prognosis - data from the Thrombolysis Implementation and Monitor of Acute Ischemic Stroke in China (TIMS-China)

Fengli Che[1,2], Anxin Wang[3], Yi Ju[1], Yarong Ding[2], Honglian Duan[2], Xiaokun Geng[2], Xingquan Zhao[1,3,4*] and Yongjun Wang[1,5*]

Correction: BMC Neurol 22, 212 (2022)
https://doi.org/10.1186/s12883-022-02737-8

Following publication of the original article [1], the authors reported an error found in affiliations 1 and 2.

The updated affiliations are given below and the changes have been highlighted in bold.

1 Present Address: Department of Neurology, **Beijing Tiantan Hospital**, Capital Medical University, Beijing, China.

2 Department of Neurology, **Beijing Luhe Hospital**, Capital Medical University, Beijing, China.

The original article [1] has been updated.

*Correspondence: zxq@vip.163.com; yongjunwang@ncrcnd.org.cn

⁴ Research Unit of Artificial Intelligence in Cerebrovascular Disease, Chinese Academy of Medical Sciences, Beijing, China
⁵ China National Clinical Research Center for Neurological Diseases, Advanced Innovation Center for Human Brain Protection, Beijing Tiantan Hospital, Capital Medical University, Beijing, China
Full list of author information is available at the end of the article

Author details
¹Present Address: Department of Neurology, Beijing Tiantan Hospital, Capital Medical University, Beijing, China. ²Department of Neurology, Beijing Luhe Hospital, Capital Medical University, Beijing, China. ³Tiantan Neuroimaging Center for Excellence, Beijing Tiantan Hospital, Capital Medical University, Beijing, China. ⁴Research Unit of Artificial Intelligence in Cerebrovascular Disease, Chinese Academy of Medical Sciences, Beijing, China. ⁵China National Clinical Research Center for Neurological Diseases, Advanced Innovation Center for Human Brain Protection, Beijing Tiantan Hospital, Capital Medical University, Beijing, China.

Published online: 12 September 2022

Reference
1. Che F, Wang A, Ju Y, et al. Early neurological deterioration in acute ischemic stroke patients after intravenous thrombolysis with alteplase predicts poor 3-month functional prognosis - data from the Thrombolysis Implementation and Monitor of Acute Ischemic Stroke in China (TIMS-China). BMC Neurol. 2022;22:212. https://doi.org/10.1186/s12883-022-02737-8.