






Correction

# Correction: Zheng, L., et al. PBN11-8, a Cytotoxic Polypeptide Purified from Marine *Bacillus*, Suppresses Invasion and Migration of Human Hepatocellular Carcinoma Cells by Targeting Focal Adhesion Kinase Pathways. *Polymers* 2018, 10, 1043

Lanhong Zheng<sup>1,2,†</sup>, Xiangjie Zhu<sup>2,3,†</sup> , Kangli Yang<sup>2,†</sup>, Meihong Zhu<sup>2</sup>, Ammad Ahmad Farooqi<sup>4</sup> , Daole Kang<sup>2</sup>, Mi Sun<sup>2</sup>, Yixin Xu<sup>1</sup>, Xiukun Lin<sup>5,\*</sup>, Yingang Feng<sup>6</sup> , Fangfang Liang<sup>7</sup>, Fuming Zhang<sup>7</sup>  and Robert J. Linhardt<sup>7</sup> 

- <sup>1</sup> School of Pharmacy, Shanghai University of Medicine & Health Sciences, Shanghai 201318, China; zhenglanhong@126.com (L.Z.); xuyx@sumhs.edu.cn (Y.X.)
  - <sup>2</sup> Key Laboratory of Sustainable Development of Polar Fishery, Ministry of Agriculture, Yellow Sea Fisheries Research Institute, Chinese Academy of Fishery Sciences, Qingdao 266071, China; zhuxiangjie1204@163.com (X.Z.); hnysykl@163.com (K.Y.); zhumhlv@163.com (M.Z.); kdlqst@126.com (D.K.); sunmi@ysfri.ac.cn (M.S.)
  - <sup>3</sup> Shanghai Ocean University, Shanghai 201306, China
  - <sup>4</sup> Institute of Biomedical and Genetic Engineering (IBGE), Islamabad 44000, Pakistan; ammadfarooqi@rlmclahore.com
  - <sup>5</sup> Department of Pharmacology, Southwest Medical University, Luzhou 646000, Sichuan, China
  - <sup>6</sup> Shandong Provincial Key Laboratory of Energy Genetics and Qingdao Engineering Laboratory of Single Cell Oil, Institute of Bioenergy and Bioprocess Technology, Chinese Academy of Sciences, 189 Songling Road, Qingdao 266101, China; fengyg@qibebt.ac.cn
  - <sup>7</sup> Departments of Chemistry and Chemical Biology, Chemical and Biological Engineering, Biology and Biomedical Engineering, Center for Biotechnology and Interdisciplinary Studies, Rensselaer Polytechnic Institute, Troy, NY 12180, USA; liangfangfang12@163.com (F.L.); zhangf2@rpi.edu (F.Z.); linhar@rpi.edu (R.J.L.)
- \* Correspondence: xiukunlin@126.com; Tel.: +86-830-3162291
- † These authors contributed equally to this work.



**Citation:** Zheng, L.; Zhu, X.; Yang, K.; Zhu, M.; Farooqi, A.A.; Kang, D.; Sun, M.; Xu, Y.; Lin, X.; Feng, Y.; et al. Correction: Zheng, L., et al. PBN11-8, a Cytotoxic Polypeptide Purified from Marine *Bacillus*, Suppresses Invasion and Migration of Human Hepatocellular Carcinoma Cells by Targeting Focal Adhesion Kinase Pathways. *Polymers* 2018, 10, 1043. *Polymers* 2021, 13, 166. <https://doi.org/10.3390/polym13010166>

Received: 22 December 2020

Accepted: 23 December 2020


Published: 5 January 2021

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

The authors wish to make a change to the published paper [1]. In the original manuscript, the subfigures (0 h and 12 h) were repeated by mistake in Figure 1d. The corrected Figure 1 is presented below:



**Figure 1.** PBN11-8 displays potent cytotoxicity to cancer cells. (a) Cells were treated with certain concentrations of PBN11-8. The cell inhibitory rate was determined by MTT assay as described in the experimental section. The  $IC_{50}$  values were 1.56, 1.80, 1.57 and 1.73  $\mu\text{g}/\text{mL}$  for BEL-7402, 786-0, HepG2 and Panc-28 cells, respectively. The  $IC_{50}$  values were 11.79 and 14.72  $\mu\text{g}/\text{mL}$  for HK2 and L02 cells, respectively. (b) Cells were cultured in a 96-well plate and treated with 4  $\mu\text{g}/\text{mL}$  PBN11-8 for each cell line for 0, 12, 24, and 48 h to study the time dependent analysis. Cell viability was analyzed by MTT assay. (c) The results of the crystal violet adhesion assay in BEL-7402 cells induced by 1, 2, 4  $\mu\text{g}/\text{mL}$  of PBN11-8 for 12 h. (d) The results of the crystal violet adhesion assay in BEL-7402 cells induced by 2  $\mu\text{g}/\text{mL}$  of PBN11-8 for 12, 24 and 48 h. (e,f) The quantitative evaluations of the crystal violet adhesion assay. The data represent the mean  $\pm$  SD of three independent experiments. \*  $p < 0.05$  vs. control; and \*\*  $p < 0.01$  vs. control.

The authors apologize for any inconvenience caused and the change does not affect the scientific results. The manuscript will be updated, and the original will remain online on the article webpage at <https://www.mdpi.com/2073-4360/10/9/1043>.

## Reference

- Zheng, L.; Zhu, X.; Yang, K.; Zhu, M.; Farooqi, A.A.; Kang, D.; Sun, M.; Xu, Y.; Lin, X.; Feng, Y.; et al. PBN11-8, a Cytotoxic Polypeptide Purified from Marine *Bacillus*, Suppresses Invasion and Migration of Human Hepatocellular Carcinoma Cells by Targeting Focal Adhesion Kinase Pathways. *Polymers* **2018**, *10*, 1043. [CrossRef]