

Sustainable therapies by engineered bacteria

Beatriz Álvarez and Luis Ángel Fernández* 

Department of Microbial Biotechnology, Centro Nacional de Biotecnología, Consejo Superior de Investigaciones Científicas (CNB-CSIC), Campus UAM Cantoblanco, 28049, Madrid, Spain.

Summary

The controlled *in situ* delivery of biologics (e.g. enzymes, cytokines, antibodies) by engineered bacteria of our microbiome will allow the sustainable production of these complex and expensive drugs locally in the human body, overcoming many of the technical and economical barriers currently associated with the global use of these potent medicines. We provide examples showing how engineered bacteria can be effective treatments against multiple pathologies, including autoimmune and inflammatory diseases, metabolic disorders, diabetes, obesity, infectious diseases and cancer, hence contributing to achieve the Global Sustainable Goal 3: ensure healthy lives and promote well-being for all at all ages.

Biologics and microbial engineering

The pharmaceutical industry is moving from small chemical drugs towards more complex and potent biological drugs, or 'biologics', therapeutics based on large macromolecules, such as enzymes, growth factors, cytokines and antibodies. The large size of biologics allows a higher level of specificity, which reduces the non-target side-effects. In addition, they can be engineered by rational design and molecular evolution to improve their functional properties (i.e. specificity, half-life, activity). As a consequence, biologics are already dominating the list of top drugs providing the highest incomes to the pharmaceutical industry (PharmaCompass, 2016). At present, antibodies (Abs) are the biologics showing the highest increase, with over 50 molecules already

approved for treatment of major diseases such as cancer, autoimmune diseases and inflammation, and whose turnover exceeds 75 billion euros per year (Ecker *et al.*, 2015; Reichert, 2016).

However, the downside of biologics is their elevated cost, which is related to high investments in their development phase, and the technical difficulties of their large-scale production, purification and distribution of these complex molecules, as they are in general more labile and short lived than small chemical drugs. The elevated cost of biologics is having a negative impact on the budget of the national health systems in developed countries, and represents a strong barrier for their use in low-income countries. Hence, the future growth and global access of these potent medicines of the XXI century will be compromised unless novel technologies help to solve these bottlenecks. In this context, microbial biotechnology already provides important solutions at various levels, such as increasing production yields in bioreactors using microorganisms (i.e. yeasts, bacteria), reducing the time and cost associated with the slow growth of mammalian cells, and assisting on the optimization and engineering of biologics thanks to the high cloning capacity of microorganisms and the efficient screening methods of microbial libraries (Hoogenboom, 2005; Galan *et al.*, 2016). In addition to these conventional technologies, microbial engineering is developing innovative approaches to produce and deliver complex biologics *in situ*, within the body, ideally in a controlled and programmable way. These are based on the engineering of probiotic and commensal bacteria from human microbiota, using both classical genetic engineering and synthetic biology tools, to generate therapeutic bacteria that produce the desired biologic (Cameron *et al.*, 2014; Piñero-Lambea *et al.*, 2015a). Here, we briefly discuss the potential of the use of engineered bacteria for the treatment of human diseases in an affordable and effective way that will help to accomplish the objectives of Sustainable Development Goal 3: ensuring healthy lives and promoting the well-being for all at all ages. The use of engineered bacteria against cancer will not be discussed here because it is the topic of a different article in this issue.

Engineering bacteria and the microbiome

The microbial population (microbiota or microbiome) that colonizes the skin and human mucosal surfaces, especially the gastrointestinal tract (GIT), is essential to keep

Received 19 June, 2017; accepted 20 June, 2017.

*For correspondence. E-mail lafdez@cnb.csic.es; Tel. +34 91 585 48 54; Fax +34 91 585 45 06.

Microbial Biotechnology (2017) 10(5), 1057–1061

doi:10.1111/1751-7915.12778

Funding information

H2020 European Research Council (ERC-2012-ADG_20120314); Consejo Superior de Investigaciones Científicas (BIO2014-60305R).

© 2017 The Authors. *Microbial Biotechnology* published by Society for Applied Microbiology and John Wiley & Sons Ltd.

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

the health status of the body. Many studies have shown the relationship between microbiome dysbiosis and disease, such as infections, inflammation, allergy, asthma, obesity, cancer and even neurological disorders (Sekirov *et al.*, 2010; Carding *et al.*, 2015; Li *et al.*, 2016; Foo *et al.*, 2017). Therefore, it is reasonable to think that interventions on the microbiome with specific microorganisms will allow the development of therapies for such diseases (Lemon *et al.*, 2012). Effective therapies require a defined, reproducible therapeutic composition and known mechanism of action. This can be achieved by rationale engineering of commensal bacteria found in the microbiome to confer upon them specific properties to efficiently combat the disease, such as resistance to stress conditions, colonization of a desired niche, controlled delivery of therapeutic biologics and biocontainment. The selection of the bacterial strain chassis to develop the designed engineering is crucial for an effective therapy. The chassis strain should be non-pathogenic, amenable to genetic manipulation and, ideally, naturally adapted to live in the site where the therapeutic action is needed. Importantly, there is ample experience in the last century on the administration into patients of natural bacterial strains of the microbiota from healthy individuals, called 'probiotics'. These intentional administrations with natural bacteria have been mostly performed with strains of lactic acid bacteria (LAB) (e.g. *Lactobacillus*, *Bifidobacterium*) but also with *Escherichia coli* strains, such as *E. coli* Nissle 1917 (EcN; Behnsen *et al.*, 2013; Ou *et al.*, 2016; Sonnenborn, 2016). These strains usually have limited therapeutic effects by themselves, but they have clearly proven to be safe, and thus represent excellent chassis for synthetic biology engineering (Chua *et al.*, 2017).

Engineered bacteria against immunological and metabolic diseases

Given the extensive use of LAB as probiotics in foods, it is not surprising that early work on engineering therapeutic bacteria involved LAB and diseases of the GIT, like inflammatory bowel diseases (IBDs; Xavier and Podolsky, 2007; Rescigno, 2014; Chu *et al.*, 2016). A *Lactococcus lactis* strain was engineered to locally deliver the anti-inflammatory cytokine IL-10 in the GIT (Steidler *et al.*, 2000). This strain went successfully through a phase 1 clinical study in patients (Braat *et al.*, 2006). The strain was shown to be safe and biologically contained, but was not effective in treating the disease in the subsequent phase 2a clinical study. Nevertheless, it is noteworthy that it was the first engineered microbial strain tested in clinical trials and the results have been encouraging for other genetically modified *L. lactis* strains that went into clinical trials (Bermudez-Humaran

et al., 2013). The company Interxon (<https://www.dna.com/>) is developing biotherapeutics based on modified *L. lactis* to treat inflammatory and autoimmune diseases, as well as other illnesses associated with cancer chemotherapy. LAB have been also engineered to induce mucosal immune tolerance of causative antigens in food allergies, such coeliac disease (Huibregtse *et al.*, 2009). Induction of tolerance has also been applied to downregulate autoimmune diseases like type 1 diabetes (T1D), in which self-antigens from pancreatic β -cells are recognized by the immune system (Takiishi *et al.*, 2012; Robert *et al.*, 2014). In addition, engineered bacteria can modulate levels of cytokines outside the GIT, preventing cardiovascular pathologies (Jing *et al.*, 2011) and encephalomyelitis (Rezende *et al.*, 2013). Administration of engineered bacteria in the gut can also protect from metabolic disorders. For instance, LAB producing the hormone glucagon-like peptide (GLP)-1 was able to induce insulin production in gut epithelial cells in a glucose-responsive manner, thereby reducing hyperglycaemia (Duan *et al.*, 2015).

Engineering of a different probiotic chassis, EcN, has also produced relevant strains with therapeutic effects against IBDs (Whelan *et al.*, 2014) and against obesity (Chen *et al.*, 2014). The company Synlogic (<http://www.synlogictx.com/>) is engineering EcN as a microbial chassis for development of human therapeutics (Synthetic Biotic™) against IBDs, cancer and metabolic deficiencies, such as urea cycle disorder and phenylketonuria (<http://www.synlogictx.com/pipeline/pipeline/>).

Engineered bacteria against infectious diseases

The above-mentioned strains target non-communicable diseases, including rare metabolic diseases, and may help to provide access to affordable biologic medicines for all, which is an important objective of Sustainable Development Goal 3. But also, a major health goal is the treatment of communicable infectious diseases, especially those acting on children (e.g. diarrhoea), or being global epidemics (e.g. HIV, tuberculosis). Engineered bacteria can also help in these objectives. Different strategies have been investigated against infectious diseases, including toxin neutralization, blocking pathogen adhesion or interfering with quorum sensing (QS) signals (Goh *et al.*, 2012; Hwang *et al.*, 2016). There are examples of engineered strains against major diarrhoeal diseases, including bacteria such as *Vibrio cholera* (Duan and March, 2010) and viruses like rotaviruses, a major cause of severe diarrhoea in children under 5 years (Pant *et al.*, 2006; Álvarez *et al.*, 2015). LAB commensals in human vagina were also engineered to produce an antiviral activity against HIV, which showed protection against simian HIV infection in macaques (Lagenaur

et al., 2011). In another elegant example, EcN was engineered to produce bacteriocins and swim towards the pathogen in response to QS signals of *Pseudomonas aeruginosa* (Hwang *et al.*, 2014), and the resulting construct shown to exhibit antimicrobial activity against this pathogen in the gut of mouse models (Hwang *et al.*, 2017). The above examples also illustrate that therapeutic bacteria can be engineered to be extremely selective against a specific pathogen, reducing the use (or abuse) of antibiotics, hence reducing the spread of antibiotic resistances in nature (e.g. tuberculosis). Importantly, these approaches are not only of use in humans to prevent infection, but are also of great interest for interventions in the microbiota of animal reservoirs or insect vectors of human disease (Hurwitz *et al.*, 2012; Foo *et al.*, 2017). Thus, major communicable diseases (e.g. malaria) could be prevented at an earlier stage, in the animal reservoir or insect, prior to the actual human infection.

Synthetic biology engineering

Synthetic biology is providing modular parts and gene circuits that can be used to program the designed bacterial chassis to precisely control the expression and delivery of therapeutic proteins (Huh *et al.*, 2013; Reeves *et al.*, 2015; Ruano-Gallego *et al.*, 2015), the adhesion of the engineered bacteria to target cells (Piñero-Lambea *et al.*, 2015b) or modify their chemotactic behaviour (Hwang *et al.*, 2014). Bacteria have also been engineered with gene circuits that respond to disease signals in the gut (Riglar *et al.*, 2017). In addition, synthetic biology is developing tools to manipulate bacteria that are very abundant in the human microbiome, like the genus *Bacteroides* (Lim *et al.*, 2017).

Concluding remarks

In the near future, it will be possible to program bacteria like a nanomachine to treat a pathology. The engineered bacteria will act specifically and locally, which reduces the probability of side-effects. These microorganisms will be controlled so that they will respond to stimuli indicating disease and can be eliminated once the pathology is resolved. The engineered bacterial strains will be able to combat specific pathogens, contributing to overcoming the growing problem of antibiotic resistance. The designed therapies will be also economically viable. The production will be inexpensive because it would only require the growth of the microorganism without complex purification steps. The distribution can also be facilitated because many bacteria can be freeze-dried without affecting their viability, so no cold chain will be needed. These properties will definitely help to achieve

Sustainable Development Goal 3, reducing major diarrhoeal diseases and epidemics like HIV and malaria, fighting against antibiotic resistance and combatting important autoimmune and metabolic diseases with affordable, safe and potent medicines for all.

Acknowledgements

Work in the laboratory of LAF is supported by research grants from the Spanish *Ministerio de Economía y Competitividad* (BIO2014-60305R) and the European Research Council (ERC-2012-ADG_20120314).

Conflict of interest

The authors declare that they have no conflict of interest.

References

- Álvarez, B., Krogh-Andersen, K., Tellgren-Roth, C., Martínez, N., Gunaydin, G., Lin, Y., *et al.* (2015) An exopolysaccharide-deficient mutant of *Lactobacillus rhamnosus* GG efficiently displays a protective llama antibody fragment against rotavirus on its surface. *Appl Environ Microbiol* **81**: 5784–5793.
- Behnsen, J., Deriu, E., Sassone-Corsi, M., and Raffatellu, M. (2013) Probiotics: properties, examples, and specific applications. *Cold Spring Harb Perspect Med* **3**: a010074.
- Bermudez-Humaran, L.G., Aubry, C., Motta, J.P., Deraison, C., Steidler, L., Vergnolle, N., *et al.* (2013) Engineering lactococci and lactobacilli for human health. *Curr Opin Microbiol* **16**: 278–283.
- Braat, H., Rottiers, P., Hommes, D.W., Huyghebaert, N., Remaut, E., Remon, J.P., *et al.* (2006) A phase I trial with transgenic bacteria expressing interleukin-10 in Crohn's disease. *Clin Gastroenterol Hepatol* **4**: 754–759.
- Cameron, D.E., Bashor, C.J., and Collins, J.J. (2014) A brief history of synthetic biology. *Nat Rev Microbiol* **12**: 381–390.
- Carding, S., Verbeke, K., Vipond, D.T., Corfe, B.M., and Owen, L.J. (2015) Dysbiosis of the gut microbiota in disease. *Microb Ecol Health Dis* **26**: 26191 – <http://dx.doi.org/10.3402/mehd.v26.26191>.
- Chen, Z., Guo, L., Zhang, Y., Walzem, R.L., Pendergast, J.S., Printz, R.L., *et al.* (2014) Incorporation of therapeutically modified bacteria into gut microbiota inhibits obesity. *J Clin Invest* **124**: 3391–3406.
- Chu, H., Khosravi, A., Kusumawardhani, I.P., Kwon, A.H.K., Vasconcelos, A.C., Cunha, L.D., *et al.* (2016) Genomic interactions contribute to the pathogenesis of inflammatory bowel disease. *Science* **352**: 1116–1120.
- Chua, K.J., Kwok, W.C., Aggarwal, N., Sun, T., and Chang, M.W. (2017) Designer probiotics for the prevention and treatment of human diseases. *Curr Opin Chem Biol* **40**: 8–16.
- Duan, F., and March, J.C. (2010) Engineered bacterial communication prevents *Vibrio cholerae* virulence in an infant mouse model. *Proc Natl Acad Sci USA* **107**: 11260–11264.

- Duan, F.F., Liu, J.H., and March, J.C. (2015) Engineered commensal bacteria reprogram intestinal cells into glucose-responsive insulin-secreting cells for the treatment of diabetes. *Diabetes* **64**: 1794–1803.
- Ecker, D.M., Jones, S.D., and Levine, H.L. (2015) The therapeutic monoclonal antibody market. *MAbs* **7**: 9–14.
- Foo, J.L., Ling, H., Lee, Y.S., and Chang, M.W. (2017) Microbiome engineering: current applications and its future. *Biotechnol J* **12**: n/a, 1600099. doi:10.1002/biot.201600099.
- Galan, A., Comor, L., Horvatic, A., Kules, J., Guillemin, N., Mrljak, V., and Bhide, M. (2016) Library-based display technologies: where do we stand? *Mol BioSyst* **12**: 2342–2358.
- Goh, Y.L., He, H., and March, J.C. (2012) Engineering commensal bacteria for prophylaxis against infection. *Curr Opin Biotechnol* **23**: 924–930.
- Hoogenboom, H.R. (2005) Selecting and screening recombinant antibody libraries. *Nat Biotechnol* **23**: 1105–1116.
- Huh, J.H., Kittleston, J.T., Arkin, A.P., and Anderson, J.C. (2013) Modular design of a synthetic payload delivery device. *ACS Synth Biol* **2**: 418–424.
- Huibregtse, I.L., Marietta, E.V., Rashtak, S., Koning, F., Rotters, P., David, C.S., *et al.* (2009) Induction of antigen-specific tolerance by oral administration of *Lactococcus lactis* delivered immunodominant DQ8-restricted gliadin peptide in sensitized nonobese diabetic Abo Dq8 transgenic mice. *J Immunol* **183**: 2390–2396.
- Hurwitz, I., Fieck, A., and Durvasula, R. (2012) Antimicrobial peptide delivery strategies: use of recombinant antimicrobial peptides in paratransgenic control systems. *Curr Drug Targets* **13**: 1173–1180.
- Hwang, I.Y., Tan, M.H., Koh, E., Ho, C.L., Poh, C.L., and Chang, M.W. (2014) Reprogramming microbes to be pathogen-seeking killers. *ACS Synth Biol* **3**: 228–237.
- Hwang, I.Y., Koh, E., Kim, H.R., Yew, W.S., and Chang, M.W. (2016) Reprogrammable microbial cell-based therapeutics against antibiotic-resistant bacteria. *Drug Resist Updates* **27**: 59–71.
- Hwang, I.Y., Koh, E., Wong, A., March, J.C., Bentley, W.E., Lee, Y.S., and Chang, M.W. (2017) Engineered probiotic *Escherichia coli* can eliminate and prevent *Pseudomonas aeruginosa* gut infection in animal models. *Nat Commun* **8**: 15028.
- Jing, H., Yong, L., Haiyan, L., Yanjun, M., Yun, X., Yu, Z., *et al.* (2011) Oral administration of *Lactococcus lactis* delivered heat shock protein 65 attenuates atherosclerosis in low-density lipoprotein receptor-deficient mice. *Vaccine* **29**: 4102–4109.
- Lagenaur, L.A., Sanders-Beer, B.E., Brichacek, B., Pal, R., Liu, X., Liu, Y., *et al.* (2011) Prevention of vaginal SHIV transmission in macaques by a live recombinant *Lactobacillus*. *Mucosal Immunol* **4**: 648–657.
- Lemon, K.P., Armitage, G.C., Relman, D.A. and Fischbach, M.A. (2012) Microbiota-targeted therapies: an ecological perspective. *Sci Transl Med* **4**, 137rv135.
- Li, J., Sung, C.Y., Lee, N., Ni, Y., Pihlajamaki, J., Panagiotou, G., and El-Nezami, H. (2016) Probiotics modulated gut microbiota suppresses hepatocellular carcinoma growth in mice. *Proc Natl Acad Sci USA* **113**: E1306–E1315.
- Lim, B., Zimmermann, M., Barry, N.A., and Goodman, A.L. (2017) Engineered regulatory Systems modulate gene expression of human commensals in the gut. *Cell* **169**: 547–558. e515.
- Ou, B., Yang, Y., Tham, W.L., Chen, L., Guo, J., and Zhu, G. (2016) Genetic engineering of probiotic *Escherichia coli* Nissle 1917 for clinical application. *Appl Microbiol Biotechnol* **100**: 8693–8699.
- Pant, N., Hultberg, A., Zhao, Y., Svensson, L., Pan-Hammarström, Q., Johansen, K., *et al.* (2006) Lactobacilli expressing variable domain of llama heavy-chain antibody fragments (Lactobodies) confer protection against rotavirus-induced diarrhea. *J Infect Dis* **194**: 1580–1588.
- PharmaCompass (2016) Top drugs by sales revenue in 2015: Who sold the biggest blockbuster drugs? *PharmaCompass*.
- Piñero-Lambea, C., Ruano-Gallego, D., and Fernández, L.Á. (2015a) Engineered bacteria as therapeutic agents. *Curr Opin Biotechnol* **35**: 94–102.
- Piñero-Lambea, C., Bodelón, G., Fernández-Periáñez, R., Cuesta, A.M., Álvarez-Vallina, L., and Fernández, L.A. (2015b) Programming controlled adhesion of *E. coli* to target surfaces, cells, and tumors with synthetic adhesins. *ACS Synth Biol* **4**: 463–473.
- Reeves, A.Z., Spears, W.E., Du, J., Tan, K.Y., Wagers, A.J., and Lesser, C.F. (2015) Engineering *Escherichia coli* into a protein delivery system for mammalian cells. *ACS Synth Biol* **4**: 644–654.
- Reichert, J.M. (2016) Therapeutic monoclonal antibodies approved or in review in the European Union or the United States. *The Antibody Society*.
- Rescigno, M. (2014) Intestinal microbiota and its effects on the immune system. *Cell Microbiol* **16**: 1004–1013.
- Rezende, R.M., Oliveira, R.P., Medeiros, S.R., Gomes-Santos, A.C., Alves, A.C., Loli, F.G., *et al.* (2013) Hsp65-producing *Lactococcus lactis* prevents experimental autoimmune encephalomyelitis in mice by inducing CD4 + LAP+ regulatory T cells. *J Autoimmun* **40**: 45–57.
- Riglar, D.T., Giessen, T.W., Baym, M., Kerns, S.J., Niederhuber, M.J., Bronson, R.T., *et al.* (2017) Engineered bacteria can function in the mammalian gut long-term as live diagnostics of inflammation. *Nat Biotechnol* In press, doi: 10.1038/nbt.3879.
- Robert, S., Gysemans, C., Takiishi, T., Korf, H., Spagnuolo, I., Sebastiani, G., *et al.* (2014) Oral delivery of glutamic acid decarboxylase (GAD)-65 and IL10 by *Lactococcus lactis* reverses diabetes in recent-onset NOD mice. *Diabetes* **63**: 2876–2887.
- Ruano-Gallego, D., Álvarez, B., and Fernández, L.Á. (2015) Engineering the controlled assembly of filamentous injectisomes in *E. coli* K-12 for protein translocation into mammalian cells. *ACS Synth Biol* **4**: 1030–1041.
- Sekirov, I., Russell, S.L., Antunes, L.C., and Finlay, B.B. (2010) Gut microbiota in health and disease. *Physiol Rev* **90**: 859–904.
- Sonnenborn, U. (2016) *Escherichia coli* strain Nissle 1917—from bench to bedside and back: history of a special

- Escherichia coli* strain with probiotic properties. *FEMS Microbiol Lett* **363**: fnw212. doi: 10.1093/femsle/fnw212.
- Steidler, L., Hans, W., Schotte, L., Neiryck, S., Obermeier, F., Falk, W., *et al.* (2000) Treatment of murine colitis by *Lactococcus lactis* secreting interleukin-10. *Science* **289**: 1352–1355.
- Takiishi, T., Korf, H., Van Belle, T.L., Robert, S., Grieco, F.A., Caluwaerts, S., *et al.* (2012) Reversal of autoimmune diabetes by restoration of antigen-specific tolerance using genetically modified *Lactococcus lactis* in mice. *J Clin Invest* **122**: 1717–1725.
- Whelan, R.A., Rausch, S., Ebner, F., Gunzel, D., Richter, J.F., Hering, N.A., *et al.* (2014) A transgenic probiotic secreting a parasite immunomodulator for site-directed treatment of gut inflammation. *Mol Ther* **22**: 1730–1740.
- Xavier, R.J., and Podolsky, D.K. (2007) Unravelling the pathogenesis of inflammatory bowel disease. *Nature* **448**: 427–434.