

ERRATUM

Open Access



Erratum to: Superior absorption and retention properties of foam-film silver dressing versus other commercially available silver dressing

Seung Moon Lee^{1†}, Il Kyu Park^{1†}, Yong Soo Kim¹, Hyun Jung Kim¹, Hanlim Moon², Stefan Mueller², Harsha Arumugam² and Young-IL Jeong^{3*}

Erratum

The original article contains an error [1] in the **Discussion** section, in the following sentence:

“[...] highly absorptive and moisture retentive dressings such as BETAplast, are a welcomed addition to wound management armamentarium.”

The mention of ‘BETAplast’ in this sentence should instead be ‘Medifoam® Silver’.

Author details

¹Genewel Co. Ltd, Gyeonggi-do, Korea. ²Mundipharma Pte. Ltd, Singapore, Singapore. ³Biomedical Research Institute, Pusan National University Hospital, 179 Gudeok-ro, Seo-gu, Busan 602-739, Republic of Korea.

Received: 15 November 2016 Accepted: 18 November 2016

Published online: 05 December 2016

References

1. Lee SM, et al. Superior absorption and retention properties of foam-film silver dressing versus other commercially available silver dressing. *Biomater Res.* 2016;20:22. doi:10.1186/s40824-016-0069-z.

* Correspondence: nanomed@naver.com

†Equal contributors

³Biomedical Research Institute, Pusan National University Hospital, 179 Gudeok-ro, Seo-gu, Busan 602-739, Republic of Korea

