



OPEN

# Author Correction: Realistic high-resolution lateral cephalometric radiography generated by progressive growing generative adversarial network and quality evaluations

Mingyu Kim, Sungchul Kim, Minjee Kim, Hyun-Jin Bae, Jae-Woo Park & Namkug Kim

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-021-91965-y>, published online 15 June 2021

The original version of this Article contained an error in the Methods section, under the subheading ‘Training-data collection’, where

“A total of 19,152 cephalometric images of patients who received orthodontic treatment in 2019 were obtained (institutional review board (IRB) No: P01-202011-21-032) from the Kooalldam Dental Hospital in Korea.”

now reads:

“A total of 19,152 cephalometric images of patients who received orthodontic treatment between 2009 and 2019 were obtained (institutional review board (IRB) No: P01-202011-21-032) from the Kooalldam Dental Hospital in Korea.”

The original Article has been corrected.



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2021

Published online: 26 August 2021