



United by Hope, Divided by Access: Country Mapping of COVID-19 Information Accessibility and Its Consequences on Pandemic Eradication

OPEN ACCESS

Edited by:

Dov Greenbaum,
Yale University, United States

Reviewed by:

Athanasia Warnecke,
Hannover Medical School, Germany
Dikaïos Sakellariou,
Cardiff University, United Kingdom

*Correspondence:

Amiel A. Dror
amieldror@gmail.com

† These authors have contributed
equally to this work and share last
authorship

‡ORCID:

Amiel A. Dror
orcid.org/0000-0002-7178-6771
Netanel Eisenbach
orcid.org/0000-0003-4513-3766
Samer Srouji
orcid.org/0000-0001-8837-2391
Karen B. Avraham
orcid.org/0000-0002-4913-251X
Nicole G. Morozov
orcid.org/0000-0001-6869-8626

Specialty section:

This article was submitted to
Infectious Diseases - Surveillance,
Prevention and Treatment,
a section of the journal
Frontiers in Medicine

Received: 16 October 2020

Accepted: 23 December 2020

Published: 27 January 2021

Citation:

Dror AA, Morozov NG, Layous E,
Mizrachi M, Daoud A, Eisenbach N,
Rayan D, Kaykov E, Marei H,
Barhum M, Srouji S, Avraham KB and
Sela E (2021) United by Hope, Divided
by Access: Country Mapping of
COVID-19 Information Accessibility
and Its Consequences on Pandemic
Eradication. *Front. Med.* 7:618337.
doi: 10.3389/fmed.2020.618337

Amiel A. Dror^{1,2*†}, Nicole G. Morozov^{3†}, Eli Layous^{1,2}, Matti Mizrachi^{1,2}, Amani Daoud^{1,2}, Netanel Eisenbach^{1,2†}, Doaa Rayan^{1,2}, Edward Kaykov^{2,4}, Hesham Marei⁵, Masad Barhum², Samer Srouji^{2,6†}, Karen B. Avraham^{7†} and Eyal Sela^{1,2†}

¹ Department of Otolaryngology, Head and Neck Surgery, Galilee Medical Center, Nahariya, Israel, ² Azrieli Faculty of Medicine, Bar-Ilan University, Safed, Israel, ³ Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel, ⁴ Geriatric Medicine Department, Galilee Medical Center, Nahariya, Israel, ⁵ College of Dentistry, Gulf Medical University (GMU), Ajman, United Arab Emirates, ⁶ Oral and Maxillofacial Department, Galilee Medical Center, Nahariya, Israel, ⁷ Department of Human Molecular Genetics and Biochemistry, Sackler Faculty of Medicine and Sagol School of Neuroscience, Tel Aviv University, Tel Aviv, Israel

Many government websites and mobile content are inaccessible for people with vision, hearing, cognitive, and motor impairments. The COVID-19 pandemic highlighted these disparities when health authority website information, critical in providing resources for curbing the spread of the virus, remained inaccessible for numerous disabled populations. The Web Content Accessibility Guidelines provide comparatively universally accepted guidelines for website accessibility. We utilized these parameters to examine the number of countries with or without accessible health authority websites. The resulting data indicate a dearth of countries with websites accessible for persons with disabilities. Methods of information dissemination must take into consideration individuals with disabilities, particularly in times of global health crises.

Keywords: accessibility, COVID-19, disability, information accessibility, global health, disability accessibility, website accessibility

INTRODUCTION

The COVID-19 pandemic is challenging the boundaries of not only social behaviors and cultural institutions, but also the rapid and accurate dissemination of information. The containment of this epidemic has required stringent adherence to interpersonal behavioral modifications which are often developed and transmitted by national health authorities. Médecins Sans Frontières advocates for inclusive COVID-19 outreach and educational campaigns with the necessary accommodations specifically for people with disabilities (1). However, national health authority websites may lack website accommodations for people with vision, hearing, physical, or cognitive impairments. Because the COVID-19 pandemic has uniquely impacted communities affected by visual, hearing, cognitive, and motor impairments, minimizing the information gap between persons with and without disabilities is imperative for achieving global engagement in containing not only COVID-19, but also future pandemics (2). We sought to determine what percentage of national health

authority websites are fully accessible to people with disabilities according to Web Content Accessibility (WCAG 2.1) guidelines benchmarks (3). Our research demonstrates that only a small percentage of government health websites are fully accessible for people with disabilities.

According to the World Health Organization (WHO), an estimated 2.2 billion people suffer from vision impairment or blindness, while 466 million people have a disabling hearing loss (4, 5). Individuals with temporary or permanent motor or cognitive impairments also require accessibility modifications for proper interaction with websites. Inconsistent heading level and font size or color contrast of elements in webpages harbor barriers for proper interaction by visually impaired people. Likewise, alternative textual descriptions of visual elements on a page are essential for contextual understanding, in addition to proper interaction with text-to-speech engines. Lack of video content subtitles or transcripts present barriers to the hearing impaired. Compatibility with keyboard navigation, including skip linking in the backend of a website, is crucial to accommodate web navigation for people with motor impairment who interact with a single finger or with other motor gestures.

The Web Accessibility Initiative (WAI), launched and endorsed by the World Wide Web Consortium (W3C) (6), established a set of guidelines according to four accessibility principles: whether the website is Perceivable, Operable, Understandable, and Robust. An example for “perceivability” is whether a graphical table on a web page is able to be presented auditorily or via another method for a user while an example for “understandability” is whether a document contains a list of acronyms or initialisms to help the reader understand the abbreviations within the text. In this report, we used WAI guidelines to examine the accessibility of health authority websites worldwide.

MATERIALS AND METHODS

Each WCAG 2.1 principle has a set of testable criteria with a total number of 78 testable success criteria. Each success criteria is assigned to one of three conformance levels: A (lowest), AA (intermediate), and AAA (highest). The adherence to higher levels of conformance has been shown to improve accessibility for users with and without disabilities (7).

A panoply of web accessibility evaluation plug-ins was developed under open-source license for the systematic evaluation of website accessibility against the WCAG 2.1 criteria (3). A list of available tools are presented by the W3C website without an official recommendation for usage of one tool above another (8). These automated tools aim to complement the cardinal manual check of a website during the development process and throughout routine website updates to ensure maximal adherence to WCAG guidelines (8, 9). A comprehensive comparison between eight widely used accessibility evaluation tools highlights the strengths and weaknesses of each tool and recommends using more than one tool for optimal coverage of success criteria (10). In other words, while manual checks of websites by people can determine the usability of the website,

automated applications can streamline the process and find hidden accessibility pitfalls within the webpages.

Hence, to test the accessibility of COVID-19 information disseminated through health authority websites, we utilized two independent accessibility evaluation engines including WAVE chrome extension (wave.webaim.org) and Accessibility Insights (accessibilityinsights.io), both of which have been described and utilized in previous literature (10, 11). The WAVE tool analyzes 180 checks according to two conformance levels (152 level A; 28 level AA); whereas the Accessibility Insights tool analyzes 64 checks according to three conformance levels (55 level A; 7 level AA; and 2 level AAA) (9). It must be noted that the weight of each error (e.g., minor, moderate, critical) is defined by the tool developer and thus may result in different impacts on the overall accessibility rank of the page results (10).


Due to the rapid growth of COVID-19 information and the frequent updates of health authorities' websites, which may influence the accessibility score at a given time point, the degree of accessibility of each website was evaluated at three different time points and the presented data refer to the following three consecutive days (5–7 April, 2020). The calculated number of errors of each health authority homepage augments the average number of errors in each test separately (WAVE and Accessibility Insights), with removal of redundant errors represented in both tests.

In addition to accessibility assessments, we tested each website for mobile usability in concordance to Google webmaster developer tools (developers.google.com). In this regard, previous studies have demonstrated that mobile-friendliness of a given website contributes not only to end user usability, but also for website visibility on search engine results (11, 12).

The list of health authorities' websites of 189 countries were drawn from The Geneva Foundation for Medical Education and Research (GFMER) (**Supplementary Table 1**) (13). Prior to accessibility evaluation, a manual check of each website on the list yielded 174 health authority websites. Websites of 15 countries were excluded due to an inability to load the site on the test server or when the official health authority homepage appeared as a social media page. This was a cross-sectional study concentrating on the accessibility of health authorities' websites' homepages (unit of analysis) providing health information and recommended public protective measures against COVID-19.

RESULTS

Only 4.7% of the countries examined had fully implemented the WAI accessibility guidelines: Italy, the Netherlands, Norway, Japan, Poland, South Korea, the United Kingdom, and the United States (**Figure 1**). In contrast, sites from the majority of countries continue to have accessibility errors that present significant barriers to people with disabilities around the world. Distribution of reported errors across all 174 tested health



COVID-19 MOBILE-FRIENDLY WEBSITE MAP

North America

100%

Central America

55%

South America

100%

Africa

61%

Europe

70%

Asia

68%

Oceania

67% †

† The percentage displayed is the percent of countries examined with mobile-friendly government health authority websites. Data obtained via Google search central console (search.google.com/test/mobile-friendly) over a three day period (5th-7th April 2020).

authorities' homepages, according to WCAG conformance levels, reveals that 89% violate Level A criteria, while 11% of countries contain errors that violate higher levels of success criteria (AA and AAA). Inspection of the numbers of errors on all tested pages grouped by WCAG principles indicate that the most

impacted principles are robustness (39%) and perceptibility (32%), as compared to operability (19%) and understandability (10%). While both error number, conformance, and principle distribution may be altered according to the selected assessment tools, the data collected signifies the insufficient implementation

of WCAG guidelines in the majority of health authority websites, rendering accessibility barriers to millions of people.

DISCUSSION

Reducing transmission of SARS-CoV-2 depends on tight adherence of the public to simple but challenging modifications in social and public behavior (14). Digital media provide numerous platforms to distribute essential information to the public through websites, social media, and instant messaging applications (15).

Due to the diversity of reporting sources and the harmful consequences of disinformation, governments often encourage the public to check local health authority websites frequently for regular updates (16). This demand requires the information on official websites to be accessible to as many citizens as possible. Unfortunately, individuals with the greatest need for timely and precise data may have the most difficulty accessing governmental material (17). Providing consistently high-quality government productions could also lead to a greater utilization of the Internet by persons with disabilities. Enhancing accessibility to government-sponsored resources could lead not only to immediate population benefits but could also promote the position of people with disabilities in the digital sphere through increased communication, global engagement, and visibility.

Despite remarkable technological advancements in recent history, for people with visual, hearing, motor and cognitive impairments, a seemingly simple website interaction can present a daunting challenge. Although internet access is still unavailable to approximately one-third of the world's population, the needs of all existing users must be accommodated to ensure equal

benefits and access to essential health information. The growth and expansion of the Internet must therefore be accompanied by an equal development of sophisticated accessibility technologies, which would expand the usability of the web to individuals with disabilities. With over 2.2 billion people, worldwide, living with vision impairments, an undeniably large section of our society requires accommodations for regular interactions with digital media (3). Beyond the practical benefits of enhanced accessibility, promoting inclusivity for persons with disabilities contributes to an egalitarian society. Without underestimating the importance of accessibility implementation during normal times, the current COVID-19 pandemic now highlights just how important unhindered access to government websites is during a global health crisis.

DATA AVAILABILITY STATEMENT

The original contributions presented in the study are included in the article/**Supplementary Material**, further inquiries can be directed to the corresponding author/s.

AUTHOR CONTRIBUTIONS

All authors contributed to the production of this manuscript and have approved the final version.

SUPPLEMENTARY MATERIAL

The Supplementary Material for this article can be found online at: <https://www.frontiersin.org/articles/10.3389/fmed.2020.618337/full#supplementary-material>

REFERENCES

1. Medecins Sans Frontiers. *Inclusion in the Time of Pandemic. Inclusion of Persons With Disabilities*. MSF. (2020). Available online at: <https://disabilityinclusion.msf.org/COVID-19.html>
2. Armitage R, Nellums LB. The COVID-19 response must be disability inclusive. *Lancet Public Health*. (2020) 5:e257. doi: 10.1016/S2468-2667(20)30076-1
3. Kirkpatrick A, Connor JO, Campbell A, Cooper M. *Web Content Accessibility Guidelines (WCAG) 2.1*. (2020). Available online at: <https://www.w3.org/TR/WCAG21/> (accessed October 16, 2020).
4. WHO. *Blindness and Vision Impairment*. (2020). Available online at: <https://www.who.int/news-room/fact-sheets/detail/blindness-and-visual-impairment> (accessed October 16, 2020).
5. WHO. *Deafness and Hearing Loss*. (2020). Available online at: <https://www.who.int/news-room/fact-sheets/detail/deafness-and-hearing-loss> (accessed October 16, 2020).
6. W3C Web Accessibility Initiative (WAI). *Web Content Accessibility Guidelines (WCAG) Overview*. (2020). Available online at: <https://www.w3.org/WAI/standards-guidelines/wcag/> (accessed October 16, 2020).
7. Loiacono ET, Djamasbi S. Corporate website accessibility: does legislation matter? *Univ Access Inf Sock*. (2013) 12:115–24. doi: 10.1007/s10209-011-0269-1
8. W3C Web Accessibility Initiative (WAI). *Selecting Web Accessibility Evaluation Tools*. (2020). Available online at: <https://www.w3.org/WAI/test-evaluate/tools/selecting/> (accessed October 16, 2020)
9. Petrie H, Bevan N. The evaluation of accessibility, usability, and user experience. *Hum Fact Ergonom*. (2009) 1–16. doi: 10.1201/9781420064995-c20
10. Frazão T, Duarte C. Comparing accessibility evaluation plug-ins. In: *Proceedings of the 17th International Web for All Conference*. New York, NY: ACM (2020).
11. Acosta-Vargas P, González M, Luján-Mora S. Dataset for evaluating the accessibility of the websites of selected Latin American universities. *Data Brief*. (2020) 28:105013. doi: 10.1016/j.dib.2019.105013
12. Schubert D. Influence of mobile-friendly design to search results on google search. *Proc Soc Behav Sci*. (2016) 220:424–33. doi: 10.1016/j.sbspro.2016.05.517
13. Ministries of health worldwide. *Geneva Foundation for Medical Education and Research*. (2020). Available online at: https://www.gfmer.ch/Medical_search/Ministry_health.html (accessed October 16, 2020).
14. Chu DK, Akl EA, Duda S, Solo K, Yaacoub S, Schünemann HJ, et al. Physical distancing, face masks, and eye protection to prevent person-to-person transmission of SARS-CoV-2 and COVID-19: a systematic review and meta-analysis. *Lancet*. (2020) 395:1973–87. doi: 10.1016/S0140-6736(20)31142-9
15. Jung JH, Shin JI. Big data analysis of media reports related to COVID-19. *Int J Environ Res Public Health*. (2020) 17:5688. doi: 10.3390/ijerph17165688
16. Islam MS, Sarkar T, Khan SH, Kamal AHM, Hasan SMM, Kabir A, et al. COVID-19-related infodemic and its impact on public health: a global social media analysis. *Am J Trop Med Hyg*. (2020) 103:1621–9. doi: 10.4269/ajtmh.20-0812

17. West DM, Miller EA. The digital divide in public e-health: barriers to accessibility and privacy in state health department websites. *J Health Care Poor Underserved*. (2006) 17:652–67. doi: 10.1353/hpu.2006.0115

Conflict of Interest: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2021 Dror, Morozov, Layous, Mizrachi, Daoud, Eisenbach, Rayan, Kaykov, Marei, Barhum, Srouji, Avraham and Sela. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.