Correspondence

'Brain on Fire': an extraordinary cinematic depiction of the phenomenon of diagnostic overshadowing

Soumitra Das, Karishma Kulkarni

To cite: Das S, Kulkarni K. 'Brain on Fire': an extraordinary cinematic depiction of the phenomenon of diagnostic overshadowing. *General Psychiatry* 2021;**34**:e100504. doi:10.1136/ gpsych-2021-100504

Received 01 February 2021 Accepted 23 June 2021

Check for updates

© Author(s) (or their employer(s)) 2021. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

Dept of Adult Psychiatry, Melbourne Health, Parkville, Victoria, Australia

Correspondence to Dr Soumitra Das;

soumitratdmc@gmail.com

Diagnostic overshadowing refers to а phenomenon commonly characterised by a person with pre-existing or recently diagnosed mental illness receiving inadequate attention for symptoms of physical illness, which are then misattributed as manifestations of the mental illness. There are potentially several underlying reasons for this, including diagnostic challenges in establishing a medical cause for the presenting symptoms, likely lack of expertise in medicine, stigma directed towards mental illness, a protean or polymorphic presentation not immediately relating to an established nosology, lack of a reliable evidence base in the area leading to an inability to correlate with established medical diagnoses as well as biases towards treating surface-level symptoms instead of identifying the underlying causes.¹ The movie Brain on Fire is based on the real life of the New York Post journalist, Susanna Cahalan. She is the protagonist of the movie which vividly dramatises a presentation characterised by psychotic symptoms with an underlying oft-underdiagnosed autoimmune pathology. Her symptoms included subtle perceptual disturbances, fatigue, depressed mood and apparent withdrawal. Gradually, these progressed to frank paranoia and unstable mood. Thus, her presentation was quite polymorphic where symptoms could have been classified as a psychotic or mood disorder. Further striking changes appeared with the onset of seizure episodes, which pointed towards a neurological illness. However, these were disregarded following a lack of clear radiographic and electroencephalographic evidences.

Eventually, Cahalan was hospitalised following agitation, disorientation and multiple seizure episodes. Her family faced considerable distress due to an uncertain diagnosis leading to inconsistent and ultimately ineffectual treatment. Psychiatric diagnosis was considered when there was no apparent investigative finding. The bedside clinical lobar function tests conducted by her brilliant neurologist ultimately established the need for a brain biopsy, an invasive investigation not part of routine practice. The brain biopsy established the diagnosis of anti-NMDA encephalitis that could be treated with plasmapheresis and corticosteroids.

It is now common knowledge that dramatic psychiatric symptoms can manifest as the early signs of illness in 60% of autoimmune encephalitis cases. The misattribution of these presentations leads to a significant delay in instituting effective treatment.² Adequate training to increase the knowledge of the appropriate clinical warning signs can lead to a significant reduction in the time taken to achieve a diagnosis of an autoimmune neuropsychiatric condition.³ In fact, there have been reports of cases of autoimmune encephalitis, which were diagnosed following a negative autoantibody test result (31.4%, according to a few studies), leading to further delays in exact diagnostic identification of the condition.⁴ Furthermore, the access to immunological and laboratory testing is limited, leading to further delays in determination of the diagnosis.⁵ This process is further complicated in the elderly population whose autoimmune conditions may not be considered as differential diagnoses for neuropsychiatric presentations.⁶

The film, therefore, contains numerous lessons. First, it demonstrates the need for a thorough neurological assessment along with maintaining a high index suspicion for organic possibility in every ostensibly atypical psychiatric presentation. Second, a trainee psychiatrist should consider the possibility of diagnostic overshadowing and its attendant iatrogenic risks. The film can potentially act as a teaching aid for students of psychiatry and neurology.⁷

General Psychiatry

Contributors SD formulated the idea, started writing the paper. KK did an extensive literature search and helped in completing the paper. Both worked for revision and modifying the paper as per the reviewer's suggestions.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

REFERENCES

- 1 Shefer G, Henderson C, Howard LM, et al. Diagnostic overshadowing and other challenges involved in the diagnostic process of patients with mental illness who present in emergency departments with physical symptoms--a qualitative study. *PLoS One* 2014;9:e111682.
- 2 Steiner J, Prüss H, Köhler S, *et al.* Autoimmune encephalitis with psychosis: warning signs, step-by-step diagnostics and treatment. *World J Biol Psychiatry* 2020;21:241–54.
- 3 Herken J, Prüss H. Red flags: clinical signs for identifying autoimmune encephalitis in psychiatric patients. *Front Psychiatry* 2017;8:25.
- 4 Spindel J, Heckroth M, Marsano L. Antibody-negative autoimmune encephalitis as a complication of long-term immune-suppression for liver transplantation. *BMJ Case Rep* 2020;13:e235777.
- 5 Shahpesandy H, Mohammed-Ali R, Oladosu A, *et al*. Anti-voltagegated potassium channel complex antibody-mediated limbic encephalitis: a case report of a 53-year-old man admitted to intensive care psychiatric unit with psychotic mania. *Gen Psychiatr* 2020;33:e100196.
- 6 Behrman S, Lennox B. Autoimmune encephalitis in the elderly: who to test and what to test for. *Evid Based Ment Health* 2019;22:172–6.
- 7 Das S, Doval N, Mohammed S, *et al*. Psychiatry and cinema: what can we learn from the magical screen? *Shanghai Arch Psychiatry* 2017;29:310–3.



Dr. Soumitra Das graduated from AGMC, Tripura University in India in 2010. He obtained an MD degree in Psychiatry from Kerala University in India in 2016. He then completed his senior residency in NIMHANS (from 2016 to 2018) where he was actively involved in community based research. More than 50 articles he published have been indexed in PubMed and he took part in various projects. He left India and joined Melbourne Health in Australia as a senior registrar. He completed FRANZCP in 2021 and soon will become a college fellow. He is keen on joining large scale projects in neuropsychiatry. He dreams of uncovering mysteries behind complex mental health issues like resistant OCD or schizophrenia. His main research interest includes neuropsychiatry.