

Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

The Impact of the COVID-19 Pandemic on Racial Disparities in Patients Undergoing Total Shoulder Arthroplasty in the United States

The Avant-garde Health and Codman Shoulder Society Value Based Care Group, Matthew J. Best, MD, Catherine J. Fedorka, MD, Robert M. Belniak, MD, Derek A. Haas, MBA, Xiaoran Zhang, MA, April D. Armstrong, MD, Joseph A. Abboud, MD, Andrew Jawa, MD, Evan A. O'Donnell, MD, Jason E. Simon, MD, Eric R. Wagner, MD, Momin Malik, PhD, Michael B. Gottschalk, MD, Adam Z. Khan, MD, Gary F. Updegrove, MD, Eric C. Makhni, MD, Jon JP. Warner, MD, Uma Srikumaran, MD, MBA, MPH

PII: \$2666-6383(22)00231-6

DOI: https://doi.org/10.1016/j.jseint.2022.10.014

Reference: JSEINT 698

To appear in: JSES International

Received Date: 20 October 2022

Accepted Date: 23 October 2022

Please cite this article as: The Avant-garde Health and Codman Shoulder Society Value Based Care Group, Best MJ, Fedorka CJ, Belniak RM, Haas DA, Zhang X, Armstrong AD, Abboud JA, Jawa A, O'Donnell EA, Simon JE, Wagner ER, Malik M, Gottschalk MB, Khan AZ, Updegrove GF, Makhni EC, Warner JJ, Srikumaran U, The Impact of the COVID-19 Pandemic on Racial Disparities in Patients Undergoing Total Shoulder Arthroplasty in the United States, *JSES International* (2022), doi: https://doi.org/10.1016/j.jseint.2022.10.014.

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2022 The Author(s). Published by Elsevier Inc. on behalf of American Shoulder and Elbow Surgeons.



The Impact of the COVID-19 Pandemic on Racial Disparities in Patients Undergoing Total Shoulder Arthroplasty in the United States

The Avant-garde Health and Codman Shoulder Society Value Based Care Group:

Matthew J. Best, MD¹, Catherine J. Fedorka, MD², Robert M. Belniak, MD³, Derek A. Haas,

MBA⁴, Xiaoran Zhang, MA⁴, April D. Armstrong, MD⁵, Joseph A. Abboud, MD⁶, Andrew

Jawa, MD⁷, Evan A. O'Donnell, MD⁸, Jason E. Simon, MD⁹, Eric R. Wagner, MD¹⁰, Momin

Malik, PhD⁴, Michael B. Gottschalk, MD¹⁰, Adam Z Khan, MD¹¹, Gary F. Updegrove, MD⁵,

Eric C. Makhni, MD¹², Jon JP Warner, MD⁸, Uma Srikumaran, MD, MBA, MPH¹

- 1. Department of Orthopaedic Surgery, Johns Hopkins University School of Medicine, Johns
- 2. Cooper Bone and Joint Institute, Camden, NJ, USA.

Hopkins Hospital, Baltimore, MD, USA.

- Department of Orthopaedic Surgery and Sports Medicine, Starling Physicians Group, New Britain, CT, USA.
- 4. Avant-garde Health, Boston, MA, USA
- Department of Orthopaedics and Rehabilitation, Bone and Joint Institute, Penn State Milton
 Hershey Medical Center, Hershey, PA, USA.
- 6. Rothman Institute, Thomas Jefferson University Hospital, Philadelphia, PA, USA.
- 7. Department of Orthopaedic Surgery, New England Baptist Hospital, Tufts University School of Medicine, Boston, MA, USA; Boston Sports and Shoulder Center, Waltham, MA, USA.
- 8. Department of Orthopaedic Surgery, Harvard Medical School, Massachusetts General Hospital, Boston Shoulder Institute, Boston, MA, USA.

- Department of Orthopaedic Surgery, Harvard Medical School, Newton-Wellesley Hospital, Boston, MA, USA.
- 10. Department of Orthopaedic Surgery, Emory University, Atlanta, GA, USA.
- 11. Department of Orthopaedic Surgery, Washington University in St. Louis, St. Louis, MO, USA.
- 12. Department of Orthopaedic Surgery, Sports Medicine, Henry Ford Health, Detroit, MI, USA.

Please address all correspondence to Uma Srikumaran, MD, Department of Orthopaedic Surgery, The Johns Hopkins University, 601 North Caroline Street, Baltimore, MD 21287, USA (Telephone: 443-546-1550; fax: 443-546-1551; E-mail: us@jhmi.edu).

Disclaimers:

Funding: No financial support was used for this manuscript.

Conflicts of interest

Matthew J. Best: Reports other financial or material support from Arthrex, Inc and Smith & Nephew.

Catherine J. Fedorka, MD: Reports personal fees from Stryker.

Robert M. Belniak, MD: Reports presenter fees from Pacira and ownership of stock in Stryker.

Derek A. Haas, MBA: Reports ownership of stock in Avant-gard Health and personal fees from Medacta.

April D. Armstrong, MD: Reports personal fees from Globus Medical, IP royalties from Zimmer and membership on the editorial or governing board of Journal of Shoulder and Elbow Surgery.

Joseph A. Abboud, MD: ownership of stock in Aevumed, research support from Arthrex, personal fees from Bioventus, research support from the Department of Defense, IP royalties and

personal fees from DJ Orthopaedics, IP royalties and personal fees Globus Medical, membership on the editorial or governing board of Journal of Shoulder and Elbow Surgery, membership on the editorial or governing board of research support from Lima, ownership of stock in Marlin Medical Alliance, ownership of stock in OBERD, research support from OREF, research support from Orthofix, IP royalties from OsteoCentric Technologies. ownership of stock in OTS Medical, ownership of stock in Shoulder JAM, financial or material support from SLACK Incorporated, IP royalties from Smith and Nephew, IP royalties and personal fees from Stryker, publishing royalties and financial or material support from Wolters Kluwer Health – Lippincott Williams & Wilkins, IP royalties, personal fees and research support from Zimmer. Andrew Jawa, MD: Reports other financial or material support from Boston Outpatient Surgical Suites, other financial or material support from DePuy, A Johnson & Johnson Company, personal fees and research support from DJ Orthopaedics, IP royalties and ownership of stock from Ignite Orthopaedics, membership on the editorial or governing board of Journal of Shoulder and Elbow Surgery, publishing royalties and other financial or material support from Oberd. Jason E. Simon, MD: This author, their immediate family, and any research foundation with which they are affiliated did not receive any financial payments or other benefits from any commercial entity related to the subject of this article.

Eric R. Wagner, MD: Reports personal fees from Acumed, personal fees from Biomet, research support from Konica Minolta, personal fees from Osteoremedies, and personal fees from Stryker. Michael B. Gottschalk, MD: Reports research support from Konica Minolta and research support from Stryker.

Eric C. Makhni, MD: Reports ownership of stock in OutcomeMD, ownership of stock in Proterea Health, personal fees from Smith & Nephew and publishing royalties and financial or material support from Springer.

Jon JP Warner, MD: Reports membership on the editorial or governing board of Journal of Shoulder and Elbow Surgery, other financial or material support from Smith & Nephew, personal fees from Stryker and IP royalties and personal fees from Wright Medical Technology. Uma Srikumaran, MD, MBA, MPH: Reports grants and personal fees from Arthrex, grants and personal fees from Depuy, personal fees from Fx Shoulder, personal fees from Orthofix, other from Quantum OPS, other from ROM3, grants from Smith and Nephew, other from Sonogen, personal fees from Stryker, personal fees from Thieme, personal fees and other from Tigon Medical, grants and personal fees from Wright Medical Technology, outside the submitted work; In addition, Dr. Srikumaran has a patent Conventus pending, a patent Fx Shoulder pending, and a patent Tigon Medical issued

The other authors, their immediate families, and any research foundation with which they are affiliated have not received any financial payments or other benefits from any commercial entity related to the subject of this article.

Institutional review board approval was not required for this study.

1	The Impact of the COVID-19 Pandemic on	Racial Disparities in Patients	Undergoing Total
---	--	--------------------------------	-------------------------

2 **Shoulder Arthroplasty in the United States** 3 **Abstract** 4 **Introduction:** The purpose of this study was to assess racial disparities in total shoulder 5 arthroplasty (TSA) in the US and to determine whether these disparities were affected by the COVID-19 pandemic. 6 7 Methods: Centers for Medicare and Medicaid Services (CMS) 100% sample was used to 8 examine primary TSA volume from April-December from 2019-2020. Utilization was assessed 9 for White/Black/Hispanic/Asian populations to determine if COVID-19 affected these groups 10 differently. A regression model adjusted for age/sex/CMS-Hierarchical Condition Categories (HCC) score, dual enrollment (proxy for socioeconomic status), time fixed effects, and Core-11 based Statistical Area (CBSA) fixed effects was used to study difference across groups. 12 Results: In 2019, TSA volume/1000 beneficiaries was 1.51 for White and 0.57 for non-White, a 13 14 2.6-fold difference. In 2020, the rate of TSA in White patients (1.30/1000) was 2.9 times higher 15 than non-White (0.45/1000) during the COVID-19 pandemic (P<0.01). There was an overall 16 14% decrease in TSA volume/1000 Medicare beneficiaries in 2020; non-White patients had a 17 larger percentage decrease in TSA volume than White (21% vs. 14%, estimated 18 difference; 8.7%, p = 0.02). Black patients experienced the most pronounced disparity with 19 estimated difference of 10.1%, p = 0.05, compared with White patients. Similar disparities were 20 observed when categorizing procedures into anatomic and reverse TSA, but not proximal 21 humerus fracture. 22 Conclusions: During the COVID-19 pandemic, overall TSA utilization decreased by 14% with White patients experiencing a decrease of 14%, and non-White patients experiencing a decrease 23

of 21%. This trend was observed for elective TSA while disparities were less apparent for 24 proximal humerus fracture. 25 Level of Evidence: Level III; Retrospective Cohort Comparison; Descriptive Epidemiology 26 27 Study **Keywords**: Racial disparities; COVID-19; coronavirus pandemic; total shoulder arthroplasty; 28 29 TSA; Shoulder Racial disparities have been shown in many areas of medicine and have persisted through 30 the past decade. 9, 12, 15, 24, 25 Achieving health equity and improving access to quality medical care 31 for underrepresented minorities has been a focus for medical societies, patient advocacy groups, 32 33 and various areas of government, prompting the development of federal programs and policies aimed at reducing health inequality. 3-6, 20 Despite knowledge of racial disparities and the 34 implementation of various policies and methods to reduce them, racial disparities have persisted 35 in the US for a myriad of surgical procedures including shoulder arthroplasty. 1,8 36 37 The onset of the coronavirus-19 (COVID) pandemic has led to widespread economic and healthcare crises affecting patients, providers, and the healthcare system overall. 10 Several 38 reports have demonstrated that the Black community has been disproportionately affected by 39 COVID-19 both in rates of hospitalization and risk of death. ^{14, 21, 22, 28} Price-Haygood et al 40 showed that Black patients with COVID-19 had a significantly higher mortality rate than White 41 patients within a large, tertiary care network.²² This finding was particularly problematic given 42 43 that Black patients made up less than one-third of the population studied. Worsening racial 44 disparities during the COVID-19 pandemic have also been shown for Medicare patients undergoing hip and knee replacement surgery, with a 12.9% decreased likelihood of undergoing 45 hip or knee replacement for non-White patients.²⁶ 46

The purpose of this study was to assess the impact that the COVID-19 pandemic has had on racial disparities in patients undergoing total shoulder arthroplasty (TSA). We also aim to evaluate these disparities in the context of indication for shoulder arthroplasty, comparing those treated for proximal humerus fracture with non-fracture cases. We hypothesize that shoulder arthroplasty utilization for all races decreased during the COVID pandemic but that a greater decrease occurred in Black, Hispanic, and Asian patients, compared with White patients.

Methods

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

Data Source

The Center for Medicare and Medicaid Services (CMS) fee-for-service (FFS) inpatient and outpatient claims data 100% sample, and Medicare enrollment data spanning 2019 through 2020 was used for this analysis. We identified April 2020 as the first full month after the onset of the COVID-19 pandemic, and therefore set April 1, 2020 as the start date for the COVID-19 period. Since at the time of our analysis, the claims data extended through December 31, 2020, we examined cases admitted by December 18th to ensure we could capture the full length of stay. We examined the same time period of cases (April 1st to December 18th admissions) in 2019 as in 2020 to ensure comparability between the years. The study included primary total shoulder arthroplasties (TSAs) that were coded as inpatient using diagnosis-related group (DRG) 483, and outpatient using primary current procedural terminology (CPT) 23472. Outpatient TSAs only made up only a small fraction of total TSAs cases as CMS only removed TSAs from the inpatient-only list in 2021. We further divided TSAs into non-fracture anatomic arthroplasties, non-fracture reverse arthroplasties, and fracture TSAs (anatomic and reverse combined) based on each case's primary international classification of diseases 10th revision diagnosis (ICD-10-CM) and procedure (ICD-10-PCS) codes. CMS previously expanded their variables for non-white and

non-black race and ethnicity groups to allow for more granular data collection. Therefore, we analyzed racial and ethnic groups individually (White, Black, Hispanic, Asian) as well as in larger groups (White and non-White)

Race/Ethnicity

We defined race and ethnicity using the race variable from the Medicare beneficiary enrollment data. Race and ethnicities include White, Black, Hispanic, Asian, other, and unknown. We grouped minorities including Black, Hispanic, Asian, and other into the non-White racial group to compare with the White racial group. We also compared Black, Asian, Hispanic, and other minority groups with White separately.

Statistical Analysis

We calculated the total TSA volume per 1000 Medicare beneficiaries by different racial groups. We then compared the total TSA rate between April 1st and December 18th in 2019 and 2020. The percentage change in TSA rate during-COVID was then calculated. A generalized linear model assuming a binomial distribution at beneficiary-year level was fitted with the dependent variable being if a beneficiary received a TSA between April and December during the given year. We adjusted for the minority indicator interacted with during-COVID, age, sex, CMS-hierarchical condition categories (HCC) risk score, Medicare-Medicaid dual enrollment status, and year fixed effects to study the differential effect of COVID-19 on operation rate changes across different racial populations. Bonferroni corrections were applied to p-values. We controlled for the CMS-HCC risk score because it is a measure reflecting the expected future health costs for each patient based on the patient demographics and chronic illnesses. Medicare-Medicaid dual enrollment, i.e. if a patient is enrolled in both Medicare and Medicaid, was controlled for as a proxy for economic status of the beneficiary since eligibility is income based

The coefficient of the interaction term between minority and during-COVID is our estimate of the impact of the COVID-19 pandemic on racial disparities between White and the minority racial population, meaning that compared to the White racial group, how much did the TSA operation rate change due to COVID-19 in the minority racial population.

Results

A total of 49,412 and 41,554 cases were observed in 2019 and 2020 between April and December, respectively. There has been an overall 14% decrease in TSA volume per 1000 Medicare beneficiaries between 2019 and 2020 (1.51 vs. 1.30). Racial disparities existed for TSA nationally prior to the COVID-19 pandemic. In 2019, the TSA hospitalization volume per 1000 Medicare beneficiaries was 1.69 for the White population and 0.57 for non-White, a 2.6-fold difference. In 2020, the White TSA hospitalization rate (0.45 per 1000 beneficiaries) was 2.9 times higher than that of the non-White patients (0.45 per 1000 beneficiaries) during the COVID-19 pandemic. The percentage decrease between 2019 and 2020 for White and non-White was 14% and 21%, respectively (**Table 1**).

Similar trends were observed when breaking the arthroplasties into anatomic and reverse TSAs. For anatomic TSAs, the overall decrease was 19% between 2019 and 2020, with the White populating decreasing by 19%, and the non-White populating decreasing by 29%. For reverse TSAs, a 13% decrease was observed across populations between 2019 and 2020, with a 13% decrease for White and 19% decrease for non-White. Disparities were less apparent when analyzing non-elective cases, with a 3% decrease overall, a 3% decrease among White patients compared with a 4% decrease for non-White patients undergoing shoulder arthroplasty for proximal humerus fracture (**Table 1**).

By fitting a logistic regression at beneficiary-year level with receiving a TSA as dependent variable, we were able to quantify the impact of COVID-19 and race combined. **Table 2** shows the estimate of the interaction term between COVID-19 and minorities, quantifying the exacerbation of preexisting racial disparities due to COVID-19. When pooling all non-White patients, the estimated difference in TSA utilization compared with White was -8.7% (95% CI [-14.0%, -3.1%], p = 0.02), meaning that with TSA utilization decreasing for both White and non-White, there was an 8.7% more decrease for the non-White population. This effect was especially pronounced for the Black population, with a -10.1% (95% CI [-16.8%, -2.9%], p = 0.05) estimated difference compared with White. For other minorities, however, we did not observe significant differences according to the regression.

Discussion

This study showed that after the onset of the COVID-19 pandemic, preexisting racial disparities in patients undergoing TSA worsened. The overall rate of TSA hospitalization decreased by 14% across racial groups during the COVID-19 pandemic. However, the White population experienced a decrease of 14%, compared with a decrease of 21% in the non-White population. When analyzing disparities by indication for surgery, disparities were less pronounced in patients undergoing arthroplasty for proximal humerus fracture, with a decrease in rate of 3% and 4% for White and non-White patients respectively. After controlling for age, sex, comorbidities, and dual enrollment status (a proxy for economic status), the estimated difference in percent decrease between White and non-White patients was 8.7%, indicating that the non-White population had an 8.7% larger decrease in rate of hospitalization than White patients. The estimate was 10.1% for the Black patients.

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

Racial disparities have been shown in many studies throughout the orthopedic and general medical literature. 1, 8, 9, 12, 15, 24, 25 This is particularly concerning in the arthroplasty literature since Black patients develop osteoarthritis at a prevalence equal to or greater than White patients. 16, 27 In addition, various initiatives and programs have been implemented by the American Academy of Orthopedic Surgeons and other advocacy groups to reduce or eliminate differences in musculoskeletal care based on race.^{3, 20} The Musculoskeletal Healthcare Disparities Research Symposium addressed this issue and called for increased access to arthroplasty procedures for under-represented minority patients. ²⁰ Despite these initiatives and what seems to be widespread knowledge that these disparities exist, several studies show that racial disparities have persisted through 2017 for many orthopedic procedures and have worsened for some surgeries such as TSA, total hip arthroplasty (THA) and total knee arthroplasty (TKA). 1, 2, 8, 9, 19, 23 In a national study assessing all-payer data from 2006 to 2015, Amen et al showed that there were persistent disparities in utilization between White and Black patients undergoing TKA and worsening racial disparities in complications following TKA. In a study evaluating racial disparities in patients undergoing TSA, Black patients had lower rates of utilization, higher rates of complications, and increased odds of mortality following surgery compared with White patients. 8 This lower rate of TSA utilization by Black patients worsened over the study period from 2012-2017.8 Racial differences were less apparent in patients undergoing arthroplasty for proximal humerus fracture with a decrease of 3% in White patients and 4% in non-White patients during the pandemic. Many shoulder arthroplasty cases performed for proximal humerus fracture are

not elective surgeries and the difficulty in access to subspecialty orthopedic care may not be as

marked in the trauma setting. However, racial disparities have been shown in multiple studies for

patients undergoing fracture care.^{2, 19, 23} In a study of over 40,000 patients admitted to US hospitals with a proximal humerus fracture, Hispanic and Black patients were more likely to be uninsured and less likely to use post-discharge support services than White patients.¹⁸ Two national studies assessed racial disparities in hip fracture care and showed longer time to surgery and higher rates of complications in under-represented minority patients compared with White patients.^{2, 19}

Several reports and major news outlets have highlighted the glaring racial disparities exacerbated by the COVID-19 pandemic. ^{14, 21, 22, 26, 28} In a large cohort of patients within an integrated-delivery healthcare system, 77% of patients hospitalized with Covid-19 and 71% of those who died were Black despite the fact that Black patients comprised only 31% of the health-system population in the study. ²² These findings were corroborated in another study which showed that 34% of Covid deaths were among Black patients despite this group accounting for only 12% of the population in the United States. ¹⁴ These studies highlight that the Covid-19 pandemic has magnified another pandemic in the US, which is racial and ethnic disparities in healthcare. ²⁹

There are several explanations for the findings of this study which have been posited as reasons for healthcare disparities throughout the pandemic. Access to primary care and specialty care has been shown to be more difficult for under-represented minorities. ^{21, 29} Implicit bias is associated with worse quality of care and poorer communication between patients and physicians. ^{13, 17, 29} Bias in behavioral attitudes can be worsened under conditions of stress such as providing medical care during the Covid-19 pandemic. ²⁹ This may be reflected in data from various regions in the US which showed that African American patients with cough or fever were less likely than White patients to be offered a Covid test. ⁷ Another factor contributing to

racial disparities which may be exacerbated during the Covid-19 pandemic is pathogenic effects of adverse living and working conditions.²¹ Data from New York City showed that the Bronx had the lowest income and education levels, the highest population of under-represented minorities, and the highest rate of Covid-19 hospitalizations and deaths, despite a lower population density than Manhattan.²⁸ Finally, distrust in the medical system has been shown as a factor contributing to racial disparities in patients contemplating total knee replacement and may influence decisions for patients considering total shoulder replacement as well.¹¹

Although the results of the present study do not provide reasons for the worsening racial disparities in patients undergoing TSA during the Covid pandemic, they do highlight and raise awareness of this important issue. A recent viewpoint by Yancy recommends three strategies for helping to reduce racial disparities in healthcare, the first of which is to raise awareness of the problem.³⁰ Another strength of this study is that many factors such as age, sex, and economic status, or dual-enrollment status, were controlled for in our regression analysis. Although we do not have specific socioeconomic variables such as household income, dual enrollment status is based on income and can be used to as an indicator of socioeconomic status.

Despite these strengths this study has several limitations. One, we were not able to study these racial trends across different geographic regions or census divisions. Since the overall incidence of TSA in the Medicare population is < 2 per 1000 beneficiaries, this did not provide sufficient sample size for accurate census division analysis. In addition, the patient population studied included Medicare beneficiaries but not private payers. This may have been beneficial in this study since a larger proportion of patients with private insurance may have undergone outpatient TSA. Among Medicare beneficiaries in our study period from 2019-2020, the percentage of outpatient TSA was just 1.4%, indicating a large catchment of our study sample.

- 207 COVID-19 exacerbated the preexisting racial disparities for TSA utilization among 208 Medicare beneficiaries in the US. During the COVID-19 pandemic, the overall TSA 209 hospitalization rate dropped by 14% across racial groups. However, COVID-19 impacted racial 210 groups differently, with the White population experiencing a decrease of 14%, and the non-White population experiencing a decrease of 21%. This trend was observed for elective shoulder 211 212 arthroplasty cases while disparities were less apparent in patients undergoing arthroplasty for 213 proximal humerus fractures. 214 References 215 1. Amen TB, Varady NH, Rajaee S, Chen AF. Persistent Racial Disparities in Utilization Rates and Perioperative Metrics in Total Joint Arthroplasty in the U.S.: A Comprehensive Analysis of 216 217 Trends from 2006 to 2015. J Bone Joint Surg Am. 2020;102:811-820. doi: 218 10.2106/JBJS.19.01194 2. Amen TB, Varady NH, Shannon EM, Chopra A, Rajaee S, Chen AF. Racial and Ethnic
- 219
- 220 Disparities in Hip Fracture Surgery Care in the United States From 2006 to 2015: A Nationwide
- Trends Study. J Am Acad Orthop Surg. 2022;30:e182-e190. doi: 10.5435/JAAOS-D-21-00137. 221
- 222 3. Anon. Movement Is Life caucus. Movement Is Life: a catalyst for change. Addressing
- 223 musculoskeletal health disparities. 2011. 2019.
- 224 4. Anon. NIAMS National Institute of Arthritis Musculoskeletal and Skin Diseases. Department
- 225 of Health and Human Services Strategic Pan for Reducing Racial Disparities. 2006.
- 226 5. Anon. U.S. Department of Health and Human Services. HHS action plan to reduce racial and
- 227 ethnic disparities: a nation free of disparities in health and health care.

- 228 http://www.minorityhealth.hhs.gov/npa/files/Plans/HHS/HHS_Plan_complete.pdf. Published
- 229 April 2011. Accessed June 15, 2020.
- 6. Anon. Wyatt R, Laderman M, Botwinick L, Mate K, Whittington J. Achieving Health Equity:
- A Guide for Health Care Organizations. IHI White Paper. Cambridge, Massachusetts: Institute
- for Healthcare Improvement; 2016. (Available at ihi.org).
- 7. Anon. Farmer B. The coronavirus doesn't discriminate, but U.S. health care showing familiar
- biases. NPR. Published April 2, 2020. Accessed October 1, 2021.
- https://www.npr.org/sections/health-shots/2020/04/02/825730141/the-coronavirus-
- 236 doesntdiscriminate-but-u-s.
- 8. Best MJ, Aziz KT, McFarland EG, Martin SD, Rue JPH, Srikumaran U. Worsening racial
- 238 disparities in patients undergoing anatomic and reverse total shoulder arthroplasty in the United
- 239 States. *J Shoulder Elbow Surg*. 2021;30:1844-1850. doi: 10.1016/j.jse.2020.10.023.
- 9. Best MJ, McFarland EG, Thakkar SC, Srikumaran U. Racial Disparities in the Use of Surgical
- 241 Procedures in the US. JAMA Surg. 2021;156:274-281. doi: 10.1001/jamasurg.2020.6257.
- 10. Blumenthal D, Fowler EJ, Abrams M, Collins SR. Covid-19 Implications for the Health
- 243 Care System. *N Engl J Med*. 2020;383:1483-1488. doi: 10.1056/NEJMsb2021088.
- 11. Chang HJ, Mehta PS, Rosenberg A, Scrimshaw SC. Concerns of patients actively
- 245 contemplating total knee replacement: differences by race and gender. *Arthritis Rheum*.
- 246 2004;51:117-123. doi: 10.1002/art.20073.
- 12. Goodman SM, Parks ML, McHugh K, Fields K, Smethurst R, Figgie MP, Bass AR.
- 248 Disparities in Outcomes for African Americans and Whites Undergoing Total Knee
- 249 Arthroplasty: A Systematic Literature Review. *J Rheumatol*. 2016;43:765-770. doi:
- 250 10.3899/jrheum.150950.

- 13. Hall WJ, Chapman M v., Lee KM, Merino YM, Thomas TW, Payne BK, Eng E, Day SH,
- 252 Coyne-Beasley T. Implicit Racial/Ethnic Bias Among Health Care Professionals and Its
- 253 Influence on Health Care Outcomes: A Systematic Review. Am J Public Health. 2015;105:e60-
- 254 e76. doi: 10.2105/AJPH.2015.302903.
- 255 14. Holmes L, Enwere M, Williams J, Ogundele B, Chavan P, Piccoli T, Chinaka C, Comeaux
- 256 C, Pelaez L, Okundaye O, Stalnaker L, Kalle F, Deepika K, Philipcien G, Poleon M, Ogungbade
- G, Elmi H, John V, Dabney KW. Black-White Risk Differentials in COVID-19 (SARS-COV2)
- 258 Transmission, Mortality and Case Fatality in the United States: Translational Epidemiologic
- 259 Perspective and Challenges. *Int J Environ Res Public Health*. 2020;17:1-18. doi:
- 260 10.3390/ijerph17124322.
- 15. Jha AK, Fisher ES, Li Z, Orav EJ, Epstein AM. Racial trends in the use of major procedures
- among the elderly. *N Engl J Med*. 2005;353:683-691. doi: 10.1056/NEJMsa050672.
- 263 16. Jordan JM, Helmick CG, Renner JB, Luta G, Dragomir AD, Woodard J, Fang F, Schwartz
- TA, Abbate LM, Callahan LF, Kalsbeek WD, Hochberg MC. Prevalence of knee symptoms and
- radiographic and symptomatic knee osteoarthritis in African Americans and Caucasians: the
- Johnston County Osteoarthritis Project. J Rheumatol. 2007;34:172-180. No doi
- 17. Maina IW, Belton TD, Ginzberg S, Singh A, Johnson TJ. A decade of studying implicit
- racial/ethnic bias in healthcare providers using the implicit association test. *Soc Sci Med.*
- 269 2018;199:219-229. doi: 10.1016/j.socscimed.2017.05.009
- 270 18. Menendez ME, Ring D. Racial and insurance disparities in the utilization of supportive care
- after inpatient admission for proximal humerus fracture. *Shoulder Elbow*. 2014;6:283-290. doi:
- 272 10.1177/1758573214536702.

- 273 19. Nayar SK, Marrache M, Ali I, Bressner J, Raad M, Shafiq B, Srikumaran U. Racial Disparity
- in Time to Surgery and Complications for Hip Fracture Patients. Clin Orthop Surg. 2020;12:430-
- 275 434. doi: 10.4055/cios20019.
- 276 20. O'Connor MI, Lavernia CJ, Nelson CL. AAOS/ORS/ABJS Musculoskeletal Healthcare
- 277 Disparities Research Symposium: Editorial comment: A call to arms: eliminating
- musculoskeletal healthcare disparities. Clin Orthop Relat Res. 2011;469:1805-1808. doi:
- 279 10.1007/s11999-011-1884-0.
- 280 21. Owen WF, Carmona R, Pomeroy C. Failing Another National Stress Test on Health
- 281 Disparities. *JAMA*. 2020;323:1905-1906. doi: 10.1001/jama.2020.6547.
- 22. Price-Haywood EG, Burton J, Fort D, Seoane L. Hospitalization and Mortality among Black
- Patients and White Patients with Covid-19. N Engl J Med. 2020;382:2534-2543. doi:
- 284 10.1056/NEJMsa2011686.
- 23. Raad M, Puvanesarajah V, Wang KY, McDaniel CM, Srikumaran U, Levin AS, Morris CD.
- 286 Do Disparities in Wait Times to Operative Fixation for Pathologic Fractures of the Long Bones
- and 30-day Complications Exist Between Black and White Patients? A Study Using the NSQIP
- 288 Database. Clin Orthop Relat Res. 2022;480:57-63 doi: 10.1097/CORR.000000000001908.
- 24. Schoenfeld AJ, Tipirneni R, Nelson JH, Carpenter JE, Iwashyna TJ. The influence of race
- and ethnicity on complications and mortality after orthopedic surgery: a systematic review of the
- 291 literature. Med Care. 2014;52:842-851. doi: 10.1097/MLR.000000000000177.
- 292 25. Singh JA, Lu X, Rosenthal GE, Ibrahim S, Cram P. Racial disparities in knee and hip total
- joint arthroplasty: an 18-year analysis of national Medicare data. Ann Rheum Dis. 2014;73:2107-
- 294 2115. doi: 10.1136/annrheumdis-2013-203494.

Racial Disparities in 1SA During COVID-19

- 295 26. Stronach BM, Zhang X, Haas D, Iorio R, Anoushiravani A, Barnes CL. Worsening
- 296 Arthroplasty Utilization With Widening Racial Variance During the COVID-19 Pandemic. J
- 297 *Arthroplasty*. 2022;37:1227-1232 doi: 10.1016/j.arth.2022.03.001.
- 27. Vaughn IA, Terry EL, Bartley EJ, Schaefer N, Fillingim RB. Racial-Ethnic Differences in
- Osteoarthritis Pain and Disability: A Meta-Analysis. *J Pain*. 2019;20:629-644. doi:
- 300 10.1016/j.jpain.2018.11.012.
- 301 28. Wadhera RK, Wadhera P, Gaba P, Figueroa JF, Joynt Maddox KE, Yeh RW, Shen C.
- Variation in COVID-19 Hospitalizations and Deaths Across New York City Boroughs. *JAMA*.
- 303 2020;323:2192-2195. doi: 10.1001/jama.2020.7197
- 304 29. Williams DR, Cooper LA. COVID-19 and Health Equity-A New Kind of "Herd Immunity."
- 305 *JAMA*. 2020;323:2478-2480. doi: 10.1001/jama.2020.8051.
- 30. Yancy CW. COVID-19 and African Americans. *JAMA*. 2020;323:1891-1892. doi:
- 307 10.1001/jama.2020.6548.
- 308 Legend
- Table 1. Changes in Rates of TSAs per 1000 Medicare Beneficiaries by Racial Group During the
- 310 COVID-19 Pandemic
- Table 2. Estimated Between-group Differences of TSA Rates for All Types of TSAs For Each
- 312 Minority Group Compared with the White Population¹

	2019 Apr-Dec	2020 Apr-Dec	Change (%)
All TSA (Sum of Types Below)	1.51	1.30	-14%
White	1.69	1.46	-14%
Non-white	0.57	0.45	-21%
Black	0.58	0.45	-22%
Hispanic	0.50	0.42	-16%
Asian	0.29	0.22	-25%
Other Minorities	0.82	0.68	-17%
Unknown	1.31	1.16	-11%
Types of Hospitalizations			
Anatomic TSA Non-fracture	0.45	0.36	-19%
White	0.50	0.40	-19%
Non-white	0.16	0.11	-29%
Black	0.18	0.12	-29%
Hispanic	0.11	0.08	-31%
Asian	0.07	0.05	-35%
Other Minorities	0.21	0.16	-23%
Unknown	0.51	0.45	-11%
Reverse TSA Non-fracture	0.91	0.80	-13%
White	1.02	0.89	-13%
Non-white	0.36	0.29	-19%
Black	0.38	0.30	-20%
Hispanic	0.32	0.28	-12%
Asian	0.17	0.12	-30%
Other Minorities	0.53	0.44	-17%
Unknown	0.72	0.64	-12%
Anatomic + Fracture TSA Fracture	0.15	0.15	-3%
White	0.17	0.17	-3%
Non-white	0.04	0.04	-4%
Black	0.03	0.03	-5%
Hispanic	0.06	0.06	-11%
Asian	0.05	0.05	9%
Other Minorities	0.08	0.08	-6%
Unknown	0.07	0.07	-4%

Table 2. Estimated Between-group Differences of TSA Rates for All Types of TSAs For Each Minority Group Compared with the White Population¹

	Estimate	95% CI	P-value
Non-white vs. White	-8.7%	(-14.0%, -3.1%)	0.02
Black vs. White	-10.1%	(-16.8%, -2.9%)	0.05
Hispanic vs. White	-2.6%	(-17.3%, 14.8%)	1.00
Asian vs. White	-18.2%	(-34.7%, 2.4%)	0.64
Other Minorities vs. White	-4.5%	(-15.7%, 8.3%)	1.00

 Estimated between-group differences for operation rate were made from the logistic regression model at beneficiary-year level, adjusted for age, sex, CMS-HCC risk score, and Medicare-Medicaid dual enrollment status. Bonferroni corrections were applied to p-values. Coefficients were converted as the percentage differences in probability of receiving a TSA for minorities compared to White. The comparisons were made based on April through December data for 2020 and 2019.