

ORAL PRESENTATION

Open Access

Muco-cutaneous manifestations in HIV infection/AIDS

Vasile Benea^{1*}, Simona Roxana Georgescu¹, Mircea Tampa¹, Mihaela Anca Benea¹, Elisabeta Otilia Benea², Ţerban Benea²

From The 7th Romanian National HIV/AIDS Congress and The 2nd Central European HIV Forum Sibiu, Romania. 29-31 May 2014

The HIV/AIDS infection is an important public health problem in Romania. The aim of this study was to evaluate the main muco-cutaneous manifestations and their frequency in patients with HIV infection/AIDS in Romania.

The study was performed beginning 1988 among 400 patients with HIV infection/AIDS who attended Scarlat Longhin Clinical Hospital for Dermatology, Victor Babeş Clinical Hospital of Infectious Diseases and Matei Balş National Institute for Infectious Diseases Bucharest, Romania. The patients were clinically examined; mycological examination (KOH exam, cultures) was necessary in 216 cases and histological examination was performed in 32 cases.

The subjects were classified in all stages of disease. The age of patients included in the study ranged from 6 months to 82 years. Muco-cutaneous manifestations were present in 76% of patients. The main muco-cutaneous manifestations registered were infections - 283 cases (oral and/or genital candidiasis - 179 cases; *molluscum contagiosum* - 53 cases; warts - 37 cases; tinea - 36 cases; sexually transmitted infections - 107 cases: herpes simplex genitalis - 33 cases, urethritis - 31 cases, *condylomata acuminata* - 29 cases, syphilis - 17 cases; herpes zoster - 28 cases; scabies - 12 cases; intertrigo - 11 cases; hairy leukoplakia - 4 cases; acute retroviral infection - 2 cases; disseminated cryptococcosis - 2 cases; bacillary angiomatosis, ganglionar tuberculosis - 1 case each), xerosis - 172 cases, papular eruptions - 87 cases, seborrheic dermatitis - 57 cases, atopic dermatitis - 24 cases, drug reactions - 21 cases, cancers - 20 cases (Kaposi sarcoma - 16 cases, basal cell carcinoma - 4 cases), psoriasis - 7 cases.

Muco-cutaneous manifestations in HIV infection/AIDS are frequent and polymorphous. They can occur

at any point in time, but their frequency and severity are increasing as HIV infection progresses. Dermatological examination is an important step in evaluation of patients HIV-positive.

Authors' details

¹Department of Dermatology, Clinical Hospital of Infectious and Tropical Diseases "Dr. Victor Babes", Bucharest, Romania. ²National Institute for Infectious Diseases "Prof. Dr. Matei Balş", Bucharest, Romania.

Published: 29 May 2014

doi:10.1186/1471-2334-14-S4-O14

Cite this article as: Benea et al.: Muco-cutaneous manifestations in HIV infection/AIDS. *BMC Infectious Diseases* 2014 14(Suppl 4):O14.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



¹Department of Dermatology, Clinical Hospital of Infectious and Tropical Diseases "Dr. Victor Babes", Bucharest, Romania
Full list of author information is available at the end of the article