

CORRECTION

Correction: SynPAnal: Software for Rapid Quantification of the Density and Intensity of Protein Puncta from Fluorescence Microscopy Images of Neurons

The PLOS ONE Staff

In the Materials and Methods section of the article, in the second sentence of the Software Requirement subsection, the link from which SynPAnal can be downloaded is incorrect. The correct link is: http://figshare.com/articles/SynPAnal_Program/1285116. The correct second sentence is as follows: The software (SynPAnal installation.zip) can be downloaded from http://figshare.com/articles/SynPAnal_Program/1285116.

Reference

1. Danielson E, Lee SH (2014) SynPAnal: Software for Rapid Quantification of the Density and Intensity of Protein Puncta from Fluorescence Microscopy Images of Neurons. PLoS ONE 9(12): e115298. doi:[10.1371/journal.pone.0115298](https://doi.org/10.1371/journal.pone.0115298) PMID: [25531531](https://pubmed.ncbi.nlm.nih.gov/25531531/)



OPEN ACCESS

Citation: The PLOS ONE Staff (2015) Correction: SynPAnal: Software for Rapid Quantification of the Density and Intensity of Protein Puncta from Fluorescence Microscopy Images of Neurons. PLoS ONE 10(3): e0118657. doi:[10.1371/journal.pone.0118657](https://doi.org/10.1371/journal.pone.0118657)

Published: March 5, 2015

Copyright: © 2015 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.