

CORRECTION


Correction: The diagnostic performance of combined conventional cytology with smears and cell block preparation obtained from endoscopic ultrasound-guided fine needle aspiration for intra-abdominal mass lesions

Nonthalee Pausawasdi, Penprapai Hongrsisuwan, Wipapat Vicki Chalermwai, Amna Subhan Butt, Kotchakon Maipang, Phunchai Charatcharoenwiththaya

The sixth author's name is spelled incorrectly. The correct name is: Phunchai Charatcharoenwiththaya. The correct citation is: Pausawasdi N, Hongrsisuwan P, Chalermwai WV, Butt AS, Maipang K, Charatcharoenwiththaya P (2022) The diagnostic performance of combined conventional cytology with smears and cell block preparation obtained from endoscopic ultrasound-guided fine needle aspiration for intra-abdominal mass lesions. PLoS ONE 17(3): e0263982. <https://doi.org/10.1371/journal.pone.0263982>

Reference

1. Pausawasdi N, Hongrsisuwan P, Chalermwai WV, Butt AS, Maipang K, Charatcharoenwiththaya P (2022) The diagnostic performance of combined conventional cytology with smears and cell block preparation obtained from endoscopic ultrasound-guided fine needle aspiration for intra-abdominal mass lesions. PLoS ONE 17(3): e0263982. <https://doi.org/10.1371/journal.pone.0263982> PMID: 35320282



OPEN ACCESS

Citation: Pausawasdi N, Hongrsisuwan P, Chalermwai WV, Butt AS, Maipang K, Charatcharoenwiththaya P (2022) Correction: The diagnostic performance of combined conventional cytology with smears and cell block preparation obtained from endoscopic ultrasound-guided fine needle aspiration for intra-abdominal mass lesions. PLoS ONE 17(7): e0271369. <https://doi.org/10.1371/journal.pone.0271369>

Published: July 8, 2022

Copyright: © 2022 Pausawasdi et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.