









<https://doi.org/10.1038/s42003-021-02929-x>

OPEN

Author Correction: Functional characterization of a bioengineered liver after heterotopic implantation in pigs

Brett D. Anderson , Erek D. Nelson , DongJin Joo, Bruce P. Amiot , Aleksandr A. Katane, Alyssa Mendenhall, Benjamin G. Steiner, Aron R. Stumbras, Victoria L. Nelson, R. Noelle Palumbo, Thomas W. Gilbert, Dominique S. Davidow , Jeffrey J. Ross  & Scott L. Nyberg 

Correction to: *Communications Biology* <https://doi.org/10.1038/s42003-021-02665-2>, published online 7 October 2021.

In the original published version of the Article, the *y*-axis titles for Fig. 4d and Fig. 4e were incorrectly interchanged. The correct *y*-axis title for Fig. 4d is “Percent Survival” and the correct *y*-axis title for Fig. 4e is “Ammonia (mM)”. The error has been corrected in the PDF and HTML versions of the Article.

Published online: 08 December 2021



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2021