



# Corrigendum: Diagnostic Delay of Pulmonary Embolism in COVID-19 Patients

Federica Melazzini 1\*, Margherita Reduzzi 1, Silvana Quaglini 2, Federica Fumoso 1, Marco Vincenzo Lenti 1 and Antonio Di Sabatino 1\*

# **OPEN ACCESS**

<sup>1</sup> Department of Internal Medicine, San Matteo Hospital Foundation, University of Pavia, Pavia, Italy, <sup>2</sup> Department of Electrical, Computer, and Biomedical Engineering, University of Pavia, Pavia, Italy

# Approved by:

Frontiers Editorial Office, Frontiers Media SA, Switzerland

### \*Correspondence:

Antonio Di Sabatino a.disabatino@smatteo.pv.it Federica Melazzini f.melazzini@smatteo.pv.it

## Specialty section:

This article was submitted to Infectious Diseases - Surveillance, Prevention and Treatment, a section of the journal Frontiers in Medicine

> Received: 26 February 2022 Accepted: 28 February 2022 Published: 23 March 2022

#### Citation:

Melazzini F, Reduzzi M, Quaglini S, Fumoso F, Lenti MV and Di Sabatino A (2022) Corrigendum: Diagnostic Delay of Pulmonary Embolism in COVID-19 Patients. Front. Med. 9:884680. doi: 10.3389/fmed.2022.884680 Keywords: pulmonary embolism, SARS-CoV-2, diagnostic delay, thrombosis, misdiagnosis

#### A Corrigendum on

## Diagnostic Delay of Pulmonary Embolism in COVID-19 Patients

1

by Melazzini, F., Reduzzi, M., Quaglini, S., Fumoso, F., Lenti, M. V., and Di Sabatino, A. (2021). Front. Med. 8:637375. doi: 10.3389/fmed.2021.637375

In the original article, we neglected to include in **Funding** "This article received funding from Italian Ministry of Health, Rete Aging to MVL and ADS."

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

**Publisher's Note:** All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Melazzini, Reduzzi, Quaglini, Fumoso, Lenti and Di Sabatino. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.