



Open data facilitate resilience in science during the COVID-19 pandemic

The ongoing disruption of the COVID-19 pandemic felt by society worldwide provides an opportunity to reflect on how resilient ecologists are in adapting to the “new normal” of our professional lives with the virus. At a virtual meeting in January 2021 funded by the MSB–NES (National Science Foundation Macrosystems Biology and National Ecological Observatory Network [NEON]-Enabled Science), participants across career stages discussed impacts of COVID-19 on research and teaching in the US. While there was ample and important conversation about the pandemic’s adverse effects on the mental health and work–life balance of researchers, especially scientists who are early in their careers and/or primary caregivers for children (Aubry *et al.* 2021), the discussion also highlighted how the availability of open data coupled with skills in data science helped some participants (including the authors of this letter) to innovate despite the challenges posed by the pandemic. More specifically, scientists working in ecological data science – the nexus of computer science, statistics, and ecology – have been well poised to take advantage of nationally and internationally available data streams, such as those provided by NEON, the Long Term Ecological Research (LTER) Network, and the International LTER Network, to continue to move environmental science forward during the pandemic. Here, we focus on the use of open data from NEON, given that these data were central to the MSB–NES meeting’s discussions.

Facing pandemic-related closures of field sites and laboratories, many researchers with ecological data science skills made use of NEON data to perform analyses (both impromptu and planned) and to prepare for future field seasons. Many graduate students also pivoted from dissertation chapters focused on field or lab work to modeling-based

topics relying on data already collected by NEON or streamed from NEON sensors. Similarly, summer research programs for undergraduate students switched from field-based experiences focused on the collection of new data to computer-based analyses of existing NEON data. For example, the Harvard Forest Summer Research Program in Ecology ran virtually during summer 2021 with a heavy emphasis on using data from NEON and the Harvard Forest LTER site.

In undergraduate and graduate classrooms throughout the US, instruction largely went from in-person to virtual in March 2020 as students and faculty were encouraged to shelter-in-place (Lashley *et al.* 2020). Generally, the use of open data for data-driven inquiry has been a common theme for “emergency” virtual ecological instruction during the pandemic (Acevedo 2020; Thompson *et al.* 2020), and participants of the MSB–NES meeting indicated that NEON datasets were instrumental in making the change to remote classrooms. For instance, participants at the MSB–NES meeting who teach in higher education used NEON data for quantitative exercises in place of data that students would have otherwise collected in the field during class (eg the Macrosystems Environmental Data-Driven Inquiry and Exploration [EDDIE] modules for modeling ecosystem simulations at NEON sites [Carey *et al.* 2020]). Likewise, the NEON–EREN (Ecological Research as Education Network) collaboration produced flexible learning projects in which ~700 students collected their own local datasets (that is, from campuses, parks, and backyards) to compare with NEON’s continental-scale datasets.

In considering the resiliency of ecological science to ongoing and future natural disasters, which are likely to become more frequent with climate change (Seneviratne *et al.* 2021), habitat loss (Gibb *et al.* 2020), and species exploitation (Dobson *et al.* 2020), it is important to highlight the lessons learned during this pandemic. Ecological data science has been central to making progress in ecological research and education despite the working conditions imposed by the pandemic. Moreover,

open data have made research logistically possible not only for many scientists during the pandemic but also for those with limited resources. This has been especially true for early career scientists who may not have had adequate time to accrue their own large datasets. However, a lack of data science skills has been a key challenge for researchers and educators wishing to use NEON and other open datasets (Hampton *et al.* 2017; Balch *et al.* 2020). This highlights the importance of ensuring that current and future ecologists have skills in computer science and statistics (Acevedo 2020) that can be readily applied to ecological questions. Looking forward, ecologists should reflect on the critical importance of embracing and investing in open data and data science skills, now more than ever, to help ensure that our science is able to withstand the challenges we face today and may encounter tomorrow.

Acknowledgements

We thank the participants of the 2021 US National Science Foundation (NSF) Macrosystems Biology and NEON-Enabled Science Investigator Meeting. Support was provided by the following NSF funding sources: DEB #1926538 to BH; DEB #1926598 to MAJ; DEB #2022791, DBI #1950364, and DEB #1926568 to SR; and DEB #1702697 to ADR.

Data Availability Statement

No data were collected for this study.

Sydne Record^{1*}, Marta A Jarzyna^{2,3}, Brady Hardiman^{4,5}, and Andrew D Richardson^{6,7}

¹Department of Biology, Bryn Mawr College, Bryn Mawr, PA (*srecord@bryn-mawr.edu); ²Department of Evolution, Ecology and Organismal Biology, The Ohio State University, Columbus, OH; ³Translational Data Analytics Institute, The Ohio State University, Columbus, OH; ⁴Forestry and Natural Resources, Purdue University, West Lafayette, IN; ⁵Environmental and Ecological

Engineering, Purdue University, West Lafayette, IN; ⁶School of Informatics, Computing, and Cyber Systems, Northern Arizona University, Flagstaff, AZ; ⁷Center for Ecosystem Science and Society, Northern Arizona University, Flagstaff, AZ

- Acevedo MA. 2020. Teaching quantitative ecology online: an evidence-based prescription of best practices. *Ecol Evol* **10**: 12457–64.
- Aubry LM, Laverty TM, and Ma Z. 2021. Impacts of COVID-19 on ecology and evolutionary biology faculty in the United States. *Ecol Appl* **31**: e02265.
- Balch JK, Nagy RC, and Halpern BS. 2020. NEON is seeding the next revolution in ecology. *Front Ecol Environ* **18**: 3.

- Carey CC, Farrell KJ, Hounshell AG, and O'Connell K. 2020. Macrosystems EDDIE teaching modules significantly increase ecology students' proficiency and confidence working with ecosystem models and use of systems thinking. *Ecol Evol* **10**: 12515–27.
- Dobson AP, Pimm SL, Kaufman L, et al. 2020. Ecology and economics for pandemic prevention. *Science* **369**: 379–81.
- Gibb R, Redding DW, Chin KQ, et al. 2020. Zoonotic host diversity increases in human-dominated ecosystems. *Nature* **584**: 398–402.
- Hampton SE, Jones MB, Wasser LA, et al. 2017. Skills and knowledge for data-intensive environmental research. *BioScience* **67**: 546–57.
- Seneviratne SI, Zhang X, Adnan M, et al. 2021. Weather and climate extreme events in a changing climate. In: Intergovernmental Panel on Climate Change. Climate change

2021: the physical science basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change (Masson-Delmotte V, Zhai P, Pirani A, et al. [Eds]). Cambridge, UK: Cambridge University Press.

- Lashley MA, Acevedo M, Cotner S, and Lortie CJ. 2020. How the ecology and evolution of the COVID-19 pandemic changed learning. *Ecol Evol* **10**: 12412–17.
- Thompson SK, Kirkpatrick C, Kramer M, and Cotner S. 2020. Leveraging public data to offer online inquiry opportunities. *Ecol Evol* **10**: 12555–60.

This is an open access article under the terms of the Creative Commons Attribution-NonCommercial License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited and is not used for commercial purposes.



FrontiersEcoPics

Booted eagle migrates across the Strait of Gibraltar with the head of a spiny-tailed lizard

The booted eagle (*Hieraaetus pennatus*) is a long-distance migratory raptor that breeds in the western Palearctic and winters primarily in tropical Africa (Migration strategies of birds of prey in western Palearctic. 2021. Boca Raton, FL: CRC Press). During both pre- and post-breeding migrations, thousands of individuals cross the Strait of Gibraltar. On April 3, 2021, from the European shore of the Strait (Spain), I observed hundreds of raptors – the majority of which were booted eagles – arriving from Africa.

I noticed that one individual was carrying something in its talons; later, upon closer analysis of my photographs, I realized it was the decapitated head of a spiny-tailed lizard (*Uromastix* sp) with what is likely the jugular vein trailing below. This genus is represented by several herbivorous and frugivorous species inhabiting arid environments in North Africa and the Middle East, and – to the best of my knowledge – has not been previously recorded in Europe until now, albeit referring to a dead individual. Even though soaring raptors like the booted eagle may accomplish the entire migration without performing true stopovers, they could take advantage of occasional foraging opportunities. The nearest portion of the range of the Moroccan spiny-tailed lizard (*Uromastix nigriventris*) is located at least ~300 km (as the eagle flies) away, suggesting that this event occurred at least 1–2 days before my observation.

Despite thousands of booted eagles being observed in this location every year, there is no previous report of individuals migrating with prey in this way. Moreover, although other resident raptor species in Morocco and the Western Sahara have been documented to prey upon *Uromastix* lizards (<https://bit.ly/30J2mg2>; <https://bit.ly/3mo5gyC>), there are no prior records of booted eagles doing so.



Ugo Mellone
MEDRAPTORS (Mediterranean Raptor Migration Network),
 Italy
 doi:10.1002/fee.2478