European Psychiatry S463

**Introduction:** Adolescent transitions to adulthood are a vulnerable phase for the development of mental illnesses. Additionally, there are often disruptions in psychiatric care delivery during the transition phase, potentially leading to a considerable treatment delay with a high risk of early chronification. Thus, the health care system and professionals in both child and adolescent psychiatry and adult psychiatry should be given greater consideration to the transition phase.

**Objectives:** The aim of the project ProTransition is the development of an online course for health care professionals to give in-depth knowledge of "transition psychiatry", practical guidance and to sensitize them for the special challenges and needs of young adults with mental illness.

**Methods:** The online-course is being developed at the Department of Child and Adolescent Psychiatry/ Psychotherapy, Ulm and is expected to start in May 2021. It comprises e.g. special psychopathology of emerging adulthood, clinical interventions for adolescents with mental illness or legal aspects. An innovative and multididactical approach with specialized texts, case-studies, online-chats and interviews with experts and young people is applied. Additionally, user satisfaction with the online course will be evaluated.

**Results:** On the basis of the gained experiences, ideas for new transition-psychiatric treatment models will be derived. The accompanying research will point out the status quo and the course-related increasing knowledge of health care professionals regarding transition psychiatry. First results are expected in November 2021.

**Conclusions:** As transition psychiatry is facing great difficulties and challenges, professionals should be adequately educated. E-Learning offers a flexible and low-level approach to reach a broad target group.

**Keywords:** transition; E-Learning; adolescence; emerging adulthood

#### **EPP0987**

# Implementation and evaluation of a mindfulness based program for children in a school setting in france

J. Monsillion\*, R. Zebdi and L. Romo

Ea 4430 Clipsyd, Department Of Psychology, Université Paris Nanterre, Nanterre, France

\*Corresponding author.

doi: 10.1192/j.eurpsy.2021.1237

**Introduction:** Mindfulness-based interventions (MBIs) held within an academic context continue to develop at an international scale, and continue to show benefits for children, specifically on cognitive functioning and emotional regulation (Theurel, Gimbert, Gentaz, 2018).

**Objectives:** The aim of this study is to demonstrate the relevance of implementing MBIs within French elementary school settings, in order to promote mental health, positive pedagogy and quality of life.

**Methods:** This study utilizes the Belgian program "Gestion des émotions par la pratique de la Pleine Conscience" (Emotional regulation using Mindfulness practices) (Deplus, 2015) and compares an experimental group participating in 9 MBI sessions to a control group "waiting list". An interpretative phenomenological analysis at post-test investigates participant's perception on the effects of the intervention on familial and school climates.

Results: The results of this study have been highly impacted by COVID19 (confinement). Quantitative results reveal that 33% of the participants (n=6) show a decrease in depressive symptoms, 33% show no change and 33% show a slight increase, post-intervention (T2). Results also suggest a decrease in anhedonia in 50% of the participants. 50% of participants show an improvement with regards to worrying and hypersensitivity. Qualitative analysis puts forth perceived improvements on emotional regulation and mindfulness abilities of participants, which has shown to have positive effects on familial climate.

**Conclusions:** We estimate that the implementation of such a MBI in a school setting will favour the development of executive functions and emotional regulation, allowing children to develop resilience towards stress and anxious-depressive affects. We also expect the intervention to help develop socio-emotional abilities and wellbeing in French schools.

**Keywords:** Children; Mindfulness based school interventions; emotion regulation; mental health

#### **EPP0988**

# Whole-patient conversations: Implementation of a practical positive psychiatry intervention for medical trainees

J. Lam<sup>1</sup>\*, M. Feingold-Link<sup>2</sup> and J. Noguchi<sup>3</sup>

<sup>1</sup>Student, Warren Alpert Medical School, Providence, United States of America; <sup>2</sup>Hospice/palliative Care, Warren Alpert Medical School, Providence, United States of America and <sup>3</sup>Director For Servicelearning And Community Mentoring, Warren Alpert Medical School, Providence, United States of America

\*Corresponding author. doi: 10.1192/j.eurpsy.2021.1238

**Introduction:** Positive psychiatry is the science and practice of psychiatry seeking to promote overall well-being and understand the "positive" aspects of the patient's life, such as resilience, social connections, and meaning and values in life. While positive psychiatry research has recently blossomed, the field lacks practical ways to integrate these overarching principles into clinical practice. Life review interventions are commonly used in palliative care, spiritual care, and geriatrics, and involve a healthcare team member interviewing a patient about their life.

**Objectives:** Our objective is to describe the implementation of a positive psychiatry-informed life story review initiative into medical education, with the goal of creating a structure for medical trainees to see the larger context of patients' health, understand how past experiences influence current values, and improve patients' overall well-being.

**Methods:** First- and third-year students at Alpert Medical School of Brown University are required to participate in at least one strengths-based life review with a patient in the community or inpatient setting, transcribe the story, and integrate the story into the electronic health record.

**Results:** Preliminary results demonstrate high acceptability and perceived development of patient-centered competencies, such as understanding patients as more complete human beings. While this is a low cost and sustainable intervention, barriers include buy-in from medical educators, hospital administrators, and trainees.

Conclusions: To our knowledge, this is one of the first positive psychiatry-informed interventions to be implemented into the required medical curricula. Life story reviews may allow providers to understand the "positive" aspects of patients' lives and understand their patients better as people.

Keywords: Medical Education; resilience; Meaning in life; Positive Psychiatry

#### EPP0989

## Impact of adult attachment styles on health behaviors among youngsters

S. Masood\* and D.S. Ali

Department Of Psychology, University of Karachi, Karachi, Pakistan \*Corresponding author.

doi: 10.1192/j.eurpsy.2021.1239

Introduction: Attachment styles play important role in managing health behavior. It has been observed in researches that attachment style have relationship with health behavior (Schlack, 2003). If attachment styles are left the way they form habitually it can be harmful, in a study with diabetic patients, people with avoidant attachment style were expected to die within 5 years of disease diagnosis (Ciechanowski et al., 2010).

Objectives: To assess effect of adult attachment styles on health behavior?

Methods: Sample comprised of 300 university students from different private and government universities of Karachi with age range 18 - 35 years. Assessment tools used are relationship questionnaire and wellness behavior inventory scale. Relationship questionnaire is used to identify the dimension of attachment style (Bartholomew & Horowitz, 1991). Wellness behavior inventory was used to identify consistency of healthy behavior activities done on regularly basis (Sirois, 2001). Statistical tests used for descriptive analysis were frequency and percentage and for inferential statistics regression analysis test was used.

Results: According to the attachment styles A, B, C and D most of the study participants fell in healthy weight range, a few were in obese range which is considered unhealthy. Result of regression analysis estimated there is no effect of attachment style on health behavior as p-value was greater than 0.05.

Conclusions: Attachment style is not a good predictor of health behavior solely. As per a few researches in order to study impact of attachment styles other mediating variables that can have effect on health behavior should also be observed such as self-esteem.

Keywords: Adult Attachment Style; Health Behavior; Attachment Style

### **EPP0991**

Improving psychological well-being and neurocognitive efficiency in aging: Efficacy of a neurofeedback-guided mindfulness protocol

D. Crivelli<sup>1</sup>\* and M. Balconi<sup>2</sup>

<sup>1</sup>International Research Center In Cognitive Applied Neuroscience – Irccan, Research Unit In Affective And Social Neuroscience, Department Of Psychology, Catholic University of the Sacred Heart, Milan, Italy and <sup>2</sup>International Research Center For Cognitive Applied Neuroscience - Irccan, Research Unit In Affective And Social

Neuroscience, Department Of Psychology, Catholic University of the Sacred Heart, Milan, Italy, Milan, Italy

\*Corresponding author.

doi: 10.1192/j.eurpsy.2021.1240

Introduction: Mounting evidence shows that mental training activities aimed at increasing self-awareness and self-regulation can better psychophysical wellbeing, as well as on neurocognitive efficiency. Nevertheless, the commitment required by traditional approaches to such activities often discourages their implementation as prevention tools with elderly users. Integrating traditional interventions and new technologies might help to achieve

Objectives: The study aims at evaluating the effects on cognitive control and self-regulation of a mindfulness protocol supported by a wearable neurofeedback device, comparing young-adults and

**Methods:** Participants completed a three-week experimental (EXP) or control (CONT) training protocol, with daily sessions of practice. The EXP protocol was based on breathing awareness practices executed with the support of the wearable neurofeedback device. In the CONT protocol, participants completed breathing practices while listening to ambient sounds with no feedback. Stress, anxiety and mood levels, cognitive skills, and physiological markers (EEG and autonomic indices) of neurocognitive efficiency and stress were assessed pre-/post-training.

Results: Both young and elderly participants completing the experimental protocol showed a post-training improvement in executive control, a reduction in perceived stress levels, and an improvement of psychophysiological markers of stress regulation. In addition, young participants presented an improvement of EEG markers of attention regulation, while elderly participants showed an improvement of EEG markers of affective regulation and a reduction of subclinical depressive symptoms.

**Conclusions:** Findings highlights the potential of integrating traditional interventions and new technologies in order to promote subjective well-being and neurocognitive enhancement, especially with elderly users.

Keywords: Wearable neurofeedback; Aging; Neurocognitive efficiency; Mood

#### **EPP0992**

Understanding stress in patients with multiple sclerosis: The joint predictive role of disease characteristics and emotion regulation processes

T. Carvalho<sup>1,2</sup>, A. Sousa-Mendes<sup>1</sup>, C. Gomes<sup>3</sup>\* and C. Guedes<sup>1</sup> <sup>1</sup>Psychology, Instituto Superior Miguel Torga, Coimbra, Portugal; <sup>2</sup>Faculty Of Psychology And Educational Sciences, University Of Coimbra, Center for Research in Neuropsychology and Cognitive-

Behavioral Intervention (CINEICC), Coimbra, Portugal and <sup>3</sup>-, Clínica de Saúde Psiquiátrica de Coimbra - Casa da Oliveira, Coimbra, Portugal

\*Corresponding author. doi: 10.1192/j.eurpsy.2021.1241

**Introduction:** Multiple sclerosis (MS) is a chronic inflammatory, demyelinating, and neurodegenerative disease of the central nervous