

Kidney Int Rep (2024) **9**, 1142; https://doi.org/10.1016/j.ekir.2024.01.051 © 2024 International Society of Nephrology. Published by Elsevier Inc. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).



¹Department of Medicine and Surgery, University of Milano-Bicocca, Monza, Italy; ²Nephrology and Dialysis Unit, IRCCS Humanitas Research Hospital, Milano, Italy; ³Department of Medicine and Surgery, University of Parma, Nephrology Unit, University Hospital of Parma, Parma, Italy; ⁴Nephrology and Dialysis Unit, IRCCS Fondazione San Gerardo dei Tintori, Monza, Italy; ⁵Department of Biomedical Sciences, Humanitas University, Pieve Emanuele, Milan, Italy; ⁶Department of Medicine and Surgery, Pathology, University of Milano-Bicocca, IRCCS Fondazione San Gerardo dei Tintori, Monza, Italy; and ⁷Clinical Pathology Unit, IRCCS Ca'Granda Ospedale Maggiore Policlinico, Milano, Italy

The authors regret that affiliation 5 was published incorrectly and should have been listed as ⁵Department of Biomedical Sciences, Humanitas University, Pieve Emanuele, Milan, Italy.

The authors would like to apologize for any inconvenience caused.

DOI of original article: https://doi.org/10.1016/j.ekir.2023.07.008

Correspondence: Martina Uzzo, Department of Medicine and Surgery, Nephrology and Dialysis Unit, University of Milano-Bicocca, Monza, Italy. E-mail: m.uzzo@campus.unimib.it

⁸MZ and UM contributed equally.

⁹GM and RAS contributed equally as senior consultants.

Corrigendum to "Classifying Hypotonic Hyponatremia by Projected Treatment Effects - A Quantitative 3-Dimensional Framework" [*Kidney International Reports* Volume 8, Issue 12, December 2023, Pages 2720-2732]

Kidney Int Rep (2024) **9**, 1142–1143; https://doi.org/10.1016/j.ekir.2024.02.001 © 2024 International Society of Nephrology. Published by Elsevier Inc. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Florian Buchkremer¹, Philipp Schuetz², Beat Mueller^{3,4} and Stephan Segerer¹

¹Division of Nephrology, Kantonsspital Aarau, Aarau, Switzerland; ²Division of General Internal and Emergency Medicine, Medical University Department, Kantonsspital Aarau, Aarau, Switzerland; ³Medical Faculty of the University of Basel, Basel, Switzerland; and ⁴Division of General Internal and Emergency Medicine, Department of Endocrinology, Diabetology & Metabolism, Medical University Department, Kantonsspital Aarau, Aarau, Switzerland

The authors regret that the formulas for normalized urea excretion rate (nuer) and normalized free water balance 3 (nfwb3) are incorrectly displayed in Figure 2 and supplementary material.

These are pure transmission errors and are limited to the presentation of the formulas in the figure and supplementary methods file. All calculations were done with the correct formulas.

The corrected Figure 2 is shown here. The corrected formulas of Supplementary Methods S2 can be found using the Supplementary Materials link below.

The authors would like to apologize for any inconvenience caused.

Supplementary File (PDF)

DOI of original article: https://doi.org/10.1016/j.ekir.2023.09.002

Correspondence: Florian Buchkremer, Kantonsspital Aarau, Tellstr. 25, CH-5001 Aarau, Switzerland. E-mail: florian.buchkremer@ksa.ch