



Corrigendum: Comparative Analysis of Complete Chloroplast Genomes of 13 Species in *Epilobium*, *Circaea*, and *Chamaenerion* and Insights into Phylogenetic Relationships of Onagraceae

OPEN ACCESS

Edited and reviewed by:

Deepmala Sehgal, International Maize and Wheat Improvement Center, Mexico

*Correspondence:

Lei Xie xielei@bjfu.edu.cn

[†]These authors have contributed equally to this work

Specialty section:

This article was submitted to Plant Genomics, a section of the journal Frontiers in Genetics

Received: 18 November 2021 Accepted: 26 January 2022 Published: 15 February 2022

Citation:

Luo Y, He J, Lyu R, Xiao J, Li W, Yao M, Pei L, Cheng J, Li J and Xie L (2022) Corrigendum: Comparative Analysis of Complete Chloroplast Genomes of 13 Species in Epilobium, Circaea, and Chamaenerion and Insights into Phylogenetic Relationships of Onagraceae. Front. Genet. 13:817493. doi: 10.3389/fgene.2022.817493

Yike Luo^{1†}, Jian He^{1†}, Rudan Lyu^{1†}, Jiamin Xiao^{1†}, Wenhe Li¹, Min Yao¹, Linying Pei², Jin Cheng³, Jinyu Li⁴ and Lei Xie^{1*}

¹School of Ecology and Nature Conservation, Beijing Forestry University, Beijing, China, ²Beijing Engineering Research Center for Landscape Plant, Beijing Forestry University Forest Science Co. Ltd., Beijing, China, ³College of Biological Sciences and Technology, Beijing Forestry University, Beijing, China, ⁴Beijing Institute of Landscape Architecture, Beijing, China

Keywords: chloroplast genome, inversion, Onagraceae, phylogeny, RNA editing, biparental inheritance, IR expansion

A corrigendum on

Comparative Analysis of Complete Chloroplast Genomes of 13 Species in Epilobium, Circaea, and Chamaenerion and Insights into Phylogenetic Relationships of Onagraceae

by Luo Y., He J., Lyu R., Xiao J., Li W., Yao M., Pei L., Cheng J., Li J. and Xie L. (2021). Front. Genet. 12: 730495. doi:10.3389/fgene.2021.730495

In the original article, there was a mistake in **Figure 3** as published. "The number in the IRb region of *Circaea cordata* needed to be corrected." The corrected **Figure 3** appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Luo, He, Lyu, Xiao, Li, Yao, Pei, Cheng, Li and Xie. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

1




FIGURE 1 | Comparison of the LSC, IR, and SSC boundary regions of representative samples the three newly sequenced genera of Onagraceae and Oenothera samples. IR: inverted repeats; LSC: large single copy; SSC: small single copy.