



## Follow-Up and Monitoring of Children Needing Long Term Home Ventilation

Sonia Khirani<sup>1,2,3\*</sup>, Alessandro Amaddeo<sup>2,3</sup>, Lucie Griffon<sup>2,3</sup>, Agathe Lanzeray<sup>2</sup>, Theo Teng<sup>2</sup> and Brigitte Fauroux<sup>2,3</sup>

<sup>1</sup> ASV Santé, Gennevilliers, France, <sup>2</sup> Pediatric Noninvasive Ventilation and Sleep Unit, AP-HP, Hôpital Necker-Enfants Malades, Paris, France, <sup>3</sup> Université de Paris, VIFASOM, Paris, France

**OPEN ACCESS** 

#### Edited by:

Michael David Shields, Queen's University Belfast, United Kingdom

#### Reviewed by:

Claudio Rabec, Centre Hospitalier Regional Universitaire de Dijon, France Dara Bartholomew O'Donoghue, Queen's University Belfast, United Kingdom

> \*Correspondence: Sonia Khirani sonia\_khirani@yahoo.fr

#### Specialty section:

This article was submitted to Pediatric Pulmonology, a section of the journal Frontiers in Pediatrics

Received: 17 March 2020 Accepted: 20 May 2020 Published: 22 June 2020

#### Citation:

Khirani S, Amaddeo A, Griffon L, Lanzeray A, Teng T and Fauroux B (2020) Follow-Up and Monitoring of Children Needing Long Term Home Ventilation. Front. Pediatr. 8:330. doi: 10.3389/fped.2020.00330

Once continuous positive airway pressure (CPAP) or noninvasive ventilation (NIV) is started in a child, and the child is discharged home, follow-up needs to be organized with regular visits in order to check the tolerance and efficacy of the treatment. But there is a lack of validated clinical guidelines, mainly because of the heterogeneity of the ventilator servicing, the costs and health care systems among countries. Therefore, visits timing and strategies to monitor CPAP/NIV are not clearly defined. Moreover, depending on various factors such as the underlying disorder, the medical stability, the age of the child, and socio-economic factors, follow-up usually ranges between 1 month and 3-6 months, or even 1 year following treatment initiation, with an overnight hospital stay, an out-patient visit, a home visit, via telemonitoring or telemedicine, alone or in combination. Apart from clinical evaluation, nocturnal oximetry and capnography monitoring and/or poly(somno)graphy (P(S)G) are usually carried out during the follow-up visits to monitor the delivered pressure, leaks, residual respiratory events and synchrony between the patient and the ventilator. Built-in software data of CPAP/NIV devices can be used to assess the adherence of treatment, to monitor pressure efficiency, leaks, asynchronies, and to estimate the presence of residual respiratory events under CPAP/NIV if P(S)G is not available or in alternance with P(S)G. The possibility of CPAP/NIV weaning should be assessed on a regular basis, but no criteria for the timing and procedures have been validated. Weaning timing depends on the clinical condition that justified CPAP/NIV initiation, spontaneous improvement with growth, and the possibility and efficacy of various upper airway, maxillofacial and/or neurosurgical procedures. Weaning may be allowed in case of the disappearance of nocturnal and daytime symptoms of sleep-disordered breathing (SDB) after several nights without CPAP/NIV and the objective correction of SDB on a P(S)G. But no parameters are defined. In any case, a long term follow-up is necessary to ascertain the weaning success. Large prospective studies, together with international and national guidelines, are required in order to build evidence for standardizing practice for the follow-up and weaning of CPAP/NIV in children.

Keywords: noninvasive respiratory support, child, follow-up, monitoring, hospital, home, weaning

## INTRODUCTION

Children receiving home noninvasive mechanical ventilation, by continuous positive airway pressure (CPAP) or noninvasive ventilation (NIV), should be followed with regular visits in order to check the tolerance and efficacy of the treatment. The followup strategy depends on various factors, such as the underlying disorder, the medical stability, the age of the child, and socioeconomic factors, with no clear recommendations concerning follow-up visits and evaluation of efficiency of ventilation for children (1). The follow-up may consist of an overnight hospital stay, an outpatient visit, a home visit, a visit via telemedicine, alone or in combination. The evaluation of the respiratory support efficacy relies on sleep studies (poly(somno)graphy, P(S)G), nocturnal pulse oximetry (SpO<sub>2</sub>) and capnography (CO<sub>2</sub>) monitoring and/or respiratory support devices data with direct access of the data or via telemonitoring.

Follow-up may also help to identify patient's improvements that may prompt a weaning attempt from home CPAP/NIV. Indeed, as CPAP/NIV is usually initiated in children presenting with various medical conditions with different clinical evolutions and/or potential strategies (surgery, etc.), the need to reassess the utility for this ongoing treatment is crucial, as many children may be weaned from their respiratory support. Here again, no recommendations are available to guide the weaning process that is therefore based on clinical practice (2).

This review describes the available strategies based on the experience of worldwide centers or consensus papers, as evidenced-based guidelines for the follow-up and weaning of children receiving CPAP/NIV are lacking.

### **FOLLOW-UP**

#### Visits

Prior to hospital discharge, the patients and/or families must have received adequate education and training for the use of the home noninvasive respiratory support (3). Following hospital discharge, the Canadian Thoracic Society recommends that "the first visit and the frequency of subsequent visits should be tailored to the child and family's need" (1), based on a consensus for pediatric home ventilation (4). They suggested, based on a review of the literature, that the first visit should occur within the first month and no later than 3 months after home discharge (1). Following the first visit, the number and timing of the subsequent follow-up visits will depend upon the condition of the child and the evolution of the disease. Reassessment is recommended at least every 6–12 months (5, 6), even though more frequent follow-up visits may be necessary in many young children with additional unscheduled visits.

#### In-Hospital and Outpatient Clinic Visits

No studies have evaluated the optimal frequency and type of follow-up visits and monitoring resources for children using CPAP or NIV. Clinic follow-up visits may occur monthly to annually, depending on the patient's condition and underlying disease (3, 7).

In-hospital visits may be reserved for follow-up sleep studies, together with the assessment of the patient's ventilator use and the review of training and education of the patient and family when necessary (3, 8–10). According to our experience in children treated by CPAP, in-hospital P(S)G on CPAP may be limited to children with persistent symptoms of obstructive sleep apnea despite good objective adherence to treatment or when the nocturnal gas exchange and data obtained from built-in monitoring devices are abnormal or non-interpretable (11). Concerning patients treated by NIV, in-hospital P(S)G should be more systematic (10, 12), even though nocturnal gas exchange and data obtained from built-in monitoring devices (with breath-by-breath analysis of built-in software) may be sufficient for follow-up in a majority of patients (13).

Outpatient clinic visits allow to check for the patient's clinical condition, the adherence to treatment and the review of the ventilator data and needs for parents and child's retraining and education (8, 9, 11, 14, 15). They are feasible in patients treated by CPAP (11), but also by NIV (7). However, outpatient clinic visits rely on the availability of homecare providers or dedicated healthcare staff to assess the patient at home. Indeed, due to the limited time available during an outpatient clinic visit, assessments such as transcutaneous gas exchange may not be feasible and may not be representative of a nighttime monitoring. Therefore, a close collaboration with homecare providers is essential as they can do frequent home visits and send out the ventilator data and/or overnight recordings of gas exchange to the hospital team, prior to the outpatient clinic visit, which enables rapid adjustments of the settings when necessary, during the first weeks of treatment which are crucial for adherence, but also during follow-up (Figure 1).

#### Home Visits

Healthcare systems vary according to countries. Some centers have teams of professionals (mainly nurses, respiratory therapists but also physicians) who can perform home visits between hospital visits, while other centers collaborate with home healthcare providers who can visit the child and family (1, 9, 11, 14, 15). Several types of home service providers may exist with different medical functions (7). In a national survey in Canada, Rose et al. (7) reviewed the procedures or tests that were carried out during follow-up visits. They comprised regular ventilator checks, ventilator compliance/adherence assessment, overnight or daytime oximetry, overnight transcutaneous  $CO_2$  monitoring, spirometry and P(S)G, with an exclusive management at home in 53% of the cases. However, it is not clear in this review if tests such as spirometry or PSG were also carried out at home.

No published study compared hospital visits to home visits concerning follow-up strategies, probably because most patients may not be followed exclusively at home for their respiratory support treatment.

#### Telemedicine

Several studies reported the use and effectiveness of telemedicine for the follow-up care of children on home mechanical ventilation, with an increased interest in this strategy (7, 16– 21). Telemedicine was first used to follow the children on home



mechanical ventilation in the 1990s, and telemedicine is now largely implemented in many centers, to facilitate the patient's care and/or to limit the number of clinic visits or in-hospital admissions (19, 21). Studies showed a good acceptance by the patients and families, and by the paramedical and medical teams (20, 21). The telemedicine procedure associated real-time discussions with the patient, the family and professionals, the transmission of clinical data, SpO<sub>2</sub> and transcutaneous CO<sub>2</sub> monitoring, spirometry and ventilator data (16, 17, 21). However, as stated by Chuo et al. (16), "There is a "booming use" of telehealth without a corresponding "booming understanding" of its impact, advantages, and limitations." Moreover, telemedicine may also cause an increased number of hospitalizations, oupatients visits, telemedicine consultations or home care visits (16), therefore "a more comprehensive cost benefit analysis is needed" together with legal clarity as legal problems associated with telemonitoring remain controversial. Indeed, although well accepted by patients, families and medical teams, the use of telemedicine needs further investigations as it is not clear if it actually decreases cost or improves outcome (1). The ERS statement on telemonitoring of ventilator-dependent patients concluded that "despite the hopes in telemonitoring as a means to face these problems, much more research is needed before considering telemonitoring a real improvement in the management of these patients" (17).

## Monitoring

Effectiveness of CPAP/NIV should be assessed on a regular basis. Monitoring should include ideally a P(S)G or nocturnal  $SpO_2$  and capnography recording, if P(S)G is not available. The monitoring should be performed every year at a minimum.

Moreover, the respiratory support device built-in software data should be gathered at each clinic or home visit to assess the efficiency of ventilation, the adherence to the treatment, as well as the history of alarms and other events. Ideally, the same data used during in-hospital or outpatient visits to monitor the efficiency of ventilation and the clinical condition of the patient should be available during the home visit. **Figure 1** shows our clinical practice for the first year follow-up of patients with CPAP/NIV, with the different monitoring resources available in our center.

### Poly(somno)graphy (P(S)G)

International guidelines recommend to periodically perform PSG to revaluate children on CPAP (22). In children under NIV, with diseases such as neuromuscular disorders and alveolar hypoventilation syndromes, they proposed that a periodic reassessment with PSG and CO2 monitoring should be scheduled according to the child's growth rate and degree of clinical stability, but it should be at least annual (22, 23). Recent guidelines also recommended performing PSG to assess the effectiveness of ventilation every 6 month or every year (1). However, little evidence is available in the literature. Indeed, only two studies documented the usefulness of follow-up respiratory support titration sleep studies in children. Tan et al. (24) reported changes in the respiratory support settings in 66% of children and concluded that titration PSGs "lead to important management changes in children on respiratory support." In the second study 53% of the PSG studies led to a modification in ventilator settings (25). The authors concluded that their study suggests that consequent changes in respiratory support settings allow an improvement in symptoms and that their findings support the current guidelines. PSG may also be valuable as it also allows recording of the mask pressure in order to monitor the delivered pressure, but also detects leaks and patient-ventilator synchrony (3), as well as identifying and characterizing residual respiratory events (26, 27). Whether P(S)G should be done only during inhospital overnight or also at home (23) is not clear, because of the lack of studies reporting the use and feasibility of P(S)G at home in children receiving noninvasive respiratory support (28, 29).

However, the review of the experience of large centers highlights the fact that not all the centers are doing PSG, and that even when possible, the sleep studies are not done on a regular basis in all patients (1). This can be explained in part by the limited accessibility to sleep centers or to the confidence in home  $SpO_2$  and  $CO_2$  monitoring and respiratory support device data.

## Nocturnal Pulse Oximetry and Capnography Monitoring

Guidelines usually recommend that, at minimum, overnight  $SpO_2$  and  $CO_2$  recordings should be available for the assessment of effectiveness of ventilation (23). However, as for respiratory

support initiation, criteria to ascertain efficient ventilation are not clearly defined (30). Overnight CO<sub>2</sub> monitoring is essential as normal SpO<sub>2</sub> is not necessarily indicative of effective ventilation (3, 31, 32). The timing of follow-up nocturnal gas exchange is not defined, however the monitoring should at least be repeated if the ventilator settings are changed, or following an acute respiratory exacerbation. Overnight SpO<sub>2</sub> with PtcCO<sub>2</sub> recording should be performed more frequently in patients with NIV as numerous asymptomatic patients remain hypercapnic during sleep despite NIV use, or due to disease progression and needs for settings adjustments (**Figure 1**).

Regular assessment at home of the efficiency of ventilatory support and gas exchange recording appears to be consensual (1, 23). Indeed, studies reported feasibility and positive impact of home assessments because the child and family are in their usual environment (9, 23, 33). Either homecare providers or institutional care staffs are in charge of such monitoring, but the parents are also able to collaborate quite well (33).



**FIGURE 2** | Agreements between PG (left panel) and CPAP (right panel) software for the events detection. (A) Obstructive apnea without 3% OD correctly scored by CPAP software (red symbol); (B) Hypopnea with 3% OD on PG. The event was scored as obstructive apnea on the CPAP because of the end of the event (red symbol); (C) Central apnea of >20 s but no 3% OD, possibly due to an artifact on SpO<sub>2</sub> (note the artifacted pulse wave plethysmography), on PG compared to a central apnea of >20 s with 3% OD on CPAP (black symbol). On PG, Flow is expressed in L/min; SpO<sub>2</sub> in %; RIP, respiratory inductance plethysmography; PW, pulse wave plethysmography; Act, actimetry. On CPAP software (ResScan<sup>TM</sup>, ResMed): Flow is expressed in L/min; SpO<sub>2</sub> in %; Events represent the type of automatic scored event; Leaks are expressed in L/min. The continuous line represents the threshold of excessive leaks (24 L/min). CPAP devices were AirSense 10 (A,B) and S9 Elite (C). (1 min period-window) From Khirani et al. (37).



automatic scored event; Leaks are expressed in L/min. The continuous line represents the threshold of excessive leaks (24 L/min). CPAP devices were S9 VPAP ST (A) and AirSense 10 (B,C). (1 min period-window) From Khirani et al. (37).

# Analysis of Data Obtained From Built in Monitoring Devices

Data from noninvasive respiratory support devices are widely used in clinical practice as important improvements have been made on the built-in software of CPAP/NIV devices (34, 35). Data such as adherence and effectiveness of ventilatory therapy are available, even though the type and number of available data vary according to the device (36). However, caution must be taken about interpretation of those data and technical specificities of the devices, as they are designed for adult patients and not for the pediatric population. Indeed, all the devices have manufacturer recommendations concerning the minimal weight of the patient. The device may therefore not be able to detect the breathing pattern of a child with a body weight below the minimal recommended weight, and thus may underestimate the real ventilator use by the patient and display erroneous data.

Concerning CPAP or autoCPAP, data such as adherence, unintentional/intentional leaks, ventilation (tidal volume, minute

ventilation, respiratory rate), pressure level, and residual respiratory events may be available. Breath-by-breath airflow and pressure curves can be downloaded from the majority of CPAP devices, allowing a more accurate overview of nighttime use and breathing pattern, ideally with the display of SpO<sub>2</sub> directly in the software, and potential adjustments of the settings (**Figure 2**) (37). However, caution should be applied when reviewing the residual respiratory events and the apnea-hypopnea index data, as the algorithms for residual respiratory events on CPAP/NIV devices are based on adult criteria and do not follow the AASM scoring (**Figure 3**) (37, 38).

Concerning NIV, here again adherence, leaks, ventilation and residual respiratory events may be reviewed. Additional data such as patient-ventilator asynchronies may also be identified on the breath-by-breath data review (34). In many instances, residual respiratory events and patientventilator asynchronies can be managed by adjusting the ventilator settings and reviewing the ventilator data 
 TABLE 1 | Proposed criteria for a weaning attempt from continuous positive airway pressure (CPAP) or noninvasive ventilation (NIV).

Major criteria	<ul> <li>disappearance of nocturnal and daytime symptoms of sleep- disordered breathing after several nights without CPAP/NIV</li> <li>(snoring, sweating, arousals, labored breathing, change in behavior or attention)</li> <li>percentage of recording time spent with a SpO<sub>2</sub> ≤ 90% &lt; 2%</li> <li>percentage of recording time spent with a PtcCO<sub>2</sub> ≥ 50 mmHg &lt; 2%</li> <li>obstructive apnea-hypopnea index &lt; 10 events/h on a poly(somno)graphy</li> </ul>
Minor criteria	<ul> <li>minimal SpO<sub>2</sub> &gt; 90%</li> <li>maximal PtcCO<sub>2</sub> &lt; 50 mmHg</li> <li>oxygen desaturation index ≤ 1.4 events/h</li> </ul>

Adapted from Mastouri et al. (1). SpO<sub>2</sub>, pulse oximetry; PtcCO<sub>2</sub>, transcutaneous carbon dioxide.

without the need of P(S)G, but in some cases P(S)G may be necessary (35).

Once again, no timing has been defined for the assessment of device data. However, the access to the respiratory support device data is becoming easier, as daily wireless transfer of data is now possible from many devices (36). This not only allows the patient to review their own therapy data, but also the homecare provider and healthcare staff to access remote monitoring of cloud-based data. The data can also be manually downloaded directly from the device during the in-hospital or outpatient visits. More detailed data such as breath-by-breath airflow and pressure curves from the ventilator are not still available through telemedicine. Availability of those data would allow early detection of changes, prompting rapid intervention and, potentially, prevention of hospital admission or prediction of respiratory exacerbations, even though data trends may be enough (35, 39). Indeed, telemonitoring of adherence is reliable-provided that the child's airflow is correctly detected by the device-and clinically useful as a good adherence to CPAP/NIV contributes to the improvement of clinical outcome. Irregular use of CPAP/NIV or increased use may indicate the necessity to review the patient for familial barriers to adherence or clinical course (poor tolerance, poor acceptance by the child and/or family, clinical deterioration, clinical improvement that may prompt weaning). Telemonitoring of leaks may be very helpful, as leaks may cause discomfort, poor adherence, patient-ventilator asynchrony and suboptimal efficiency of the ventilation to correct respiratory events, which should prompt intervention at home for adjustments and education. Telemonitoring of other data such as respiratory rate to predict respiratory exacerbation or clinical deterioration needs further research (39).

Follow-up review of the device data should be accompanied by at least SpO<sub>2</sub> monitoring (at best SpO<sub>2</sub> and transcutaneous CO<sub>2</sub>, that can now both be connected directly to some respiratory support devices). The efficacy of adjustments following leaks correction, correction of residual respiratory events or asynchronies should be ascertained by the normalization of nocturnal gas exchange (35). Future studies should focus on the interest of the combination of nocturnal gas exchange and built-in software data vs. PSG for the follow-up of CPAP/NIV.

## WEANING

The possibility of CPAP/NIV weaning should be assessed on a regular basis, but no criteria for the timing and procedures have been defined. Indeed, according to the disease, clinical evolution, and surgery strategy, many children, mostly with obstructive sleep apneas, may be weaned from their respiratory support (2, 8–10, 40, 41). P(S)G should be performed to confirm CPAP/NIV weaning, however when P(S)G is not feasible or available, the lack of sleep-disordered breathing symptoms and normal nocturnal gas exchange during sleep without CPAP/NIV may be a valuable alternative (9, 41). As there are neither recommendations nor guidelines for weaning children from ventilator support, in our clinical practice which concerns mainly patients with complex, genetic and rare diseases, a weaning trial is considered when four major criteria are fulfilled with at least two minor criteria (Table 1) (41). In clinical practice, however, the situation is not always so clear-cut and individual particularities should be considered such as the age of the patient, his/her pathology, the tolerance/acceptance and the subjective benefit of CPAP/NIV, and its potential side effects such as skin injury or facial deformity.

Due to the long lasting effects of CPAP/NIV, a delay of at least 2 weeks is recommended without respiratory support prior to a sleep study during spontaneous breathing (41). Indeed, several mechanisms may account for this prolonged benefit, such as an attenuation of mucosal edema, a reduction of sleep fragmentation which is known to worsen airway collapsibility, an improvement of the hypercapnic ventilatory response, and an increase in upper airway muscle tone. In patients with abnormalities of the upper airways, corrective surgery may cure obstructive sleep apneas. A minimal delay corresponding to the timing associated with the maximal benefit, lasting  $\sim$ 2-6 months according to the type of surgery, is recommended prior to performing a sleep study during spontaneous breathing. Finally, a progressive reduction of CPAP or NIV tolerance or compliance, in the absence of any problems, may be due to a spontaneous improvement of sleep disordered breathing, as it can be observed in infants with Pierre Robin syndrome or laryngomalacia (41). A long term follow-up is mandatory following CPAP/NIV withdrawal in children with associated disorders, as a relapse of obstructive sleep apnea may occur, particularly in syndromic children (41).

Concerning the children who discontinued CPAP/NIV due to poor tolerance or acceptance, alternative strategies may be proposed in selected patients (see the associated review in this series on "Which options when NIV fails"). Strategies such as intensive psychological and play specialist support (10) or medical hypnosis (42) can also be tested in patients who do not tolerate any interface or having other difficulties.

## CONCLUSIONS

Whether the evaluation of the effectiveness of home CPAP/NIV is performed at home or in-hospital, the assessments need to be done on a regular basis, ideally using the same monitoring resources. Due to the absence of evidence-based guidelines, follow-up strategies vary according to clinical practice but should aim to move toward building evidence for standardizing practice. Multicenter studies, together with international and national guidelines, are required to build evidence for standardizing practice for the follow-up and weaning of CPAP/NIV in children.

## **AUTHOR CONTRIBUTIONS**

SK is the main author of the manuscript. BF, AA, LG, AL, and TT contributed to the management of the children followed in our center and the writing of the manuscript. All the

## REFERENCES

- Côté A, on behalf of the CTS Pediatric Home Ventilation Guidelines Panel. Section 4: Home monitoring and follow-up of homeventilated children. *Can J Respir Crit Care Sleep Med.* (2018) 2:23–31. doi: 10.1080/24745332.2018.1494978
- Fitzgerald DA. Weaning long term non-invasive ventilation (NIV) therapy in children. *Pediatr Pulmonol*. 52:1529–30. (2017). doi: 10.1002/ppul.23888
- Nørregaard O. Noninvasive ventilation in children. Eur Respir J. (2002) 20:1332–42. doi: 10.1183/09031936.02.00404802
- Amin R, MacLusky I, Zielinski D, on behalf of the CTS Pediatric Home Ventilation Guidelines Panel. Section 1: Introduction. Canadian Journal of Respiratory, Critical Care, and Sleep Medicine (2018) 2:1–4. doi: 10.1080/24745332.2018.1494489
- Jardine E, Wallis C. Core guidelines for the discharge home of the child on long-term assisted ventilation in the United Kingdom. UK Working Party on paediatric long term ventilation. *Thorax.* (1998) 53:762–7. doi: 10.1136/thx.53.9.762
- Wallgren-Pettersson C, Bushby K, Mellies U, Simonds A. 117th ENMC Workshop: Ventilatory Support in Congenital Neuromuscular Disorders – Congenital Myopathies, Congenital Muscular Dystrophies, Congenital Myotonic Dystrophy and SMA (II) 4–6 April 2003, Naarden, The Netherlands. *Neuromuscul Disord.* (2003) 14:56–69. doi: 10.1016/j.nmd.2003.09.003
- Rose L, McKim DA, Katz SL, Leasa D, Nonoyama M, Pedersen C, et al. Home mechanical ventilation in Canada: A National Survey. *Respir Care.* (2015) 60:695–704. doi: 10.4187/respcare.03609
- Perriol M-P, Jullian-Desayes I, Joyeux-Faure M, Bailly S, Andrieux A, Ellaffi M, et al. Long-term adherence to ambulatory initiated continuous positive airway pressure in non-syndromic OSA children. *Sleep Breath.* (2019) 23:575–8. doi: 10.1007/s11325-018-01775-2
- Machaalani R, Evans CA, Waters KA. Objective adherence to positive airway pressure therapy in an Australian paediatric cohort. *Sleep Breath.* (2016) 20:1327–36. doi: 10.1007/s11325-016-1400-6
- Chatwin M, Tan H-L, Bush A, Rosenthal M, Simonds AK. Long term noninvasive ventilation in children: impact on survival and transition to adult care. *PLoS ONE*. (2015) 10:e0125839. doi: 10.1371/journal.pone.0125839
- Amaddeo A, Frapin A, Touil S, Khirani S, Griffon L, Fauroux B. Outpatient initiation of long-term continuous positive airway pressure in children. *Pediatr Pulmonol.* (2018) 53:1422–8. doi: 10.1002/ppul.24138
- Falsaperla R, Wenzel A, Pavone P, Di Mauro C, Vitaliti G. Polysomnographic evaluation of non-invasive ventilation in children with neuromuscular disease. *Respirology*. (2014) 19:80–4. doi: 10.1111/resp.12194
- McKim DA, Road J, Avendano M, Abdool S, Côté F, Duguid N, et al. Home mechanical ventilation: a Canadian Thoracic Society clinical practice guideline. *Can Respir J.* (2011) 18:197–215. doi: 10.1155/2011/139769
- Nixon GM, Mihai R, Verginis N, Davey MJ. Patterns of continuous positive airway pressure adherence during the first 3 months of treatment in children. *J Pediatr.* (2011) 159:802–7. doi: 10.1016/j.jpeds.2011.04.013
- Chatwin M, Heather S, Hanak A, Polkey MI, Simonds AK. Analysis of home support and ventilator malfunction in 1,211 ventilator-dependent patients. *Eur Respir J.* (2010) 35:310–6. doi: 10.1183/09031936.00073409

authors approved the final version of the manuscript. All authors contributed to the article and approved the submitted version.

## FUNDING

This review was funded by Philips Respironics, which was not involved in the manuscript writing nor in the decision to submit the manuscript for publication. The research of BF was supported by the Association Française contre les Myopathies (AFM), Assistance Publique-Hôpitaux de Paris, Paris University, ASV Santé, ADEP Assistance, and S2A Santé.

- Chuo J, Webster KA. Practical use of telemedicine in the chronically ventilated infant. Semin Fetal Neonatal Med. (2019) 24:101036. doi: 10.1016/j.siny.2019.101036
- Ambrosino N, Vitacca M, Dreher M, Isetta V, Montserrat JM, Tonia T, et al. Tele-monitoring of ventilator-dependent patients: a European Respiratory Society Statement. *Eur Respir J.* (2016) 48:648–63. doi: 10.1183/13993003.01721-2015
- Liu D, Zhou J, Liang X, Huang Z, Tan Z, Zhong J. Remote monitoring of home-based noninvasive ventilation in children with obstructive sleep apnea-hypopnea syndrome. *Sleep Breath.* (2012) 16:317–28. doi: 10.1007/s11325-011-0516-y
- Casavant DW, McManus ML, Parsons SK, Zurakowski D, Graham RJ. Trial of telemedicine for patients on home ventilator support: feasibility, confidence in clinical management and use in medical decision-making. *J Telemed Telecare*. (2014) 20:441–9. doi: 10.1177/1357633X14555620
- Zhou J, Liu D-B, Zhong J-W, Huang Z-Y, Qiu S-Y, Zhou Y-P, et al. Feasibility of a remote monitoring system for home-based non-invasive positive pressure ventilation of children and infants. *Int J Pediatr Otorhinolaryngol.* (2012) 76:1737–40. doi: 10.1016/j.ijporl.2012.08.012
- Trucco F, Pedemonte M, Racca F, Falsaperla R, Romano C, Wenzel A, et al. Tele-monitoring in paediatric and young home-ventilated neuromuscular patients: a multicentre case-control trial. *J Telemed Telecare*. (2019) 25:414– 24. doi: 10.1177/1357633X18778479
- 22. American Thoracic Society. Standards and indications for cardiorespiratory sleep studies in children. *Am J Respir Crit Care Med.* (1996) 153:866–78. doi: 10.1164/ajrccm.153.2.8564147
- Hull J, Aniapravan R, Chan E, Chatwin M, Forton J, Gallagher J, et al. British Thoracic Society guideline for respiratory management of children with neuromuscular weakness. *Thorax.* (2012) 67:i1–40. doi: 10.1136/thoraxjnl-2012-201964
- 24. Tan E, Nixon GM, Edwards EA. Sleep studies frequently lead to changes in respiratory support in children. *J Paediatr Child Health.* (2007) 43:560–3. doi: 10.1111/j.1440-1754.2007.01138.x
- Widger JA, Davey MJ, Nixon GM. Sleep studies in children on longterm non-invasive respiratory support. Sleep Breath. (2014) 18:885–9. doi: 10.1007/s11325-014-0960-6
- Caldarelli V, Borel J-C, Khirani S, Ramirez A, Cutrera R, Pépin J-L, et al. Polygraphic respiratory events during sleep with noninvasive ventilation in children: description, prevalence, and clinical consequences. *Intensive Care Med.* (2013) 39:739–46. doi: 10.1007/s00134-012-2806-7
- 27. Gonzalez-Bermejo J, Perrin C, Janssens JP, Pepin JL, Mroue G, Léger P, et al. Proposal for a systematic analysis of polygraphy or polysomnography for identifying and scoring abnormal events occurring during non-invasive ventilation. *Thorax.* (2012) 67:546–52. doi: 10.1136/thx.2010.142653
- Kingshott RN, Gahleitner F, Elphick HE, Gringras P, Farquhar M, Pickering RM, et al. Cardiorespiratory sleep studies at home: experience in research and clinical cohorts. *Arch Dis Child.* (2018) 104:476–81. doi: 10.1136/archdischild-2018-315676
- Gozal D, Kheirandish-Gozal L, Kaditis AG. Home sleep testing for the diagnosis of pediatric obstructive sleep apnea: the times they are a changing. *Curr Opin Pulm Med.* (2015) 21:563–8. doi: 10.1097/MCP.0000000000 00205

- Amaddeo A. Fauroux: Oxygen and carbon dioxide monitoring during sleep. *Paediatr Respir Rev.* (2016) 20:42–4. doi: 10.1016/j.prrv.2015. 11.009
- Fedor KL. Noninvasive respiratory support in infants and children. Respir Care. (2017) 62:699–717. doi: 10.4187/respcare.05244
- Paiva RB, Krivec U, Aubertin G, Cohen E, Clément A, Fauroux B. Carbon dioxide monitoring during long-term noninvasive respiratory support in children. *Intensive Care Med.* (2009) 35:1068–74. doi: 10.1007/s00134-009-1408-5
- Felemban O, Leroux K, Aubertin G, Miandy F, Damagnez F, Amorim B, et al. Value of gas exchange recording at home in children receiving noninvasive ventilation. *Pediatr Pulmonol.* (2011) 46:802–8. doi: 10.1002/ppul. 21427
- Perrem L, Mehta K, Syed F, Baker A, Amin R. How to use noninvasive positive airway pressure device data reports to guide clinical care. *Pediatr Pulmonol.* (2020) 55:58–67. doi: 10.1002/ppul.24555
- Borel JC, Palot A, Patout M. Technological advances in home non-invasive ventilation monitoring: Reliability of data and effect on patient outcomes. *Respirology*. (2019) 24:1143–51. doi: 10.1111/resp.13497
- Parmar A, Baker A, Narang I. Positive airway pressure in pediatric obstructive sleep apnea. *Paediatr Respir Rev.* (2019) 31:43–51. doi: 10.1016/j.prrv.2019.04.006
- Khirani S, Delord V, Olmo Arroyo J, De Sanctis L, Frapin A, Amaddeo A, et al. Can the analysis of built-in software of CPAP devices replace polygraphy in children? *Sleep Med.* (2017) 37:46–53. doi: 10.1183/1393003.congress-2017.PA1301
- 38. Berry RB, Budhiraja R, Gottlieb DJ, Gozal D, Iber C, Kapur VK, et al. Rules for scoring respiratory events in sleep: update of the 2007 AASM Manual for the Scoring of Sleep and Associated Events. Deliberations of the Sleep Apnea

Definitions Task Force of the American Academy of Sleep Medicine. J Clin Sleep Med. (2012) 8:597–619. doi: 10.5664/jcsm.2172

- Borel JC, Pelletier J, Taleux N, Briault A, Arnol N, Pison C, et al. Parameters recorded by software of non-invasive ventilators predict COPD exacerbation: a proof-of-concept study. *Thorax.* (2015) 70:284–5. doi: 10.1136/thoraxjnl-2014-206569
- King Z, Josee-Leclerc M, Wales P, Masters IB, Kapur N. Can CPAP therapy in pediatric OSA ever be stopped? J Clin Sleep Med. (2019) 15:1609–12. doi: 10.5664/jcsm.8022
- Mastouri M, Amaddeo A, Griffon L, Frapin A, Touil S, Ramirez A, et al. Weaning from long term continuous positive airway pressure or noninvasive ventilation in children. *Pediatr Pulmonol.* (2017) 52:1349–1354. doi: 10.1002/ppul.23767
- Delord V, Khirani S, Ramirez A, Louis Joseph E, Gambier C, Belson M, et al. Medical hypnosis as a tool to acclimatize children to noninvasive positive pressure ventilation a pilot study. *Chest.* (2013) 144:87–91. doi: 10.1378/chest.12-2259

**Conflict of Interest:** The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2020 Khirani, Amaddeo, Griffon, Lanzeray, Teng and Fauroux. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.