CORRECTION Open Access



Correction: A case of afterload mismatch associated with shivering leading to fatal hypoxia in a COVID-19 patient

Takanori Suzuka, Yusuke Naito*, Keiko Uemura, Mitsuru Ida, Junji Egawa and Masahiko Kawaguchi

Correction: JA Clin Rep 8, 51 (2022) https://doi.org/10.1186/s40981-022-00542-3

Following the publication of the original article [1], it was reported that there was a typo error in the article title. The word "fetal" should be "fatal".

Correct article title should read:

A case of afterload mismatch associated with shivering leading to fatal hypoxia in a COVID-19 patient

The original article has been updated.

Published online: 04 August 2022

Reference

Suzuka T, Naito Y, Uemura K, et al. A case of afterload mismatch associated with shivering leading to fetal hypoxia in a COVID-19 patient. JA Clin Rep. 2022;8:51. https://doi.org/10.1186/s40981-022-00542-3.

The original article can be found online at https://doi.org/10.1186/s40981-022-00542-3.

*Correspondence: naito623@naramed-u.ac.jp

Department of Anesthesiology, Nara Medical University, Kashihara, Japan



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.