



STUDY PROTOCOL

REVISED **Factors that influence family and parental preferences and decision making for unscheduled paediatric healthcare: a systematic review protocol [version 2; peer review: 2 approved]**

Emma Nicholson ¹, Therese McDonnell ¹, Moayed Hamza¹, Michael Barrett ²⁻⁴, Christopher Brunsdon⁵, Gerard Bury³, Martin Charlton⁵, Claire Collins ⁶, Conor Deasy⁷, Aoife De Brun¹, John Fitzsimons⁸, Marie Galligan³, Conor Hensey ⁸, Fiona Kiernan⁹, Eilish McAuliffe¹

¹UCD School of Nursing, Midwifery & Health Systems, University College Dublin, Dublin, Ireland

²Children's Health Ireland at Crumlin, Dublin 12, Ireland

³UCD School of Medicine, University College Dublin, Belfield, Dublin 4, Ireland

⁴National Children's Research Centre, Crumlin, Dublin 12, Ireland

⁵National Centre for Geocomputation, National University of Ireland, Maynooth, Maynooth, Co Kildare, Ireland

⁶Irish College of General Practitioners, Dublin 2, Ireland

⁷Cork University Hospital, Cork, Ireland

⁸Children's Health Ireland at Temple Street, Dublin 1, Ireland

⁹UCD Geary Institute, University College Dublin, Belfield, Dublin 4, Ireland

v2 First published: 14 Jun 2019, 2:11 (<https://doi.org/10.12688/hrbopenres.12897.1>)

Latest published: 30 Sep 2019, 2:11 (<https://doi.org/10.12688/hrbopenres.12897.2>)

Abstract

There is a plethora of factors that dictate where parents and families choose to seek unscheduled healthcare for their child; and the complexity of these decisions can present a challenge for policy makers and healthcare planners as these behaviours can have a significant impact on resources in the health system. The systematic review will seek to identify the factors that influence parents' and families' preferences and decision making when seeking unscheduled paediatric healthcare. Five databases will be searched for published studies (CINAHL, PubMed, SCOPUS, PsycInfo, EconLit) and grey literature will also be searched. Inclusion and exclusion criteria will be applied and articles assessed for quality. A narrative approach will be used to synthesise the evidence that emerges from the review. By collating the factors that influence decision-making and attendance at these services, the review can inform future health policies and strategies seeking to expand primary care to support the provision of accessible and responsive care. The systematic review will also inform the design of a discrete choice experiment (DCE) which will seek to determine parental and family preferences for unscheduled paediatric healthcare. Policies that seek to expand primary care and reduce hospital admissions from emergency departments need to be cognisant of the nuanced and complex factors that govern patients' behaviour.

Open Peer Review

Reviewer Status

Invited Reviewers

1 2

REVISED

version 2

published
30 Sep 2019

version 1

published
14 Jun 2019

report

report

1 **Elizabeth Cecil**, Imperial College London, London, UK

2 **Matthew Booker**, University of Bristol, Bristol, UK

Any reports and responses or comments on the article can be found at the end of the article.

Keywords

paediatric healthcare, general practice, out of hours, emergency department, decision-making

Corresponding author: Emma Nicholson (emma.nicholson@ucd.ie)

Author roles: **Nicholson E:** Conceptualization, Methodology, Project Administration, Writing – Original Draft Preparation, Writing – Review & Editing; **McDonnell T:** Methodology, Project Administration, Writing – Review & Editing; **Hamza M:** Methodology, Writing – Review & Editing; **Barrett M:** Writing – Review & Editing; **Brunsdon C:** Writing – Review & Editing; **Bury G:** Writing – Review & Editing; **Charlton M:** Writing – Review & Editing; **Collins C:** Writing – Review & Editing; **Deasy C:** Writing – Review & Editing; **De Brun A:** Methodology, Writing – Review & Editing; **Fitzsimons J:** Writing – Review & Editing; **Galligan M:** Writing – Review & Editing; **Hensey C:** Writing – Review & Editing; **Kiernan F:** Writing – Review & Editing; **McAuliffe E:** Methodology, Project Administration, Writing – Original Draft Preparation, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: This systematic review is funded by the Health Research Board (HRB) under the National Children's Hospital Foundation Scheme 2017 (grant number: NCHF-2017-009).

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2019 Nicholson E *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Nicholson E, McDonnell T, Hamza M *et al.* **Factors that influence family and parental preferences and decision making for unscheduled paediatric healthcare: a systematic review protocol [version 2; peer review: 2 approved]** HRB Open Research 2019, 2:11 (<https://doi.org/10.12688/hrbopenres.12897.2>)

First published: 14 Jun 2019, 2:11 (<https://doi.org/10.12688/hrbopenres.12897.1>)

REVISED Amendments from Version 1

Based on reviewer feedback, the reference to Slaintecare was removed from the abstract to avoid exclusion of non-Irish audiences.

The two "Data Extraction" sections were combined under one heading.

Any further responses from the reviewers can be found at the end of the article

Introduction

Paediatric use of unscheduled healthcare

Paediatric populations account for a significant number of attendances at emergency departments (EDs) and general practices (GP) in Ireland (Wren *et al.*, 2017), with children aged under 6 alone constituting approximately 14% of overall visits to the ED (Wren *et al.*, 2017). Attendance rates at GPs for all age groups in Ireland are gradually increasing (O'Callaghan *et al.*, 2018) while EDs are also under increasing pressure due to rising presentations (Health Service Executive, 2017). While factors related to the health system and structure can influence visitation rates to the ED, patient factors also dictate where healthcare is sought and there are a myriad of circumstances that can influence where people choose to access unscheduled healthcare for their children. The complexity of parental/family decision making which is influenced by experiences, information, knowledge, behaviour and preferences presents a challenge for policy makers and at present, there is incomplete understanding of how parents and families make decisions when accessing unscheduled healthcare.

Factors that influence unscheduled healthcare utilization in paediatric populations

The GP acts as a gatekeeper for access to secondary healthcare services; however, in Ireland, patients access ED services either through a referral from a GP, other health professionals or through self-referral. For parents/families seeking unscheduled paediatric healthcare, there are a variety of factors that can influence whether they decide to see a GP, primary care after-hours services, privately run emergency service or the ED. For instance, the time of day and day of the week influences GP accessibility. Indeed, ED attendance by children peaks outside traditional GP working hours (e.g. ~18.00 hrs, after school, after work) (Cecil *et al.*, 2016) and children registered with more accessible GPs are less likely to visit ED out-of-hours (Cecil *et al.*, 2016). Studies revealed factors associated with non-urgent paediatric emergency visits include the need for convenient before- and after-work-hours' service and single-parent status (Hashikawa *et al.*, 2014). In the US, a high proportion of parents report seeking medical evaluation in urgent care or emergency settings when their children's illnesses prevent attendance at child care (Hashikawa *et al.*, 2014).

A UK study revealed that patients seeking care at the ED often doubted primary healthcare's capacity to respond to 'urgent' problems and this belief results from past experiences of care-seeking (MacKichan *et al.*, 2017). In Victoria, Australia,

a study of parents of children presenting to the ED with lower-urgency conditions reported a preference for ED for the care of child injuries rather than GP surgeries and most parents did not attempt to make an appointment with their GP prior to attending ED for their child's lower-urgency injury (Gafforini *et al.*, 2016). The socioeconomic status (SES) of patients is also known to influence their use of health services; a Turkish study found parents with higher education levels are harder to persuade that diagnostic procedures in the ED may not be necessary for some injuries (Serinken *et al.*, 2014). Patients from lower SES backgrounds typically use the ED at a greater rate than those from higher SES backgrounds (Kangovi *et al.*, 2013; Lynch *et al.*, 2018; Tozer *et al.*, 2015); however, there are confounding factors such as previous ill-health that can moderate this effect (Khan *et al.*, 2011). Lower caregiver health literacy (i.e., the ability to read and understand health information) (Raynor, 2012) has also been shown to increase the likelihood of a child visiting the ED, especially for children without a chronic illness (Morrison *et al.*, 2014). A UK primary care study identified patients with English as an additional language or language/hearing difficulties could be particularly disadvantaged by primary care telephone appointment systems that are neither simple nor accessible (MacKichan *et al.*, 2017). These represent just some of the factors that influence where parents/families seek healthcare for their children; their relative importance and the different contexts in which they can occur results in a complex picture of decision making that can have a significant impact on resources in the health system.

Why establish factors influencing decision making for paediatric unscheduled healthcare?

Understanding the factors influencing the decision-making process, which include the preferences of parents and families, when accessing unscheduled healthcare for their child can help both clinicians and policy makers adequately respond to the healthcare needs of this population. It is important to establish the factors that influence their decision in order to inform the development of appropriate policy and ensure adequate design and resourcing in the health service. Taking the preferences of users of the health system into consideration is critical when developing and evaluating health policy, particularly in an area heavily influenced by complex patient decision-making (Dirksen *et al.*, 2013). Accessing timely healthcare in an appropriate setting affords better health outcomes for patients, and attending primary care with a regular healthcare provider or team is also thought to be of great benefit to patients. Indeed, children who experienced greater continuity of care with a single primary care provider have significantly lower ED utilisation rates and subsequent hospitalisations (Christakis *et al.*, 2001) and this is also true for children with complex medical conditions (Arthur *et al.*, 2018). As crowding in paediatric emergency departments has been associated with worse condition specific patient outcomes (Chan *et al.*, 2017), it is therefore vital to understand the determinants of the parental/family decision to self-refer to an ED rather than visit their GP and to establish the hierarchy and relative importance of these factors. The ongoing reconfiguration of paediatric healthcare in Ireland with the development of Children's Hospital Ireland and the

introduction of free GP care for children under age 6 provides an opportune time to explore paediatric healthcare. Policies that seek to expand primary care and reduce ED admissions need to be cognisant of the nuanced and complex factors that govern patients' behaviour.

Aim

The systematic review will seek to identify the factors that influence parents' and families' decision making when seeking unscheduled paediatric healthcare.

Review question

What are the factors that influence decision-making of parents and families seeking unscheduled paediatric healthcare (general practice, out-of-hours arrangements, urgent care centre, emergency department)?

Search term identification

A limited search of PubMed and CINAHL was carried out to identify primary keywords used in the titles and abstracts of articles that will emerge in the search engines. These were used to formulate the search terms that will be used in the systematic review.

Timeframe

This systematic review will examine material published between 01/01/2000 and 12/03/2019.

Inclusion criteria

- Only studies published in English will be considered for inclusion
- Empirical studies and systematic reviews
- Studies that directly sought to establish factors that influence the decision-making for the access of paediatric unscheduled healthcare.

Exclusion criteria

- Studies that elicited factors that influence decision-making for accessing adult healthcare
- Studies related to scheduled or specialist healthcare services
- Expert opinion or editorials

Databases

The 5 databases selected, which capture a wide range of specialities and disciplines, are as follows:

- CINAHL
- PubMed
- SCOPUS
- PsycInfo
- EconLit

Grey literature

The search for non-peer reviewed literature will include:

- ProQuest Dissertations and Theses
- Lenus
- OpenGrey
- Google Scholar

Key words

Keywords and Boolean operators are outlined in [Table 1](#).

Types of study to be included

Study designs that will be incorporated into the review include, but are not limited to:

- Population health studies
- Utility value methods
 - o standard gamble interview (SGI)
 - o Time trade-off (TTO)
- Stated-preference methods
 - o Discrete choice experiments
 - o Best-worst scaling
- Surveys and questionnaires
- Qualitative research
- Systematic reviews

Table 1. Keywords and Boolean Operators.

Child* OR paediatric OR pediatric OR Infant OR adolescent AND
Parent* preferences OR choice* OR decision making OR Family preferences OR Reasons AND
primary care OR general practice OR family physician OR emergency care OR emergency department OR out-of-hours OR Practitioner Cooperative OR after hours OR urgent care cent*

Strategy for screening

The reference list of all identified reports and articles will also be searched for additional studies. Two authors will independently screen the title and abstracts of search records retrieved against eligibility criteria. Full-text publications of all potentially relevant articles, selected by either author, will be retrieved and examined for eligibility. We will document the search strategy and study selection process using a PRISMA flow diagram (Liberati *et al.*, 2009).

Data management

The team will use Endnote to remove duplicates and will use the review management website Covidence™ to sort exclusions and inclusions.

Dealing with missing data

One researcher will attempt to contact study authors for unreported data or clarification of study methods using a maximum of three e-mails with 1 week between each email. If data remains unavailable, we will analyse the available data and report the potential impact of missing data in the discussion section.

Quality appraisal

Given the heterogeneity of the study design expected to emerge in the review, the Mixed Methods Appraisal Tool (MMAT; Pluye *et al.*, 2011) will be utilised to assess methodological quality of the studies included for full-text review. Papers selected for data extraction will be assessed by one reviewer, prior to inclusion in the review. A second reviewer will review 10% of the studies to check for consistency and any disagreements that arise between the reviewers will be resolved through discussion or consultation with a third reviewer.

Data extraction

Table 2 outlines the data extraction form that will be used to extract data from the included studies. These include general information related to the study, country of origin, the aims and rationale of the research and any details on the health system in which the research took place (e.g., publicly funded, public and private etc.). Based on our initial scoping of the existing literature, it will be important to extract participant characteristics including demographic information such as socioeconomic factors, however, we anticipate that this may not be consistently

Table 2. Data Extraction Form.

General Information
Article Title
Authors
Country of Origin
Introduction
Aims and Rationale
Details on Health System
Research Question
Participant Details
Sample Size
Age
Gender
Relationship to child
Socioeconomic factors
Paediatric Population
Age
Specific disease group or condition (if any)
Reason for seeking unscheduled healthcare
Methods
Sampling Strategy
Study Design
Data Collection
Data Analysis
Outcomes
Factors influencing behaviour and/or decision making/Preferences elicited

recorded across the studies and we will extract any factors that are recorded (e.g., level of education, occupation etc.). With regards to the paediatric population in question, the relationship to the child (e.g., mother, father, carer), age, any disease groups or conditions will be noted and the reason for attendance at unscheduled care will be recorded. There is a broad range of potential study designs that may emerge from the searches and as a primary outcome for the review, the team will extract any factors that emerge directly from the study which have been stated to influence decision-making, behaviour or any preferences elicited from the research. One reviewer will extract the data from the included studies and 10% of these will be checked for consistency by a second reviewer. Any discrepancies will be dealt with through discussion or with a third reviewer in order to reach an agreement.

Data synthesis

A narrative approach will be used to synthesise the findings from the review.

Registration

This systematic review has been registered with [PROSPERO](#).

Discussion

The present systematic review will seek to identify the factors that influence parents' and families' preferences and decision making when seeking unscheduled paediatric healthcare. To date, much research has focused on patients' attitudes and decision-making in relation to specific components of unscheduled care (i.e., GP, out-of-hours or ED), whereas there is less evidence relating patient behaviour that pertains to all forms of unscheduled healthcare. The boundaries between primary and secondary care can be indistinct and ED care is often seen as a substitute for primary care, particularly in out-of-hours. By collating the factors that influence decision-making and attendance at these services, the review can inform future health policies that seek to support the provision of accessible and responsive primary care.

The review will also inform the design of a discrete choice experiment (DCE) to establish parental and family preferences for paediatric unscheduled non-specialist healthcare as part of a larger HRB-funded study investigating the patterns of attendance and decision-making around unscheduled paediatric healthcare in Ireland within the context of the introduction

of free GP care for children under age 6 in Ireland. DCEs are of great value in health research as they provide an indication of how people will use the health system by presenting participants with real-world scenarios that consist of factors and attributes ([Lancsar & Louviere, 2008](#)). Given the limited resources in the health sector, DCEs can inform policy developments that ensure resources are directed to places that matter most to patients and thus, providing a more patient-centred health system.

Dissemination of the review

While the systematic review will be used to inform the design of a DCE to elicit preferences for paediatric healthcare, the results will also be published through the typical academic routes such as peer-reviewed journals and academic conferences. Non-academic materials will also be developed to target a broad audience, including members of the public, health service planners, and frontline clinical staff. The larger research project of which this review is part has adopted a collaborative and ongoing dissemination plan and the dissemination plan for this review will be no different. Given the importance of the topic, it is crucial that there is a constant and open discourse with all stakeholders and that the team facilitates the translation of research insights into actions, policies and prospective planning to improve healthcare outcomes for children.

Data availability

All data underlying the results are available as part of the article and no additional source data are required.

Reporting guidelines

Figshare: PRISMA-P checklist for "Factors that influence family and parental preferences and decision making for unscheduled paediatric healthcare: a systematic review protocol". <https://doi.org/10.6084/m9.figshare.8035154.v1> (Nicholson, 2019).

Acknowledgements

The authors would like to thank Mr Diarmuid Stokes, College Liaison Librarian, College of Health and Agricultural Sciences, University College Dublin for his assistance with the development of the search strategy for this systematic review protocol.

References

- Arthur KC, Mangione-Smith R, Burkhart Q, *et al.*: **Quality of Care for Children With Medical Complexity: An Analysis of Continuity of Care as a Potential Quality Indicator.** *Acad Pediatr.* 2018; **18**(6): 669–676.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Cecil E, Bottle A, Cowling TE, *et al.*: **Primary Care Access, Emergency Department Visits, and Unplanned Short Hospitalizations in the UK.** *Pediatrics.* 2016; **137**(2): e20151492.
[PubMed Abstract](#) | [Publisher Full Text](#)

- Chan M, Meckler G, Doan Q: **Paediatric emergency department overcrowding and adverse patient outcomes.** *Paediatr Child Health.* 2017; **22**(7): 377–381.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Christakis DA, Mell L, Koepsell TD, *et al.*: **Association of lower continuity of care with greater risk of emergency department use and hospitalization in children.** *Pediatrics.* 2001; **107**(3): 524–9.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Dirken CD, Utens CM, Joore MA, *et al.*: **Integrating evidence on patient**

preferences in healthcare policy decisions: protocol of the patient-VIP study. *Implement Sci.* 2013; 8: 64.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Gafforini S, Turbitt E, Freed GL: Lower urgency paediatric injuries: Parent preferences for emergency department or general practitioner care. *Emerg Med Australas.* 2016; 28(5): 564–568.

[PubMed Abstract](#) | [Publisher Full Text](#)

Hashikawa AN, Brousseau DC, Singer DC, *et al.*: Emergency department and urgent care for children excluded from child care. *Pediatrics.* 2014; 134(1): e120–127.

[PubMed Abstract](#) | [Publisher Full Text](#)

Kangovi S, Barg FK, Carter T, *et al.*: Understanding why patients of low socioeconomic status prefer hospitals over ambulatory care. *Health Aff (Millwood).* 2013; 32(7): 1196–1203.

[PubMed Abstract](#) | [Publisher Full Text](#)

Khan Y, Glazier RH, Moineddin R, *et al.*: A population-based study of the association between socioeconomic status and emergency department utilization in Ontario, Canada. *Acad Emerg Med.* 2011; 18(8): 836–843.

[PubMed Abstract](#) | [Publisher Full Text](#)

Lancsar E, Louviere J: Conducting discrete choice experiments to inform healthcare decision making: a user's guide. *Pharmacoeconomics.* 2008; 26(8): 661–677.

[PubMed Abstract](#) | [Publisher Full Text](#)

Liberati A, Altman DG, Tetzlaff J, *et al.*: The PRISMA Statement for Reporting Systematic Reviews and Meta-Analyses of Studies That Evaluate Health Care Interventions: Explanation and Elaboration. *PLoS Med.* 2009; 6(7): e1000100.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Lynch B, Fitzgerald AP, Corcoran P, *et al.*: Drivers of potentially avoidable emergency admissions in Ireland: an ecological analysis. *BMJ Qual Saf.* 2018; 1–11, pii: bmjqs-2018-008002.

[PubMed Abstract](#) | [Publisher Full Text](#)

MacKichan F, Brangan E, Wye L, *et al.*: Why do patients seek primary medical care in emergency departments? An ethnographic exploration of access to general practice. *BMJ Open.* 2017; 7(4): e013816.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Morrison AK, Schapira MM, Gorelick MH, *et al.*: Low caregiver health literacy is associated with higher pediatric emergency department use and nonurgent visits. *Acad Pediatr.* 2014; 14(3): 309–314.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Nicholson E: Systematic Review Protocol_PRISMA-P checklist. *figshare.* Online resource. 2019.

<http://www.doi.org/10.6084/m9.figshare.8035154.v1>

O'Callaghan ME, Zgaga L, O'Ciardha D, *et al.*: Free Children's Visits and General Practice Attendance. *Ann Fam Med.* 2018; 16(3): 246–249.

[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Pluye P, Robert E, Cargo M, *et al.*: Proposal: A mixed methods appraisal tool for systematic mixed studies reviews. 2011.

[Reference Source](#)

Raynor DKT: Health literacy. *BMJ.* 2012; 344: e2188.

[PubMed Abstract](#) | [Publisher Full Text](#)

Serinken M, Kocyigit A, Karcioğlu O, *et al.*: Parental anxiety and affecting factors in acute paediatric blunt head injury. *Emerg Med J.* 2014; 31(8): 637–40.

[PubMed Abstract](#) | [Publisher Full Text](#)

Tozer AP, Belanger P, Moore K, *et al.*: Socioeconomic status of emergency department users in Ontario, 2003 to 2009. *CJEM.* 2015; 16(3): 220–225.

[PubMed Abstract](#) | [Publisher Full Text](#)

Wren MA, Keegan C, Walsh B, *et al.*: Projections of demand for healthcare in Ireland, 2015-2030: First report from the hippocrates model. 2017.

[Publisher Full Text](#)

Open Peer Review

Current Peer Review Status:  

Version 1

Reviewer Report 20 August 2019

<https://doi.org/10.21956/hrbopenres.13968.r26752>

© 2019 Booker M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Matthew Booker

School of Social and Community Medicine, University of Bristol, Bristol, UK

Thank you for the opportunity to review this systematic review protocol. This review will seek to assimilate published data on the factors that shape decision-making to access unscheduled paediatric health care.

The review protocol is clear. It has been prospectively registered. Inclusion criteria and eligible study designs are described. The authors will be taking a narrative approach to data synthesis, which given the heterogenous nature of study designs they wish to include, seems appropriate.

The review question is important, and the authors frame the need to address this question on the basis of local health policy in Ireland - in particular the development of a Children's Hospital, and free access to primary care for under 6s on the horizon. (Will the authors' specifically be seeking to identify and perform a sub-group analysis of data concerning under 6s to directly inform this progression? That wasn't quite clear). Although the research question is well-framed in the context of Irish health policy, in a couple of places it may be helpful to define terminology that may otherwise be a little too Irish-centric for broader global understanding (for example, what is Sláintecare?).

It may be necessary to expand the Boolean terms in the search strategy. Decision-making is a tricky concept to capture adequately in Boolean terms given the way decision-shaping factors are sometimes framed in study titles and abstracts; it may benefit the review to broaden this a little and adopt an initially more inclusive approach. Likewise, it would be helpful to expand the setting search terms to include global variants such as 'Family Medicine', "Emergency Room" "Minor Injuries Unit" "Walk-in Centre" "After Hours" etc.

I wish the authors good luck in their review and look forward to reading the results.

Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Organisation & Delivery of Urgent and Ambulatory Care.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 25 July 2019

<https://doi.org/10.21956/hrbopenres.13968.r26670>

© 2019 Cecil E. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

**Elizabeth Cecil**

Department of Primary Care and Public Health, Imperial College London, London, UK

This is a well written protocol for an important piece of work. The protocol clearly sets out the rationale for the systematic review and clearly defines its objectives.

The protocol is registered with PROSPERO. PRISMA-P guidelines have been followed (a completed checklist is available). The protocol is very comprehensive but the few comments I have are listed below:

Are sufficient details of the methods and analysis provided to allow replication by others?

Although the methods are clearly set out with all necessary details, I do think search strategy keywords need to be developed further. There are five elements to the research question.

1. Child AND
2. Parent AND
3. Decision making AND
4. Unscheduled AND
5. Health services

The synonyms for these need to be more extensive than they currently are. For example the term family practice is not included. Terms such as health or care seeking have also not been included.

There are two sections headed data extraction, these should be combined.

Other points

Slaintecare is mentioned in the abstract but is not explained or referred to later in the protocol. More details will need to be added for non-Irish readers.

Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Health service research particularly in children.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.
