

The association between body mass index and duration spent on electronic devices in children and adolescents in Western Saudi Arabia

To the Editor

We have a comment on the research by Al-Agha et al.¹ I am extremely grateful for the detailed study in Western Saudi Arabia. The author concluded that the body mass index (BMI) is strongly correlated to the spending time over electronic device. We would like to mention 2 positive aspects of electronic devices related to wearable devices.

Schaefer et al² conducted health investigation that child obesity was associated with physical activity in agricultural area in California's Central Valley.² This region has very low density of population. Therefore, it is hard to collect the information by contact with every single person. Electronic device with wearable equipment is so helpful to gather data from remote place. Granado-Font et al³ made a study of weight loss in 18 aged obese patients or older for effectiveness of mobile application and wearable device. After 3, 6, and 12 months of experiment, body weight was changed in using electric device. There are a number of slightly varying definitions on electronic entertainment and communication devices; however, it has a positive side.

Yong H. Kim
Se H. Kim

Department of Anesthesiology and Pain Medicine, Inje
University Haeundae Paik Hospital
Gimhae, Korea

Reply from the Author

This is in response to the comments by Kim. We would like to thank the authors for mentioning 2 positive aspects regarding electronic devices related to wearable devices. They pointed out very interesting pieces of information. Although our study focused on the negative impact of electronic devices on body mass index, we do agree that they may also be of some benefit (wearable electronic devices may be helpful in gathering data from remote places² and could be a useful weight loss tool to obese primary care patients who want to lose weight³

Abdulmoein E. Al-Agha
F. Sarah Nizar

Anwar M. Nahhas

Department of Pediatrics
King Abdulaziz University Hospital
Jeddah, Saudi Arabia

References

1. Al-Agha AE, Sarah Nizar F, Nahhas AM. The association between body mass index and duration spent on electronic devices in children and adolescents in Western Saudi Arabia. *Saudi Med J* 2016; 37: 436-439.
2. Schaefer SE, Camacho-Gomez R, Sadeghi B, Kaiser L, German JB, de la Torre A. Assessing child obesity and physical activity in a hard-to-reach population in California's Central Valley, 2012-2013. *Prev Chronic Dis* 2015; 12: E117.
3. Granado-Font E, Flores-Mateo G, Sorlí-Aguilar M, Montaña-Carreras X, Ferre-Grau C, Barrera-Uriarte ML, et al. Effectiveness of a Smartphone application and wearable device for weight loss in overweight or obese primary care patients: protocol for a randomised controlled trial. *BMC Public Health* 2015; 15: 531.