

## CORRECTION

# Correction: Correction: Posterior column acetabular fracture fixation using a W-shaped angular plate: A biomechanical analysis

The *PLOS ONE* Staff

There is an error in affiliation 1 for author Ke Su in the correction published on June 5, 2019. The correct affiliation 1 is: Key laboratory of biomechanics of Hebei Province, Hebei Medical University, Shijiazhuang, Hebei, P. R. China. The publisher apologizes for the error.

## References

1. Su K, Liu S, Wu T, Yin Y, Zhang R, Li S, et al. (2017) Posterior column acetabular fracture fixation using a W-shaped angular plate: A biomechanical analysis. PLoS ONE 12(11): e0187886. <https://doi.org/10.1371/journal.pone.0187886> PMID: 29155842
2. Su K, Liu S, Wu T, Yin Y, Zhang R, Li S, et al. (2019) Correction: Posterior column acetabular fracture fixation using a W-shaped angular plate: A biomechanical analysis. PLoS ONE 14(6): e0217734. <https://doi.org/10.1371/journal.pone.0217734> PMID: 31166972



## OPEN ACCESS

**Citation:** The *PLOS ONE* Staff (2019) Correction: Posterior column acetabular fracture fixation using a W-shaped angular plate: A biomechanical analysis. *PLoS ONE* 14(6): e0218646. <https://doi.org/10.1371/journal.pone.0218646>

**Published:** June 13, 2019

**Copyright:** © 2019 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.