SCIENTIFIC REPORTS

natureresearch

OPEN Comparative analysis of obesityrelated cardiometabolic and renal biomarkers in human plasma and serum

Meenu Rohini Rajan^{1,2,16}, Matus Sotak^{1,2,16}, Fredrik Barrenäs^{1,2,3}, Tong Shen⁴, Kamil Borkowski⁴, Nicholas J. Ashton^{2,5,6,7}, Christina Biörserud⁹, Tomas L. Lindahl¹⁰, Sofia Ramström^{10,11}, Michael Schöll^{2,5,8}, Per Lindahl¹, Oliver Fiehn⁶, John W. Newman^{4,12,13}, Rosie Perkins¹, Ville Wallenius⁹, Stephan Lange^{1,14} & Emma Börgeson^{1,2,15,17*}

The search for biomarkers associated with obesity-related diseases is ongoing, but it is not clear whether plasma and serum can be used interchangeably in this process. Here we used high-throughput screening to analyze 358 proteins and 76 lipids, selected because of their relevance to obesityassociated diseases, in plasma and serum from age- and sex-matched lean and obese humans. Most of the proteins/lipids had similar concentrations in plasma and serum, but a subset showed significant differences. Notably, a key marker of cardiovascular disease PAI-1 showed a difference in concentration between the obese and lean groups only in plasma. Furthermore, some biomarkers showed poor correlations between plasma and serum, including PCSK9, an important regulator of cholesterol homeostasis. Collectively, our results show that the choice of biofluid may impact study outcome when screening for obesity-related biomarkers and we identify several markers where this will be the case.

Obesity-related illness is an increasingly important global health issue that places a tremendous economic burden on society¹. The negative health effects of prolonged obesity are partly fuelled by chronic low-grade inflammation, which contributes to cardiometabolic and kidney pathophysiology²⁻⁴. However, the exact mechanisms that link obesity with cardiometabolic and kidney diseases are unclear and remain a subject of intensive research. The search for biomarkers that assist in the identification of novel disease-related pathways is critical to develop new therapies that are tailored to subpopulations particularly prone to obesity-related pathophysiology.

Disease-related biomarkers are often identified and quantified in blood-derived plasma or serum^{5,6}. Preparation of plasma and serum requires the removal of cellular components by centrifugation. Generation of plasma is preceded by the addition of an anti-coagulant (e.g. EDTA, heparin or citrate) to the whole blood. By contrast, the blood used for serum is allowed to clot before centrifugation, resulting in lower concentrations

¹Department of Molecular and Clinical Medicine, Wallenberg Laboratory, Institute of Medicine, University of Gothenburg, Gothenburg, Sweden. ²Wallenberg Centre for Molecular and Translational Medicine, University of Gothenburg, Gothenburg, Sweden. ³Department of Cell & Molecular Biology, Uppsala University, Uppsala, Sweden. ⁴NIH West Coast Metabolomics Center, Genome Center, University of California Davis, Davis, USA. ⁵Department of Psychiatry and Neurochemistry, Institute of Physiology and Neuroscience, University of Gothenburg, Gothenburg, Sweden. ⁶King's College London, Institute of Psychiatry, Psychology & Neuroscience, Maurice Wohl Clinical Neuroscience Institute, London, UK. 7NIHR Biomedical Research Centre for Mental Health & Biomedical Research Unit for Dementia at South London & Maudsley NHS Foundation, London, UK. ⁸Dementia Research Centre, Institute of Neurology, University College London, London, UK. ⁹Department of Gastrosurgical Research and Education, Institute of Clinical Sciences, Sahlgrenska University Hospital, University of Gothenburg, Gothenburg, Sweden. ¹⁰Department of Clinical Chemistry and Department of Clinical and Experimental Medicine, Linköping University, Linköping, Sweden. ¹¹Cardiovascular Research Centre, School of Medical Sciences, Örebro University, Örebro, Sweden. ¹²Department of Nutrition, University of California Davis, Davis, USA. ¹³USDA, ARS, Western Human Nutrition Research Center, Davis, USA. ¹⁴Division of Cardiology, School of Medicine, University of California San Diego, San Diego, USA.¹⁵Department of Clinical Physiology, Sahlgrenska University Hospital, Gothenburg, Sweden. ¹⁶These authors contributed equally: Meenu Rajan and Matus Sotak. *email: emma.borgeson@wlab.gu.se

	Lean			Obese				
	Men	Women	All	Men	Women	All		
Sex	3	8	3ð/8⊋	3	8	3ð/8Q		
BMI (kg/m ²)	23.3 ± 0.9	22.0 ± 1.0	22.4 ± 2.4	41.0 ± 2.1	44.4 ± 1.5	43.5 ± 4.1		
Age (years)	42.3 ± 4.3	40.0 ± 5.3	40.6 ± 13.0	45.0 ± 3.1	40.4 ± 5.6	41.6 ± 13.6		
Hormone replacement therapy	—	0/8	—	—	0/8	-		
Hormonal contraceptive pill	—	2/8	—	—	0/8	-		
Intrauterine contraceptive device	—	0/8	—	—	2/8	—		

Table 1. Summary of cohort demographics. Data are shown as mean \pm SEM.

of clotting factors (such as fibrinogen and coagulation cascade proteins) in serum than in plasma. The World Health Organization generally recommends using plasma as this more accurately reflects the physiological and/ or pathophysiological state of the patient⁷. However, biomarkers are often reported to have better detectability in serum⁸ despite the fact that serum has a slightly lower total protein concentration than plasma⁹. Indeed, some intracellularly stored proteins and lipids are only detectable upon coagulation-induced release from leukocytes and platelets, and serum is preferred in assays detecting, for example, cardiac troponins^{10–12}. Importantly, the choice of biofluid is not merely a question of detectability, but it may also affect the conclusions drawn from a study. For example, Alsaif *et al.* showed that of 16 proteins (identified in either plasma or serum) that were differentially expressed between healthy controls and subjects with bipolar disorder, only two showed differential expression in both serum and plasma¹³.

The aim of our study was to determine whether the use of plasma or serum would yield different results when screening for obesity-related biomarkers. We analyzed proteins and lipids that have previously been suggested to play a role in obesity-related cardiometabolic diseases in plasma and serum from age- and sex-matched groups of lean and obese humans. Our results show that the use of plasma or serum may have an effect on study outcome when screening for obesity-related biomarkers and we identify key markers that highlight this issue.

Results and Discussion

Detectability of proteins in plasma versus serum. We used four Olink multiplex protein panels (inflammation, cardiometabolic, cardiovascular II, cardiovascular III) selected on the basis of their relevance to obesity-related diseases to measure protein concentrations in plasma and serum from 11 obese subjects and 11 age- and sex-matched lean controls. The characteristics of the human cohort are presented in Table 1. Of the 368 proteins analyzed (10 of which were measured in duplicate panels, see Supplementary Table S1 for the full list), one protein (BDNF) was excluded due to technical issues, nine proteins (IL-1 alpha, IL-2, TSLP, IL-22 RA1, IL-13, TNF, IL-20, IL-33, IFN-gamma) were excluded because they were undetectable in both plasma and serum, and 23 additional proteins were excluded because values were missing in >30% of the samples in all of the four groups (lean plasma, lean serum, obese plasma, obese serum; Supplementary Table S1). Detectability issues with one of the excluded proteins, NT-proBNP, have previously been reported¹⁴. In total, 335 proteins were included in the comparative analyses (Supplementary Fig. S1).

For the majority of proteins, their concentrations were similar between plasma and serum (Supplementary Fig. S2a,b). After adjusting for multiple comparisons using the stringent Holm-Bonferroni test, we found significantly different concentrations between plasma and serum for 23.5% and 33.4% of proteins in the lean and obese cohorts, respectively [adjusted (adj.) p < 0.05, Fig. 1]. Most of these proteins were present at higher concentrations in serum, which may partly be explained by the clotting-induced volume displacement effect^{15,16} and by the fact that coagulation elicits release of platelet granules and intracellularly stored cytokines¹⁷⁻¹⁹. The intracellularly stored protein MCP-1, for example, exhibited significantly higher concentrations in serum compared with plasma (in both the inflammation and the cardiovascular III panels) in the lean and obese groups. Of note, we did not record female menstruation cycle and/or menopausal state, which may affect platelet activation, although conflicting results have been shown²⁰⁻²⁵.

A subset of proteins with significantly different concentrations in plasma and serum (including HSP-27, PAR-1, 4E-BP1 and SRC) exhibited lower concentrations in serum (Fig. 1). HSP-27 has been proposed as a biomarker for both cardiometabolic disease and cancer²⁶, although controversial results have been reported²⁷. Of note, a recent study showed that the concentration of HSP-27 increased by about three-fold with just one freeze-thaw cycle in plasma but was more stable in serum²⁸. All of our samples underwent two freeze-thaw cycles, which could explain the higher detectability of HSP-27 in plasma. During coagulation, PAR-1 is cleaved²⁹ and SRC³⁰ and 4-EBP1^{31,32} become prone to degradation through proteolytic pathways, which likely explains their lower concentrations in serum. Furthermore, two proteins, AXIN1 and STK4, passed our cut-off criteria for detection in plasma but not in serum (Supplementary Table S1). Enrichment analysis of all the proteins that were significantly altered between plasma and serum confirmed the enrichment of pathways involved in neutrophil chemotaxis and platelet activation (Supplementary Fig. S2c, Supplementary Table S3).

Sensitivity of plasma versus serum when screening for obesity-related protein biomarkers.

Most of the biomarkers that showed significantly different concentrations between the obese and lean groups were present at higher levels in the obese group; however, a small number (including IGFBP-1 and GH) showed lower concentrations in the obese group, with significant differences observed in both plasma and serum (Table 2). The



Figure 1. Detectability of proteins in plasma versus serum. Heatmaps showing protein biomarkers that exhibited significantly different concentrations in plasma versus serum in (a) lean subjects (n = 11) and (b) obese subjects (n = 11) after adjustment for multiple comparisons using the method of Holm-Bonferroni at adj. p < 0.05. Proteins that are significantly different in only one of the groups (lean or obese) are marked in bold. For proteins that are present in duplicate protein panels, the panel is indicated in parentheses: I, inflammation; CVII, cardiovascular II; and CVIII, cardiovascular III. Relative protein concentrations are reported as z-scores.

number of proteins with significantly different concentrations between the lean and obese groups was greater in serum (Table 2), in agreement with (1) an earlier study that reported higher sensitivity of serum to detect diabetes-associated differences in metabolite concentration³³ and (2) the fact that obesity is associated with higher

leukocyte and platelet counts and increased platelet activation^{34,35}. MCP-3 was present at higher concentrations in the obese versus lean group in serum but not plasma (Table 2), and showed low detectability in plasma in both groups (Supplementary Table S1). However, concentrations of PAI-1 were only significantly higher in the obese versus lean group in plasma despite showing higher detectability in serum (Table 2). This difference in sensitivity versus detectability for PAI-1 was confirmed by ELISA (Supplementary Fig. S3). PAI-1 inhibits fibrinolysis and has been proposed to be an important biomarker in cardiometabolic and diabetes research, although, as recently reviewed, conflicting results have been reported³⁶. A possible explanation for this discrepancy, at least in part, may be due to the interchangeable use of plasma versus serum; indeed, studies comparing lean versus obese and/or diabetic groups have reported differences in PAI-1 levels when using plasma³⁷ but not serum³⁸. Coagulation-induced secretion of intracellular PAI-1 is likely responsible for the high serum levels of PAI-1, which may mask the differences between the lean and obese groups.

Protein correlations in plasma versus serum. For the correlation analysis, 316 proteins survived the cut-off criteria (Supplementary Fig. S1). We observed significant correlations between plasma and serum samples for most (68.8%) of the proteins analyzed in the lean and obese groups combined (Table 3), although fewer significant correlations were seen when dividing the cohort into obese and lean (Supplementary Table S4). Of the 10 proteins that were measured in duplicate panels, eight displayed similar correlations between plasma and serum. However, MCP-1 and uPA only showed a significant correlation between plasma and serum in one of the duplicate panels.

We observed good correlations between plasma and serum samples for leptin (r = 1.00, adj. p < 0.001) and IGFBP-1 (r = 0.98, adj. p < 0.001), which are proteins that exhibited obesity-associated differences in concentration (Fig. 2a,b). Some proteins showed poor correlations, such as PCSK9 (r = 0.27, ns) and FGF-23 (r = 0.43 and 0.64 in the inflammation and cardiovascular II panels, respectively, both ns) (Fig. 2c,d). PCSK9 binds to the receptor for low-density lipoprotein and PCSK9 inhibitors are therefore of intense interest to pharmaceutical companies^{39,40}. Studies interchangeably measure PCSK9 in plasma^{41,42} and serum^{43,44}, but our result indicates that the choice of biofluid could potentially have a significant impact on the conclusions drawn. Our panels also included the FDA-approved biomarkers KIM-1 and osteopontin, which are used to monitor kidney disease^{45,46}. KIM-1 was well correlated between plasma and serum (r = 0.99, adj. p < 0.001) but osteopontin displayed a poor correlation (r = 0.46, ns) (Fig. 2e, f).

Lipids in plasma versus serum, and in lean versus obese groups. We also performed targeted lipidomics of inflammation-related lipids in plasma and serum from the lean and obese groups. Of the 76 lipids analyzed (see Supplementary Table S2), two were excluded as they did not survive the cut-off criteria for the comparative analysis (Supplementary Fig. S4). For most of the lipids, there were no major differences in concentration between plasma and serum (Supplementary Fig. S5). We observed that concentrations of 21.6% of the lipids in the lean cohort and 18.9% of the lipids in the obese cohort were significantly higher in serum than in plasma (after FDR adjustment, adj. p < 0.05); none of the lipids showed lower concentrations in serum (Fig. 3a,b). In total, 73 lipids survived the cut-off for the correlation analyses; we observed significant correlations between plasma and serum for 64% of the analyzed lipids when analyzed in the lean and obese groups combined (Table 4), and fewer significant correlations were seen when dividing the cohort into obese and lean (Supplementary Table S5).

Four lipids showed significantly different concentrations between the obese and lean groups in plasma and/ or serum (Fig. 3c). Concentrations of AEA and 19,20-DiHDoPA were significantly different (higher for AEA and lower for 19,20-DiHDoPA in the obese group) in both plasma and serum, but concentrations of 15-HETE and 11-HETE were significantly different (both higher in the obese group) only in plasma (Fig. 3c).

Concluding remarks. In this study, we investigated whether the use of plasma or serum would yield different results when screening for obesity-related biomarkers. For most of the proteins and lipids, their concentrations showed good correlations between plasma and serum. However, it is important to note that PCSK9 concentrations did not correlate between plasma and serum, indicating that caution must be taken when comparing studies that use different biofluids. Although most of the protein and lipids had similar concentrations in plasma and serum, those that did differ were generally present at higher concentrations in serum. Importantly, we observed significantly higher concentrations of the key disease-associated biomarker PAI-1 in the obese group only in plasma and not in serum, despite the protein showing higher detectability in serum. This result highlights that sensitivity does not necessarily parallel detectability. Furthermore, some obesity-induced changes, for example of MCP-3 concentrations, were only detected in serum. Collectively, these findings show that care should be taken when choosing biofluids for the study of biomarkers, particularly those for which we report differences in sensitivity/detectability between plasma and serum.

Methods

Study participants. We recruited obese subjects [body mass index (BMI) 35–55 kg/m², aged 18–65 years] from a cohort scheduled to undergo gastric bypass surgery, as well as age- and sex-matched lean subjects (BMI 18.5–24.9 kg/m²). Subjects were excluded if they were taking anti-inflammatory and/or immunosuppressive drugs, currently smoked, or had been diagnosed with significant gastrointestinal disease or inflammatory bowel disease. Study participants were enrolled in accordance with the Helsinki Declaration and provided written informed consent. The study was approved by the Gothenburg Ethical Review Board #682-14 (ClinicalTrials.gov NCT02322073).

	Plasma					Serum					
	Lean	Obese	Obese vs	H-B	FDR	Lean	Obese	Obese vs	H-B	FDR	
Protein	NPX (mean \pm	SEM)	lean log ₂ ratio	Adj. p value	Adj. p value	NPX (mean \pm	SEM)	lean log ₂ ratio	Adj. p value	Adj. p value	
4E-BP1	6.57±0.21	7.54 ± 0.10	0.97	ns	0.0106	4.57±0.10	6.18±0.33	1.62	ns	0.0081	
ADAM-TS13	5.17 ± 0.06	4.94 ± 0.04	-0.22	ns	ns	6.38 ± 0.05	6.19 ± 0.03	-0.18	ns	0.0336	
ADM	6.33 ± 0.06	7.11 ± 0.09	0.78	0.0002	0.0001	6.03 ± 0.08	6.82 ± 0.11	0.79	0.0032	0.0004	
AGRP	3.64±0.11	3.12 ± 0.07	-0.52	ns	0.0136	3.74 ± 0.13	3.10 ± 0.08	-0.64	ns	0.0081	
AMBP	5.52 ± 0.02	5.72 ± 0.04	0.20	ns	0.0037	5.53 ± 0.05	5.78 ± 0.03	0.26	ns	0.0058	
CCL3 (CVD II)	3.18 ± 0.04	3.67 ± 0.05	0.49	0.0002	0.0001	3.65 ± 0.07	4.13 ± 0.07	0.48	0.0241	0.0018	
CCL4	6.04 ± 0.07	6.67 ± 0.13	0.63	ns	0.0095	7.33 ± 0.12	7.76 ± 0.19	0.43	ns	ns	
CCL18	5.28 ± 0.22	6.09 ± 0.19	0.81	ns	ns	5.36 ± 0.21	6.25 ± 0.18	0.89	ns	0.0259	
CCL19	8.98 ± 0.15	9.66 ± 0.13	0.68	ns	0.0246	9.16 ± 0.15	9.82 ± 0.12	0.66	ns	0.0222	
CDCP1	1.56 ± 0.14	2.16 ± 0.17	0.60	ns	ns	1.64 ± 0.14	2.37 ± 0.18	0.73	ns	0.0274	
CES1	1.41 ± 0.05	2.04 ± 0.20	0.63	ns	ns	1.31 ± 0.04	2.02 ± 0.16	0.71	ns	0.0136	
CHI3L1	5.27 ± 0.21	6.21 ± 0.27	0.94	ns	ns	5.60 ± 0.13	6.61 ± 0.27	1.01	ns	0.0266	
CHL1	2.47 ± 0.09	2.14 ± 0.04	-0.33	ns	0.0406	2.64 ± 0.12	2.20 ± 0.05	-0.43	ns	0.0366	
CSF-1	7.03 ± 0.06	7.30 ± 0.07	0.27	ns	ns	7.13 ± 0.05	7.43 ± 0.08	0.30	ns	0.0349	
CSTB	3.65 ± 0.14	4.27 ± 0.12	0.62	ns	0.0321	3.65 ± 0.13	4.54 ± 0.21	0.89	ns	0.0155	
CTSD	3.76 ± 0.09	4.61 ± 0.11	0.85	0.0025	0.0003	4.14 ± 0.05	4.94 ± 0.14	0.79	0.0400	0.0026	
CTSZ	3.81 ± 0.13	4.33 ± 0.12	0.52	ns	ns	3.98 ± 0.06	4.46 ± 0.14	0.47	ns	0.0373	
CXCL10	8.82 ± 0.17	9.51 ± 0.15	0.69	ns	ns	8.70 ± 0.18	9.59 ± 0.15	0.89	ns	0.0127	
CXCL11	6.36 ± 0.16	6.96 ± 0.18	0.60	ns	ns	6.87 ± 0.16	7.94 ± 0.26	1.07	ns	0.0213	
ENG	1.47 ± 0.07	1.40 ± 0.06	-0.07	ns	ns	1.54 ± 0.05	1.31 ± 0.03	-0.23	ns	0.0183	
FABP4	3.65 ± 0.30	5.57 ± 0.15	1.93	0.0115	0.0010	3.78 ± 0.26	5.72 ± 0.16	1.93	0.0024	0.0004	
FCN2	4.48 ± 0.16	5.22 ± 0.10	0.74	ns	0.0106	4.04 ± 0.14	4.87 ± 0.10	0.83	0.0422	0.0026	
FGF-21 (CVD II)	4.56 ± 0.43	7.12 ± 0.48	2.56	ns	0.0105	4.54 ± 0.43	7.03 ± 0.48	2.49	ns	0.0105	
FGF-21 (I)	3.50 ± 0.41	5.98 ± 0.44	2.48	ns	0.0086	3.59 ± 0.40	6.03 ± 0.44	2.44	ns	0.0081	
Gal-9	6.96 ± 0.04	7.51 ± 0.07	0.55	0.0019	0.0003	7.07 ± 0.06	7.64 ± 0.08	0.57	0.0045	0.0005	
GH	9.51 ± 0.69	6.38 ± 0.66	-3.13	ns	0.0318	9.63 ± 0.69	6.46 ± 0.64	-3.17	ns	0.0222	
GLO1	3.29 ± 0.10	3.78 ± 0.18	0.49	ns	ns	4.66 ± 0.17	5.56 ± 0.25	0.90	ns	0.0415	
HAOX1	2.90 ± 0.30	4.71 ± 0.41	1.80	ns	0.0220	2.97 ± 0.31	4.81 ± 0.42	1.84	ns	0.0183	
HB-EGF	3.84 ± 0.09	3.94 ± 0.08	0.10	ns	ns	5.32 ± 0.13	6.52 ± 0.16	1.20	0.0030	0.0004	
HGF	6.76 ± 0.07	7.62 ± 0.14	0.86	0.0249	0.0019	7.58 ± 0.09	8.60 ± 0.14	1.02	0.0026	0.0004	
IGFBP-1	3.85 ± 0.20	1.47 ± 0.26	-2.38	0.0002	0.0001	3.98 ± 0.18	1.55 ± 0.27	-2.44	0.0002	0.0002	
IGFBP-2	6.65 ± 0.25	5.81 ± 0.12	-0.85	ns	ns	6.84 ± 0.21	5.95 ± 0.11	-0.89	ns	0.0146	
IL-1ra	5.33 ± 0.09	7.05 ± 0.21	1.72	0.0013	0.0003	5.80 ± 0.10	7.47 ± 0.20	1.67	0.0009	0.0004	
IL-6	2.36 ± 0.17	4.17 ± 0.34	1.81	ns	0.0044	2.46 ± 0.16	4.22 ± 0.33	1.75	ns	0.0043	
IL-10RB	6.34 ± 0.09	6.70 ± 0.08	0.36	ns	0.0473	6.53 ± 0.08	6.94 ± 0.08	0.41	ns	0.0146	
IL-18	7.75 ± 0.14	8.47 ± 0.20	0.72	ns	ns	7.88 ± 0.15	8.67 ± 0.22	0.79	ns	0.0396	
IL-18R1	6.61 ± 0.11	7.16 ± 0.13	0.55	ns	0.0360	6.80 ± 0.09	7.37 ± 0.13	0.57	ns	0.0188	
KIT	3.31 ± 0.08	2.84 ± 0.09	-0.47	ns	0.0095	3.29 ± 0.08	2.99 ± 0.10	-0.30	ns	ns	
LAP TGF-β-1	5.64 ± 0.11	6.01 ± 0.08	0.38	ns	ns	6.94 ± 0.09	7.28 ± 0.08	0.34	ns	0.0417	
LEP	4.06 ± 0.32	6.66 ± 0.11	2.60	0.0019	0.0003	4.09 ± 0.34	6.81 ± 0.11	2.72	0.0018	0.0004	
LILRB2	2.18 ± 0.09	2.62 ± 0.08	0.44	ns	0.0225	2.11 ± 0.11	2.68 ± 0.08	0.58	ns	0.0083	
LTBR	1.75 ± 0.12	2.02 ± 0.08	0.27	ns	ns	1.84 ± 0.03	2.10 ± 0.05	0.26	ns	0.0043	
MCP-1	9.35 ± 0.07	9.87 ± 0.05	0.52	0.0058	0.0005	10.52 ± 0.13	11.02 ± 0.13	0.51	ns	ns	
MCP-3	1.39 ± 0.00	1.48 ± 0.04	0.09	ns	ns	1.42 ± 0.02	2.07 ± 0.10	0.65	0.0254	0.0018	
MCP-4	2.19 ± 0.16	2.72 ± 0.12	0.53	ns	ns	3.56 ± 0.17	4.36 ± 0.22	0.80	ns	0.0450	
MIP-1 alpha (I)	3.35 ± 0.03	3.83 ± 0.06	0.48	0.0027	0.0003	3.72 ± 0.07	4.28 ± 0.08	0.56	0.0107	0.0009	
MPO	2.30 ± 0.23	2.91 ± 0.08	0.61	ns	ns	2.92 ± 0.13	3.52 ± 0.12	0.59	ns	0.0222	
NCAM1	2.27 ± 0.09	1.89 ± 0.06	-0.38	ns	0.0191	2.26 ± 0.10	1.90 ± 0.08	-0.36	ns	ns	
NEMO	3.40 ± 0.17	3.76 ± 0.22	0.36	ns	ns	1.58 ± 0.04	2.27 ± 0.18	0.69	ns	0.0223	
OSM	2.40 ± 0.12	3.39 ± 0.21	1.00	ns	0.0106	3.95 ± 0.16	5.14 ± 0.29	1.19	ns	0.0208	
PAI-1	3.49 ± 0.31	5.80 ± 0.23	2.31	0.0030	0.0003	7.21 ± 0.09	7.60 ± 0.07	0.39	ns	0.0274	
PLC	5.00 ± 0.14	5.45 ± 0.07	0.45	ns	ns	5.23 ± 0.06	5.61 ± 0.03	0.38	0.0064	0.0006	
PON3	5.45 ± 0.26	4.29 ± 0.27	-1.17	ns	0.0406	5.43 ± 0.21	4.22 ± 0.26	-1.22	ns	0.0146	
PRCP	0.78 ± 0.07	1.11 ± 0.06	0.33	ns	0.0231	0.68 ± 0.05	1.11 ± 0.06	0.43	0.0067	0.0006	
Continued											

	Plasma						Serum					
	Lean	Obese	Obese vs	H-B	FDR	Lean	Obese	Obese vs	H-B	FDR		
Protein	NPX (mean ±	SEM)	lean log ₂ ratio	Adj. p value	Adj. p value	NPX (mean \pm SEM)		ratio ratio		Adj. p value		
PRSS8	8.75 ± 0.08	9.20 ± 0.08	0.45	ns	0.0106	8.93 ± 0.09	9.43 ± 0.08	0.50	ns	0.0073		
RARRES2	9.60 ± 0.13	10.22 ± 0.07	0.62	ns	0.0106	9.97 ± 0.09	10.44 ± 0.05	0.48	ns	0.0036		
SCGB3A2	2.12 ± 0.26	0.96 ± 0.12	-1.15	ns	0.0130	2.23 ± 0.26	0.98 ± 0.13	-1.25	ns	0.0081		
SELE	2.10 ± 0.13	2.81 ± 0.12	0.70	ns	0.0095	2.26 ± 0.12	2.93 ± 0.14	0.67	ns	0.0146		
SPON2	9.78 ± 0.04	10.01 ± 0.04	0.24	ns	0.0036	10.31 ± 0.05	10.54 ± 0.03	0.23	ns	0.0105		
STAMPB	3.16 ± 0.12	3.56 ± 0.15	0.41	ns	ns	1.84 ± 0.04	2.38 ± 0.16	0.54	ns	0.0450		
t-PA	4.06 ± 0.20	5.23 ± 0.09	1.17	0.0276	0.0019	4.28 ± 0.24	5.89 ± 0.09	1.61	0.0082	0.0007		
TGM2	6.03 ± 0.13	6.35 ± 0.08	0.32	ns	ns	3.85 ± 0.08	4.66 ± 0.17	0.81	ns	0.0082		
TNF-R1	4.69 ± 0.14	5.27 ± 0.06	0.58	ns	0.0220	5.01 ± 0.06	5.53 ± 0.06	0.52	0.0019	0.0004		
TNF-R2	3.24 ± 0.13	3.64 ± 0.04	0.41	ns	ns	3.42 ± 0.07	3.77 ± 0.07	0.35	ns	0.0146		
TNFRSF10A	2.06 ± 0.05	2.27 ± 0.07	0.22	ns	ns	2.13 ± 0.07	2.42 ± 0.07	0.29	ns	0.0462		
TNFRSF11A	4.04 ± 0.09	4.60 ± 0.08	0.56	ns	0.0036	4.40 ± 0.12	4.94 ± 0.08	0.54	ns	0.0146		
TNFSF14	2.96 ± 0.08	3.73 ± 0.08	0.77	0.0004	0.0001	4.23 ± 0.12	4.97 ± 0.19	0.74	ns	0.0274		
TR-AP	3.40 ± 0.14	3.89 ± 0.08	0.49	ns	ns	3.54 ± 0.14	4.12 ± 0.10	0.58	ns	0.0266		
TRAIL-R2	4.40 ± 0.09	4.66 ± 0.05	0.26	ns	ns	4.59 ± 0.09	4.89 ± 0.05	0.30	ns	0.0481		
TRAIL	7.25 ± 0.09	7.61 ± 0.08	0.36	ns	ns	7.49 ± 0.09	7.92 ± 0.09	0.43	ns	0.0213		
U-PAR	3.28 ± 0.15	3.64 ± 0.06	0.36	ns	ns	3.78 ± 0.07	4.26 ± 0.10	0.48	ns	0.0104		
VEGF-A	9.19 ± 0.06	9.58 ± 0.05	0.40	0.0196	0.0016	9.85 ± 0.13	10.40 ± 0.09	0.55	ns	0.0213		
vWF	3.18 ± 0.18	3.55 ± 0.11	0.37	ns	ns	6.21 ± 0.15	6.95 ± 0.18	0.73	ns	0.0349		

Table 2. Proteins that exhibited significant differences in concentrations between obese and lean groups in plasma and/or serum. Differences in mean normalized protein expression (NPX) values between obese and lean groups are reported as a \log_2 ratio. p values were adjusted for multiple comparisons using either Holm-Bonferroni (H-B) or false discovery rate (FDR); ns, not significant (adj. p > 0.05). For proteins that are present in duplicate protein panels, the panel is indicated in parentheses: I, inflammation; CVII, cardiovascular II; and CVIII, cardiovascular III.

Blood collection. Venous blood samples obtained from study participants after an overnight fast were collected in eitherplasma tubes spray coated with K_2 EDTA (Greiner Bio One) or serum tubes containing inert separator gel and silica particles as clot activator (Greiner Bio One). Plasma samples were centrifuged immediately whereas serum samples were allowed to clot for 30 min at room temperature before centrifugation (10 min at room temperature, 3,000 rpm Hettich EBA200). Samples were snap-frozen in liquid nitrogen and stored at -80 °C until analysis.

Multiplex protein assay. Protein biomarkers were analyzed using the proximity extension assay, using four protein panels (inflammation, cardiometabolic, cardiovascular II and cardiovascular III) (Olink Proteomics, Uppsala, Sweden) at the Clinical Biomarkers Facility at Science for Life Laboratory (Uppsala University, Sweden) according to the manufacturer's instructions. Briefly, 1 µl plasma or serum was incubated with a mixture of 92 proximity antibody pairs tagged with oligonucleotides in a 96-well plate. In this assay, once a pair of antibodies binds to their corresponding antigens in close proximity, linked oligonucleotides hybridize into double stranded DNA, which is further extended and amplified, and ultimately quantified by high-throughput real-time PCR (BioMark[™] HD System, Fluidigm Corporation). To avoid intra-assay variability, plasma and serum samples were analyzed on the same plate.

ELISA. Plasma and serum PAI-1 levels were measured using a commercially available ELISA for Human Total Serpin E1/PAI-1 (#DY9387-05, R&D), according to the manufacturer's instructions. To ensure that the protein was quantified within the linear range of the standard curve, plasma and serum were diluted 1:100 and 1:500, respectively.

Measurements of oxylipins, endocannabinoids and ceramides. Oxylipins, endocannabinoids, and ceramides in plasma and serum were isolated and quantified using modifications of published protocols^{47–49}. Briefly, plasma or serum aliquots (40 µl) were spiked with deuterated oxylipin, endocannabinoid and ceramide surrogates, mixed with butylated hydroxyl toluene and ethylene diamine tetraacetic acid, and extracted with 200 µl isopropanol containing the internal standards 1-cyclohexyl ureido, 3-dodecanoic acid and 1-phenyl ureido 3-hexanoic acid in isopropanol. The homogenate was then centrifuged (10 min, 4 °C, 15,000 g) and the isopropanol supernatant was collected and stored at -20 °C until analysis.

Analytes were separated using a Waters Acquity ultra-performance liquid chromatography (UPLC; Waters, Milford, MA) on a 2.1 mm \times 150 mm, 1.7 µm BEH C18 column (Waters) for analysis of oxylipins and endocannabinoids, and 2.1 mm \times 150 mm, 1.7 µm BEH C8 column (Waters) for analysis of ceramides. Separated analytes were detected by tandem mass-spectrometry, using electrospray ionization with multi reaction monitoring on an API 6500 QTRAP (Sciex,

Inflammation			Cardiometabol	ic		Cardiovascular II		Cardiovascular III			
Protein	r	H-B Adj. p value	Protein	r	H-B Adj. p value	Protein	r	H-B Adj. p value	Protein	r	H-B Adj. p value
FGF-21	1.00	1.57E-20	MBL2	0.99	2.79E-15	GH	1.00	1.47E-25	IGFBP-1	0.98	4.93E-13
FGF-19	0.99	1.11E-15	FCGR2A	0.98	6.92E-14	FGF-21	1.00	1.82E-22	Ep-CAM	0.97	1.47E-11
CCL20	0.99	7.03E-15	LILRB5	0.97	5.69E-12	LEP	1.00	2.85E-21	FABP4	0.96	1.32E-10
IL-18	0.98	3.69E-14	FCN2	0.97	9.41E-11	HAOX1	1.00	8.14E-20	CHIT1	0.96	1.85E-10
MMP-10	0.98	1.01E-13	LYVE1	0.96	6.02E-10	SERPINA12	0.99	1.00E-17	TFF3	0.96	2.79E-10
CXCL9	0.98	2.95E-13	CCL18	0.95	1.43E-09	IL-6	0.99	1.90E-16	SCGB3A2	0.95	3.62E-09
CDCP1	0.97	2.68E-11	COMP	0.95	6.47E-09	FABP2	0.99	8.91E-16	IGFBP-2	0.94	2.47E-08
TRANCE	0.97	6.59E-11	TIMD4	0.95	9.36E-09	KIM-1	0.99	2.38E-14	CCL24	0.94	2.85E-08
MCP-2	0.97	1.05E-10	THBS4	0.94	1.10E-08	IL-18	0.98	3.44E-13	PON3	0.94	3.53E-08
CCL19	0.96	4.09E-10	IGLC2	0.94	2.73E-08	GIF	0.98	1.35E-12	TR	0.93	9.55E-08
IL-12B	0.96	1.30E-09	REG1A	0.94	3.16E-08	CTRC	0.98	2.26E-12	CCL22	0.92	1.88E-07
OPG	0.95	4.06E-09	CR2	0.94	3.88E-08	MMP-12	0.98	4.02E-12	t-PA	0.92	2.80E-07
PD-L1	0.95	4.80E-09	FCGR3B	0.93	5.93E-08	REN	0.97	1.18E-11	CPA1	0.92	5.11E-07
CXCL10	0.95	9.69E-09	PRSS2	0.93	7.84E-08	IL-1ra	0.97	1.28E-11	DLK-1	0.91	8.47E-07
IL-18R1	0.94	1.68E-08	ANGPTL3	0.93	1.56E-07	SCF	0.97	4.73E-11	CPB1	0.91	9.00E-07
Flt3L	0.93	7.43E-08	SAA4	0.93	1.61E-07	ADM	0.96	1.70E-10	TNFRSF10C	0.90	1.99E-06
uPA	0.93	8.58E-08	TNC	0.92	2.47E-07	ACE2	0.96	1.05E-09	CHI3L1	0.89	4.47E-06
CD6	0.93	1.38E-07	NRP1	0.92	2.75E-07	LPL	0.95	2.47E-09	CCL15	0.89	6.88E-06
SCF	0.93	1.45E-07	DPP4	0.92	5.55E-07	MMP-7	0.95	2.92E-09	MMP-3	0.89	7.27E-06
CCL23	0.92	2.06E-07	CRTAC1	0.90	2.52E-06	PRSS8	0.95	3.92E-09	TIMP4	0.88	1.43E-05
TNFB	0.92	2.87E-07	АРОМ	0.89	5.45E-06	XCL1	0.95	7.68E-09	LDL receptor	0.87	2.59E-05
TRAIL	0.91	6.72E-07	GP1BA	0.89	6.21E-06	VEGF-D	0.95	8.75E-09	SELE	0.87	3.29E-05
CD244	0.91	6.72E-07	LILRB2	0.89	7.09E-06	TNFRSF13B	0.94	1.13E-08	ST2	0.84	0.0002
CCL25	0.90	2.94E-06	FETUB	0.89	8.64E-06	HO-1	0.94	1.23E-08	IL-6RA	0.84	0.0002
OSM	0.87	2.65E-05	CDH1	0.88	1.36E-05	BMP-6	0.93	6.58E-08	CTSZ	0.83	0.0003
CCL11	0.87	3.92E-05	TIE1	0.88	1.95E-05	IgG Fc R II-b	0.93	7.84E-08	SHPS-1	0.81	0.0008
CST5	0.86	5.29E-05	NCAM1	0.87	2.06E-05	IL16	0.93	8.80E-08	CTSD	0.81	0.0009
CCL28	0.85	0.0001	TCN2	0.87	2.34E-05	RAGE	0.93	1.07E-07	CCL16	0.80	0.001
IL-10RB	0.85	0.0001	AOC3	0.87	3.12E-05	TIE2	0.93	1.26E-07	GDF-15	0.80	0.001
HGF	0.85	0.0001	VCAM1	0.85	0.0001	MERTK	0.92	3.06E-07	Gal-4	0.79	0.002
CCL4	0.84	0.0001	TGFBI	0.84	0.0002	TF	0.92	4.20E-07	CD93	0.79	0.002
TNFRSF9	0.84	0.0002	F7	0.84	0.0002	TRAIL-R2	0.92	4.51E-07	CD163	0.78	0.003
CSF-1	0.83	0.0003	C2	0.84	0.0002	IL27	0.92	4.63E-07	RARRES2	0.77	0.004
IL-8	0.83	0.0004	ANG	0.84	0.0002	Gal-9	0.91	6.07E-07	IL2-RA	0.75	0.007
MIP-1a	0.82	0.0005	SERPINA7	0.83	0.0004	IL1RL2	0.91	9.77E-07	RETN	0.75	0.008
CXCL11	0.79	0.002	OSMR	0.83	0.0004	AGRP	0.91	1.06E-06	BLM hydrol.	0.75	0.008
ADA	0.78	0.003	IGFBP6	0.82	0.0005	CTSL1	0.91	1.53E-06	МРО	0.74	0.009
TWEAK	0.78	0.003	ICAM3	0.81	0.0008	TNFRSF11A	0.90	2.86E-06	IL-17RA	0.73	0.01
MCP-4	0.78	0.003	PROC	0.81	0.0008	CD4	0.89	7.67E-06	TNF-R1	0.73	0.01
CD5	0.77	0.004	ICAM1	0.80	0.001	ТМ	0.88	1.09E-05	ICAM-2	0.73	0.01
CD40	0.77	0.004	QPCT	0.79	0.002	MARCO	0.88	1.12E-05	TLT-2	0.73	0.02
4E-BP1	0.76	0.006	PRCP	0.79	0.002	FS	0.88	1.15E-05	IL-18BP	0.72	0.02
LIF-R	0.76	0.007	IL7R	0.79	0.002	DCN	0.87	3.66E-05	IL-1RT2	0.72	0.02
DNER	0.75	0.007	C1QTNF1	0.78	0.003	SOD2	0.86	5.53E-05	PI3	0.71	0.02
IL-10	0.75	0.008	CHL1	0.78	0.003	CCL3	0.85	9.10E-05	PAI-1	0.71	0.02
MMP-1	0.73	0.01	SERPINA5	0.77	0.004	hOSCAR	0.84	0.0002	COL1A1	0.71	0.02
MCP-1	0.70	0.03	SPARCL1	0.77	0.004	PD-L2	0.83	0.0004	MEPE	0.71	0.02
TNFSF14	0.70	0.03	IGFBP3	0.76	0.005	THBS2	0.82	0.0005	TFPI	0.71	0.02
EN-RAGE	0.69	0.04	NID1	0.76	0.006	PlGF	0.82	0.0005	OPG	0.70	0.03
β-NGF	0.69	0.04	SELL	0.76	0.007	Protein BOC	0.82	0.0005	MB	0.69	0.04
VEGF-A	0.68	0.048	PCOLCE	0.75	0.008	PAR-1	0.81	0.0009	TR-AP	0.69	0.04
SLAMF1	0.65	ns	CST3	0.75	0.008	PRELP	0.77	0.004	PLC	0.64	ns
CXCL6	0.62	ns	CD59	0.74	0.01	AMBP	0.76	0.005	vWF	0.64	ns
LAP TGF-B-1	0.59	ns	GAS6	0.74	0.01	SORT1	0.76	0.006	MMP-9	0.63	ns
CXCL1	0.56	ns	CFHR5	0.73	0.01	VSIG2	0.76	0.006	CDH5	0.63	ns
Continued	1	I		1	I	1	1	I	1		
Jonningen											

Inflammation		Cardiometabolic			Cardiovascular II			Cardiovascular III			
Protein	r	H-B Adj. p value	Protein	r	H-B Adj. p value	Protein	r	H-B Adj. p value	Protein	r	H-B Adj. p value
CXCL5	0.56	ns	ST6GAL1	0.72	0.02	SPON2	0.73	0.01	PSP-D	0.63	ns
CX3CL1	0.55	ns	LILRB1	0.71	0.03	CCL17	0.73	0.01	uPA	0.62	ns
STAMPB	0.47	ns	F11	0.64	ns	CD84	0.70	0.03	GRN	0.62	ns
FGF-23	0.43	ns	CA4	0.62	ns	ТНРО	0.64	ns	ITGB2	0.62	ns
FGF-5	0.42	ns	TIMP1	0.62	ns	IDUA	0.64	ns	Gal-3	0.61	ns
CASP-8	0.25	ns	LCN2	0.62	ns	FGF-23	0.63	ns	AXL	0.60	ns
ST1A1	0.23	ns	PAM	0.56	ns	GLO1	0.63	ns	PGLYRP1	0.60	ns
IL-7	0.18	ns	VASN	0.54	ns	PSGL-1	0.61	ns	CSTB	0.59	ns
TGF-α	0.18	ns	KIT	0.52	ns	CXCL1	0.60	ns	PECAM-1	0.59	ns
ARTN	#	#	CNDP1	0.51	ns	PRSS27	0.53	ns	TNF-R2	0.58	ns
AXIN1	#	#	TNXB	0.51	ns	ANG-1	0.52	ns	U-PAR	0.58	ns
GDNF	#	#	ENG	0.50	ns	LOX-1	0.52	ns	TNFRSF14	0.58	ns
IL-10RA	#	#	MET	0.49	ns	ADAM-TS13	0.48	ns	CNTN1	0.56	ns
IL-15RA	#	#	GNLY	0.48	ns	TGM2	0.48	ns	Notch 3	0.53	ns
IL-17A	#	#	TGFBR3	0.48	ns	PTX3	0.48	ns	FAS	0.53	ns
IL-17C	#	#	CD46	0.47	ns	CEACAM8	0.44	ns	IGFBP-7	0.52	ns
IL-20RA	#	#	CA1	0.45	ns	GDF-2	0.42	ns	TNFSF13B	0.51	ns
IL-22RA1	#	#	PLXNB2	0.44	ns	CD40-L	0.39	ns	IL-1RT1	0.51	ns
IL-24	#	#	EFEMP1	0.43	ns	Dkk-1	0.36	ns	AP-N	0.51	ns
IL-2RB	#	#	CCL14	0.39	ns	HB-EGF	0.31	ns	SELP	0.50	ns
IL-4	#	#	CA3	0.38	ns	PDGF-B	0.31	ns	CXCL16	0.49	ns
IL-5	#	#	COL18A1	0.36	ns	SRC	0.26	ns	MMP-2	0.49	ns
IL-6	#	#	NOTCH1	0.35	ns	PIgR	0.24	ns	OPN	0.46	ns
LIF	#	#	PTPRS	0.32	ns	IL-17D	0.24	ns	PRTN3	0.44	ns
MCP-3	#	#	CCL5	0.22	ns	HSP 27	0.20	ns	LTBR	0.38	ns
NRTN	#	#	MFAP5	0.21	ns	BNP	#	#	SPON1	0.36	ns
NT3	#	#	MEGF9	0.11	ns	CA5A	#	#	MCP-1	0.34	ns
SIRT2	#	#	CES1	#	#	DECR1	#	#	ALCAM	0.28	ns
IFN-γ	nd	nd	DEFA1	#	#	GT	#	#	PCSK9	0.27	ns
IL-1α	nd	nd	FAP	#	#	IL-4RA	#	#	JAM-A	0.24	ns
IL-13	nd	nd	ITGAM	#	#	ITGB1BP2	#	#	CASP-3	0.20	ns
IL-2	nd	nd	LTBP2	#	#	NEMO	#	#	PDGF-A	0.16	ns
IL-20	nd	nd	PLA2G7	#	#	PAPPA	#	#	KLK6	0.15	ns
IL-33	nd	nd	PLTP	#	#	PARP-1	#	#	AZU1	0.10	ns
TNF	nd	nd	REG3A	#	#	SLAMF7	#	#	EGFR	-0.02	ns
TSLP	nd	nd	SOD1	#	#	STK4	#	#	EPHB4	#	#
BDNF	Ť	Ŧ	UMOD	#	#	TNFRSF10A	#	#	NT-Pro-BNP	#	#

Table 3. Correlations of protein concentrations in plasma versus serum in all subjects. Pearson correlations (r) between NPX values in plasma and serum samples from the total cohort (n = 22) are shown. p values were adjusted by the Holm-Bonferroni (H-B) multiple comparison test; ns, not significant (adj. p > 0.05). nd, not detected. [#]Excluded due to too many missing values. [‡], removed due to technical issue.

Redwood City, CA) for oxylipins and endocannabinoids, and an API 4000 QTRAP (Sciex) for ceramides. Analytes were quantified using internal standard methods and 7–9 point calibration curves of authentic standards.

Measurement of non-esterified fatty acids. Non-esterified fatty acids in plasma and serum were isolated and converted to fatty acid methyl esters (FAMEs) as previously reported⁴⁷. Briefly, plasma or serum aliquots (50μ l) were spiked with lipid class surrogates, mixed with 410μ l isopropanol, followed by 520μ l cyclohexane and 570μ l 0.1 M ammonium acetate. Samples were then centrifuged ($5 \min, 4 \,^{\circ}$ C, 15,000 g), the upper organic phase was collected, and the remainder was re-extracted with a second 520μ l cyclohexane aliquot. The samples were then dried by vacuum centrifugation and reconstituted in 100μ l toluene and 180μ l methanol. To prepare FAMEs, 280μ l of toluene/methanol extracts were enriched with 20μ l methanol containing 60μ M C15:1n5 and incubated with 45μ l 2 M TMS-diazomethane in hexane (Sigma-Aldrich, St. Louis MO) for 30 min at room temperature. Samples were dried under vacuum and the residue was dissolved in 100μ l hexane containing 4μ M C23:0, which acted as an internal standard. Samples were then stored at $-20 \,^{\circ}$ C until analysis.



Figure 2. Protein correlations in plasma versus serum. Pearson correlations (r) between normalized protein expression (NPX) values for proteins in plasma and serum samples. Each data point is from one individual (open triangles: obese; closed triangles: lean). p values were adjusted by the Holm-Bonferroni multiple comparison test.

FAMEs were separated on a $30 \text{ m} \times 0.25 \text{ mm} \times 0.25 \text{ µm}$ DB-225 ms column in a 6890 gas chromatogram interfaced with a 5973A mass selective detector (Agilent Technologies, Santa Clara, CA). All fatty acids were quantified against a 7-point calibration curves of authentic standards. Peak identifications were based on retention times and m/z ratios, with peak confirmation by inspection of simultaneously acquired full scan spectra collected from 50–400 m/z. Calibrants and internal standards were purchased from NuchekPrep (Elysian, MN), Sigma-Aldrich, or Avanti Polar Lipids. Data were quantified using Chemstation vE.02.14 (Agilent Technologies) against 6–8 point calibration curves.



Figure 3. Oxylipins in plasma versus serum, and in lean versus obese groups. Heatmaps showing lipids that exhibited significantly different concentrations in plasma versus serum in (**a**) lean subjects (n = 11) and (**b**) obese subjects (n = 11) after adjustment for multiple comparisons using the false discovery rate (FDR) test at adj. p < 0.05. Lipids that are significantly different in only one of the groups (lean or obese) are marked in bold. Relative lipid concentrations are reported as z-scores. (**c**) Lipids that showed significantly different concentrations between the obese and lean groups in plasma and/or serum after FDR adjustment.

Statistical analysis. Data are reported for proteins and lipids that had <30% missing values in: (1) at least one of the four groups (lean plasma, lean serum, obese plasma, obese serum) for the comparative analyses or (2) all of the four groups for the plasma-serum correlations.

Statistical analysis of the protein multiplex data was done in the R environment (version 3.5.1) using packages gplots (3.0.1) and gdata (2.18.0)⁵⁰. For the proteins reported, missing values were replaced with limit of detection (LOD) values. Hierarchical clustering with Pearson correlation distance and complete linkage confirmed that the dataset did not include outliers. Concentrations of proteins are reported as normalized protein expression (NPX) values, an arbitrary unit on a log₂ scale. Heatmaps were generated using hierarchical clustering based on correlation distance and Ward's (ward.D2) clustering. Comparisons of protein levels using Student's t-test were paired when comparing individual donor plasma versus serum values and unpaired when comparing the lean versus obese groups; p values were adjusted for multiple comparisons using either the stringent Holm-Bonferroni test or the commonly used false discovery rate (FDR) test as indicated (adjusted p values < 0.05 were considered significant). Pearson coefficient of correlation (r) values were calculated and p values were adjusted by the Holm-Bonferroni multiple comparison test.

The pathway enrichment analysis for proteins was done using Metascape⁵¹. Briefly, Gene IDs corresponding to significantly altered proteins were analysed, using the 325 unique proteins that survived the cut-off criteria as

Lipid	r	H-B Adj. p value
9,10-DiHOME	0.99	1.78E-18
9,10-DiHODE	0.99	9.18E-18
13-HODE	0.99	2.59E-15
12,13-DiHOME	0.99	3.83E-15
15,16-DiHODE	0.98	4.77E-13
19,20-DiHDoPA	0.97	1.26E-12
9-HOTE	0.97	3.93E-12
9-HODE	0.97	1.18E-11
13-HOTE	0.96	1.48E-10
12(13)-EpOME	0.96	2.04E-10
15(16)-EpODE	0.94	7.71E-09
DHA	0.93	1.60E-08
C16:1n7	0.93	3.84E-08
EPA	0.90	5.81E-07
C18:2n6	0.90	6.28E-07
C14:0	0.89	1.40E-06
AA	0.89	1.83E-06
C18:1n9	0.89	2.17E-06
C12:0	0.88	2.80E-06
DHEA	0.88	2.94E-06
C18:1n7	0.87	5.36E-06
ALA	0.87	7.22E-06
C14 Ceramide	0.87	8.78E-06
C18:3n3	0.85	2.07E-05
C20:5n3	0.84	4.24E-05
PGF2a	0.84	4.75E-05
LEA	0.84	5.45E-05
NA-Glv	0.83	9.19E-05
aLEA	0.83	9.19E-05
LA	0.82	0.0001
C16 Ceramide	0.82	0.0001
C24 dihvdroceramide	0.81	0.0002
AEA	0.79	0.0005
1/2-LG	0.78	0.0008
17.18-DiHETE	0.75	0.002
C18:1 Ceramide	0.75	0.002
C24 Ceramide	0.75	0.002
C15:0	0.75	0.002
9(10)-EpOME	0.72	0.005
C18 Ceramide	0.71	0.007
1/2-AG	0.70	0.01
C17:0	0.68	0.01
11,12-DiHETrE	0.67	0.02
C16:0	0.67	0.02
4-HDoHE	0.66	0.02
C20 Ceramide	0.64	0.04
1/2-OG	0.64	0.04
C16:1n7t	0.59	ns
14.15-DiHETrE	0.59	ns
Dihomo GLA EA	0.56	ns
C20:1n9	0.55	ns
C20.2n6	0.54	ns
5-HFTF	0.53	ns
12(13)-En-9.KODE	0.55	ne
5-HEDE	0.50	ne
DFA	0.30	ne
	0.47	115
Continued		

Lipid	r	H-B Adj. p value
TXB2	0.45	ns
9c	0.44	ns
15-HETE	0.39	ns
OEA	0.37	ns
18:1 Sphingosine	0.32	ns
12-HEPE	0.31	ns
5,6-DiHETrE	0.27	ns
C20:4n6	0.25	ns
C20:3n6	0.19	ns
9,10-e-DiHO	0.13	ns
C18:0	0.12	ns
11-HETE	0.10	ns
12-HETE	0.08	ns
NO-Gly	0.04	ns
C20:0	0.04	ns
9-KODE	0.01	ns
9,10-ЕрО	-0.27	ns
C22:4n6	#	#
C22:5n3	#	#
14-HDoHE	#	#

Table 4. Correlations of lipid concentrations in plasma versus serum in all subjects. Pearson correlations (r) between lipid concentrations in plasma and serum samples from the total cohort (n = 22) are shown. p values were adjusted by the Holm-Bonferroni (H-B) multiple comparison test; ns, not significant (adj. p > 0.05). *Excluded due to too many missing values.

the background list. A Gene Ontology category was deemed significantly enriched if the p value was lower than 0.01 and displayed a minimum enrichment of 1.5.

Statistical analysis of the lipidomics data was done in MetaboAnalyst⁵². For the lipids reported, missing values were replaced with half of the lowest reported value. Fatty acid data normalization was optimized in Jmp Pro v 12.0 and confirmed using the Shapiro-Wilk normality test. For statistical analysis, data points underwent log transformation and pareto scaling. Heatmaps were generated using hierarchical clustering based on Euclidean's method of distance calculation and Ward's clustering. Unadjusted p values were adjusted using FDR (adjusted p values < 0.05 were considered significant).

Data availability

Protocols used to generate the findings of this study are available from the corresponding author upon request. In accordance with Swedish ethical regulations and GDPR, primary data from human subjects cannot be made publically available.

Received: 15 March 2019; Accepted: 2 October 2019; Published online: 28 October 2019

References

- NCD Risk Factor Collaboration. Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: A pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. *Lancet* 390, 2627–2642, https://doi.org/10.1016/S0140-6736(17)32129-3 (2017).
- Borgeson, E. & Sharma, K. Obesity, immunomodulation and chronic kidney disease. Curr Opin Pharmacol 13, 618–624, https://doi. org/10.1016/j.coph.2013.05.011 (2013).
- Saltiel, A. R. & Olefsky, J. M. Inflammatory mechanisms linking obesity and metabolic disease. J Clin Invest 127, 1–4, https://doi. org/10.1172/JCI92035 (2017).
- Spite, M., Claria, J. & Serhan, C. N. Resolvins, specialized proresolving lipid mediators, and their potential roles in metabolic diseases. Cell Metab 19, 21–36, https://doi.org/10.1016/j.cmet.2013.10.006 (2014).
- Cominetti, O. et al. Obesity shows preserved plasma proteome in large independent clinical cohorts. Sci Rep 8, 16981, https://doi. org/10.1038/s41598-018-35321-7 (2018).
- Kraus, V. B. Biomarkers as drug development tools: Discovery, validation, qualification and use. Nat Rev Rheumatol 14, 354–362, https://doi.org/10.1038/s41584-018-0005-9 (2018).
- World Health Organization. Use of anticoagulants in diagnostic laboratory investigations in Diagnostic Imaging and Laboratory Technology. https://apps.who.int/iris/handle/10665/65957 (2002).
- Henno, L. T. *et al.* Effect of of the anticoagulant, storage time and temperature of blood samples on the concentrations of 27 multiplex assayed cytokines - Consequences for defining reference values in healthy humans. *Cytokine* 97, 86–95, https://doi.org/10.1016/j. cyto.2017.05.014 (2017).
- Lima-Oliveira, G., Monneret, D., Guerber, F. & Guidi, G. C. Sample management for clinical biochemistry assays: Are serum and plasma interchangeable specimens? Crit Rev Clin Lab Sci, 1–21, https://doi.org/10.1080/10408363.2018.1499708 (2018).
- Bruserud, O. Bidirectional crosstalk between platelets and monocytes initiated by Toll-like receptor: An important step in the early defense against fungal infections? *Platelets* 24, 85–97, https://doi.org/10.3109/09537104.2012.678426 (2013).

- Brogren, H. et al. Platelets synthesize large amounts of active plasminogen activator inhibitor 1. Blood 104, 3943–3948, https://doi.org/10.1182/blood-2004-04-1439 (2004).
- Thomas, M. R. & Storey, R. F. The role of platelets in inflammation. *Thromb Haemostasis* 114, 449–458, https://doi.org/10.1160/ Th14-12-1067 (2015).
- 13. Alsaif, M. et al. Analysis of serum and plasma identifies differences in molecular coverage, measurement variability, and candidate biomarker selection. Proteom Clin Appl 6, 297–303, https://doi.org/10.1002/prca.201100061 (2012).
- 14. Siegbahn, A., Eriksson, N., Lindbäck, J. & Wallentin, L. A comparison of the proximity extension assay with established immunoassays in Advancing precision medicine: Current and future proteogenomic strategies for biomarker discovery and development. (Science/AAAS, Washington, DC), 22–25 (2017).
- 15. Lundblad, R. L. Considerations for the use of blood plasma and serum for proteomic analysis. *Internet J Genomics Proteomics* 1, (2004).
- Tammen, H. Specimens collection of and handling: Standardization of blood sample collection. *Methods Mol Biol (Clifton, N.J.)* 428, 35–42, https://doi.org/10.1007/978-1-59745-117-8_2 (2008).
- Yun, S. H., Sim, E. H., Goh, R. Y., Park, J. I. & Han, J. Y. Platelet activation: The mechanisms and potential biomarkers. *Biomed Res Int* 2016, 9060143, https://doi.org/10.1155/2016/9060143 (2016).
- Naldini, A., Sower, L., Bocci, V., Meyers, B. & Carney, D. H. Thrombin receptor expression and responsiveness of human monocytic cells to thrombin is linked to interferon-induced cellular differentiation. J Cell Physiol 177, 76–84, doi:10.1002/(SICI)1097-4652(199810)177:1<76::AID-JCP8>3.0.CO;2-B (1998).
- Naldini, A., Carney, D. H., Pucci, A., Pasquali, A. & Carraro, F. Thrombin regulates the expression of proangiogenic cytokines via proteolytic activation of protease-activated receptor-1. *Gen Pharmacol* 35, 255–259, https://doi.org/10.1016/s0306-3623(01)00113-6 (2000).
- Berlin, G., Hammar, M., Tapper, L. & Tynngard, N. Effects of age, gender and menstrual cycle on platelet function assessed by impedance aggregometry. *Platelets* 30, 473–479, https://doi.org/10.1080/09537104.2018.1466387 (2019).
- Aldrighi, J. M. et al. Platelet activation status decreases after menopause. Gynecol Endocrinol 20, 249–257, https://doi. org/10.1080/09513590500097549 (2005).
- Roshan, T. M., Normah, J., Rehman, A. & Naing, L. Effect of menopause on platelet activation markers determined by flow cytometry. Am J Hematol 80, 257–261, https://doi.org/10.1002/ajh.20472 (2005).
- Markham, S. M., Dubin, N. H. & Rock, J. A. The effect of the menstrual cycle and of decompression stress on arachidonic acidinduced platelet aggregation and on intrinsic platelet thromboxane production in women compared with men. Am J Obstet Gynecol 165, 1821–1829, https://doi.org/10.1016/0002-9378(91)90039-t (1991).
- Melamed, N. et al. The effect of menstrual cycle on platelet aggregation in reproductive-age women. Platelets 21, 343–347, https:// doi.org/10.3109/09537101003770595 (2010).
- Robb, A. O. *et al.* The influence of the menstrual cycle, normal pregnancy and pre-eclampsia on platelet activation. *Thromb Haemost* 103, 372–378, https://doi.org/10.1160/TH08-12-0780 (2010).
- 26. Vidyasagar, A., Wilson, N. A. & Djamali, A. Heat shock protein 27 (HSP27): Biomarker of disease and therapeutic target. Fibrogenesis Tissue Repair 5, 7, https://doi.org/10.1186/1755-1536-5-7 (2012).
- Ge, H., He, X., Guo, L. & Yang, X. Clinicopathological significance of HSP27 in gastric cancer: A meta-analysis. Onco Targets Ther 10, 4543–4551, https://doi.org/10.2147/OTT.S146590 (2017).
- Zimmermann, M. et al. In vitro stability of heat shock protein 27 in serum and plasma under different pre-analytical conditions: Implications for large-scale clinical studies. Ann Lab Med 36, 353–357, https://doi.org/10.3343/alm.2016.36.4.353 (2016).
- Davie, E. W. & Kulman, J. D. An overview of the structure and function of thrombin. Semin Thromb Hemost 32(Suppl 1), 3–15, https://doi.org/10.1055/s-2006-939550 (2006).
- Yang, L., Li, Y., Bhattacharya, A. & Zhang, Y. S. A plasma proteolysis pathway comprising blood coagulation proteases. *Oncotarget* 7, 40919–40938, https://doi.org/10.18632/oncotarget.7261 (2016).
- Weyrich, A. S. *et al.* Signal-dependent translation of a regulatory protein, Bcl-3, in activated human platelets. *P Natl Acad Sci USA* 95, 5556–5561, https://doi.org/10.1073/pnas.95.10.5556 (1998).
- Elia, A., Constantinou, C. & Clemens, M. J. Effects of protein phosphorylation on ubiquitination and stability of the translational inhibitor protein 4E-BP1. Oncogene 27, 811–822, https://doi.org/10.1038/sj.onc.1210678 (2008).
- Yu, Z. et al. Differences between human plasma and serum metabolite profiles. PloS One 6, e21230, https://doi.org/10.1371/journal. pone.0021230 (2011).
- Furuncuoglu, Y. et al. How obesity affects the neutrophil/lymphocyte and platelet/lymphocyte ratio, systemic immune-inflammatory index and platelet indices: A retrospective study. Eur Rev Med Pharmacol Sci 20, 1300–1306 (2016).
- Santilli, F., Vazzana, N., Liani, R., Guagnano, M. T. & Davi, G. Platelet activation in obesity and metabolic syndrome. Obes Rev 13, 27–42, https://doi.org/10.1111/j.1467-789X.2011.00930.x (2012).
- Yarmolinsky, J. et al. Plasminogen activator inhibitor-1 and type 2 diabetes: A systematic review and meta-analysis of observational studies. Sci Rep 6, 17714, https://doi.org/10.1038/srep17714 (2016).
- Somodi, S. et al. Plasminogen activator inhibitor-1 level correlates with lipoprotein subfractions in obese nondiabetic subjects. Int J Endocrinol 2018, 9596054, https://doi.org/10.1155/2018/9596054 (2018).
- Polat, S. B. et al. Evaluation of serum fibrinogen, plasminogen, alpha2-anti-plasmin, and plasminogen activator inhibitor levels (PAI) and their correlation with presence of retinopathy in patients with type 1 DM. J Diabetes Res 2014, 317292, https://doi. org/10.1155/2014/317292 (2014).
- 39. Mullard, A. Nine paths to PCSK9 inhibition. Nat Rev Drug Discov 16, 299-301, https://doi.org/10.1038/nrd.2017.83 (2017).
- Harper, A. R., Nayee, S. & Topol, E. J. Protective alleles and modifier variants in human health and disease. Nat Rev Genet 16, 689–701, https://doi.org/10.1038/nrg4017 (2015).
- Lakoski, S. G., Lagace, T. A., Cohen, J. C., Horton, J. D. & Hobbs, H. H. Genetic and metabolic determinants of plasma PCSK9 levels. J Clin Endocrinol Metab 94, 2537–2543, https://doi.org/10.1210/jc.2009-0141 (2009).
- Cariou, B. et al. Plasma PCSK9 concentrations during an oral fat load and after short term high-fat, high-fat high-protein and high-fructose diets. Nutr Metab 10, 4, https://doi.org/10.1186/1743-7075-10-4 (2013).
- 43. Taylor, B. A. *et al.* Serum PCSK9 levels distinguish individuals who do not respond to high-dose statin therapy with the expected reduction in LDL-C. *J Lipids* **2014**, 140723, https://doi.org/10.1155/2014/140723 (2014).
- 44. Eisenga, M. F. *et al.* High serum PCSK9 is associated with increased risk of new-onset diabetes after transplantation in renal transplant recipients. *Diabetes Care* **40**, 894–901, https://doi.org/10.2337/dc16-2258 (2017).
- Beker, B. M., Corleto, M. G., Fieiras, C. & Musso, C. G. Novel acute kidney injury biomarkers: Their characteristics, utility and concerns. *Int Urol Nephrol* 50, 705–713, https://doi.org/10.1007/s11255-017-1781-x (2018).
- 46. Taub, P. R., Borden, K. C., Fard, A. & Maisel, A. Role of biomarkers in the diagnosis and prognosis of acute kidney injury in patients with cardiorenal syndrome. *Expert Rev Cardiovasc Ther* 10, 657–667, https://doi.org/10.1586/erc.12.26 (2012).
- Pedersen, T. L. & Newman, J. W. Establishing and performing targeted multi-residue analysis for lipid mediators and fatty acids in small clinical plasma samples. *Methods Mol Biol (Clifton, N. J.)* 1730, 175–212, https://doi.org/10.1007/978-1-4939-7592-1_13 (2018).

- Bielawski, J., Szulc, Z. M., Hannun, Y. A. & Bielawska, A. Simultaneous quantitative analysis of bioactive sphingolipids by highperformance liquid chromatography-tandem mass spectrometry. *Methods* 39, 82–91, https://doi.org/10.1016/j.ymeth.2006.05.004 (2006).
- Midtbo, L. K. *et al.* Intake of farmed Atlantic salmon fed soybean oil increases hepatic levels of arachidonic acid-derived oxylipins and ceramides in mice. *J Nutr Biochem* 26, 585–595, https://doi.org/10.1016/j.jnutbio.2014.12.005 (2015).
- R Core Team. R: A language and environment for statistical computing. R Foundation for Statistical Computing, http://www.R-project.org/ (2013).
- Tripathi, Š. et al. Meta- and orthogonal integration of influenza "OMICs" data defines a role for UBR4 in virus budding. Cell Host Microbe 18, 723–735, https://doi.org/10.1016/j.chom.2015.11.002 (2015).
- Chong, J. & Xia, J. MetaboAnalystR: An R package for flexible and reproducible analysis of metabolomics data. *Bioinformatics* 34, 4313–4314, https://doi.org/10.1093/bioinformatics/bty528 (2018).

Acknowledgements

Scientific input and technical support is acknowledged from the SciLifeLab, Uppsala, Sweden. The Börgeson laboratory is supported by the Wallenberg Centre for Molecular & Translational Medicine at University of Gothenburg and Knut & Alice Wallenberg Foundation, the Swedish Research Council (#2016/82), the Swedish Society for Medical Research (#S150086), Åke Wiberg's Foundation (#M15-0058), and an ERC Starting Grant (#804418). Metabolomic analyses were supported by a NIH West Coast Metabolomics Center Pilot and Feasibility study to S.L. and E.B. funded through National Institutes of Health Grant U24 DK097154, NIH U2C 030158 and NIH U24 DK097154 (O.F.). Additional support was provided by USDA Intramural project #2032-51530-022-00D (J.W.N.). The USDA is an equal opportunity provider, and employer. S.L. is supported by grants from the NIH/ NHLBI and the Swedish Heart Lung Foundation (HL128457, HL107744; Project Number: 20180199).

Author contributions

E.B., V.W. and S.L. conceived and designed the project, in consultation with O.F. and J.W.N. regarding metabolomic considerations. M.R., M.S., C.B., V.W. and E.B. collected samples. M.R., M.S., F.B., T.S., K.B. performed experiments and statistical analysis of the data. R.P., M.R. and E.B. wrote the paper. M.R., M.S., F.B., T.S., K.B., N.J.A., C.B., T.L.L., S.R., M.S., P.L., O.F., J.W.N., R.P., V.W., S.L. and E.B. analyzed and interpreted the data and commented on the manuscript. E.B. supervised this work.

Competing interests

The authors declare no competing interests.

Additional information

Supplementary information is available for this paper at https://doi.org/10.1038/s41598-019-51673-0.

Correspondence and requests for materials should be addressed to E.B.

Reprints and permissions information is available at www.nature.com/reprints.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/.

© The Author(s) 2019