

## Reliable Statistics: COVID-19 Infection Control or Alarm

Dear Editor,

The coronavirus disease (COVID-19) epidemic began in December 2019 and announced its global eruption in March 2020, affecting the whole world for more than two years, and now on February 25, 2022, according to reports from the World Health Organization (WHO) more than 430 million people have been diagnosed with the disease and more than 5 million have died worldwide.<sup>[1]</sup> This tsunami of death continues the growing trend of disease and death, and with the spread of the Omicron strain, the speed of this tsunami has multiplied.<sup>[2]</sup>

While the mortality and morbidity of COVID-19 and its various strains, especially Omicron, is increasing in the world, and the World Health Organization recommends the use of appropriate masks, avoiding being in crowded spaces and finally vaccination, there is still an unanswered question! What is the use of the statistics, charts and diagrams, confirmed cases, and mortality of COVID-19 in the world provided by the WHO and different countries according to their population? Is it just a statement of the situation that we can look at to see if the situation is dangerous or safe? Are the reported statistics used for fear and panic in the society that policymakers use to announce the state of danger and warn the society?

Should we not use these statistics and their analysis to effectively control, diagnose, and treat this disease? At the beginning of the COVID-19 outbreak, due to the confusion of the international community and its unknown, we could not understand what gender, age group, and races were most at risk and how to deal with the disease, but after more than two years have passed and with the recognition of the disease, the presence of extensive articles and various statistics, there is still considerable confusion in the control of this disease in communities, and every once in a while, only the status of the disease is reported by presenting statistics, and the use of extensive statistics on this disease has only taken on the aspect of warning. We now know that Europe and the Americas are the most affected with 174 and 145 million approved cases, respectively, and the United States, India, and Brazil were the most involved countries, with 77, 42, and 28 million confirmed, respectively.<sup>[1]</sup>

Also, while extensive age, sex, and race statistics are available to different countries by year, month, and week, such a situation and such estimates show that reliable and accurate statistics can guide policymakers in identifying at-risk as well as high-risk groups, and in addition to directing human and financial resources to help diagnose

and treat patients, make it virtually possible to control infections in countries and eventually the world.

### Authors' contributions

MM and MRB contributed to the design, and prepared the manuscript.

### Financial support and sponsorship

Nil.

### Conflicts of interest

There are no conflicts of interest.

**Masoud Mohammadi,  
Mohammad-Rafi Bazrafshan<sup>1</sup>**

*Cellular and Molecular Research Center, Gerash University of Medical Sciences, Gerash, Iran, <sup>1</sup>Department of Nursing, School of Nursing, Larestan University of Medical Sciences, Larestan, Iran*

### Address for correspondence:

*Mr. Masoud Mohammadi,  
Cellular and Molecular Research Center, Gerash University of Medical Sciences, Gerash, Iran.  
E-mail: masoud.mohammadi1989@yahoo.com*

**Received:** 10 Mar 22 **Accepted:** 28 Apr 22

**Published:** 30 Oct 23

### References

1. World Health Organization. WHO Coronavirus Disease (COVID-19) Dashboard. Available from: <https://covid19.who.int/>. [Last accessed on 2022 Feb 23].
2. Araf Y, Akter F, Tang YD, Fatemi R, Alam Parvez MS, Zheng CH, *et al.* Omicron variant of SARS-CoV-2: Genomics, transmissibility, and responses to current COVID-19 vaccines. *J Med Virol* 2022;94:1825-32.

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

| Access this article online  |   |
|---|---|
| <b>Quick Response Code:</b><br> | <b>Website:</b><br><a href="http://www.ijpvmjournal.net/www.ijpvm.ir">www.ijpvmjournal.net/www.ijpvm.ir</a> |
|   | <b>DOI:</b><br>10.4103/ijpvm.ijpvm_80_22  |

**How to cite this article:** Mohammadi M, Bazrafshan MR. Reliable statistics: COVID-19 infection control or alarm. *Int J Prev Med* 2023;14:118.

© 2023 International Journal of Preventive Medicine | Published by Wolters Kluwer - Medknow