

Supplementary Online Content

Greenhall GHB, Rous BA, Robb ML, et al. Organ transplants from deceased donors with primary brain tumors and risk of cancer transmission. *JAMA Surg*. Published online March 22, 2023. doi:10.1001/jamasurg.2022.8419

eTable 1. *ICD-10* Site Codes Used to Identify Deceased Donors With Primary Brain Tumors in English and Scottish Cancer Registries

eTable 2. *ICD-O* Morphology Codes in Deceased Donors With Brain Tumors Requiring Manual Review

eTable 3. *OPCS-4* Codes to Identify Neurosurgical Procedures in Deceased Donors With Brain Tumors

eTable 4. Full Details of Brain Tumors in Deceased Donors

eTable 5. Treatment History in Deceased Donors With Brain Tumors

eTable 6. Recipient Characteristics According to Donor Type

eTable 7. Characteristics of Utilized and Nonutilized Deceased Donors With Brain Tumors

eFigure 1. Data Linkage Process

eFigure 2. Patient Survival in Transplants From Deceased Donors With Brain Tumors and Matched Controls

eFigure 3. Graft Survival in Transplants From Deceased Donors With Brain Tumors and Matched Controls

eReferences

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable 1. ICD-10 Site Codes Used to Identify Deceased Donors With Primary Brain Tumors in English and Scottish Cancer Registries

| Code | Description |
|-------|--|
| C70 | Malignant neoplasm of meninges* |
| C70.0 | Malignant neoplasm: Cerebral meninges |
| C70.9 | Malignant neoplasm: Meninges, unspecified* |
| C71.X | Malignant neoplasm of brain (unspecified)* |
| C71 | Malignant neoplasm of brain (all subgroups) |
| C72.X | Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system* |
| C72.8 | Malignant neoplasm: Overlapping lesion of brain and other parts of central nervous system* |
| C72.9 | Malignant neoplasm: Central nervous system, unspecified* |
| C75.2 | Malignant neoplasm: Craniopharyngeal duct |
| C75.3 | Malignant neoplasm: Pineal gland |
| D32.X | Benign neoplasm of meninges* |
| D32.0 | Benign neoplasm: Cerebral meninges |
| D32.9 | Benign neoplasm: Meninges, unspecified* |
| D33.X | Benign neoplasm of brain and other parts of central nervous system* |
| D33.0 | Benign neoplasm: Brain, supratentorial |
| D33.1 | Benign neoplasm: Brain, infratentorial |
| D33.2 | Benign neoplasm: Brain, unspecified |
| D33.7 | Benign neoplasm: Other specified parts of central nervous system* |
| D33.9 | Benign neoplasm: Central nervous system, unspecified* |
| D35.3 | Benign neoplasm: Craniopharyngeal duct |
| D35.4 | Benign neoplasm: Pineal gland |
| D42.X | Neoplasm of uncertain or unknown behaviour of meninges* |
| D42.0 | Neoplasm of uncertain or unknown behaviour: Cerebral meninges |
| D42.9 | Neoplasm of uncertain or unknown behaviour: Meninges, unspecified* |
| D43.X | Neoplasm of uncertain or unknown behaviour of brain and central nervous system* |

| | |
|--|--|
| D43.0 | Neoplasm of uncertain or unknown behaviour: Brain, supratentorial |
| D43.1 | Neoplasm of uncertain or unknown behaviour: Brain, infratentorial |
| D43.2 | Neoplasm of uncertain or unknown behaviour: Brain, unspecified |
| D43.7 | Neoplasm of uncertain or unknown behaviour: Other parts of central nervous system* |
| D43.9 | Neoplasm of uncertain or unknown behaviour: Central nervous system, unspecified* |
| D44.4 | Neoplasm of uncertain or unknown behaviour: Craniopharyngeal duct |
| D44.5 | Neoplasm of uncertain or unknown behaviour: Pineal gland |
| C80 | Malignant neoplasm without specification of site (all subtypes)* |
| XXX | [site code missing]* |
| "X" signifies missing character (i.e., unknown subtype) * Manual review to confirm site ICD-10, International classification of diseases (10 th revision, 2016 edition) | |

eTable 2. ICD-O Morphology Codes in Deceased Donors With Brain Tumors Requiring Manual Review

| Code | Description(s) | Possible grades | Reason for review | Application of term (when data incomplete) |
|--|---|-----------------|--|---|
| 8000/0 | Neoplasm, benign | Any | | Used for tumours described as "benign", without type (e.g., "brain tumour, appears benign") |
| 8000/1 | Neoplasm, uncertain whether benign or malignant | Any | | Used for tumours without behaviour or type described (e.g., "primary brain tumour, could be low or high grade") |
| 8000/3 | Neoplasm, malignant | Any | | Used for tumours described as "malignant / high grade / aggressive", without type |
| 8001/0 | Tumor cells, benign | Any | | Recoded as "Neoplasm....", used as above |
| 8001/1 | Tumor cells, uncertain whether benign or malignant | Any | | |
| 8001/3 | Tumor cells, malignant | Any | | |
| 8010/3 | Carcinoma, NOS | Any | | |
| 9362/3 | Pineoblastoma, Pineal parenchymal tumor of intermediate differentiation | II, III, IV | | |
| 9380/3 | Glioma, malignant | Any | | Used for tumours described as "high grade / aggressive glioma" without definitive histology, or "gliomatosis" |
| 9380/3 | Glioma, NOS | Any | | Used for tumours described as "low / unknown grade glioma", without definitive histology |
| 9382/3 | Oligoastrocytoma NOS, Anaplastic oligoastrocytoma | II or III | | |
| 9395/3 | Papillary tumor of pineal region | II or III | | |
| 9400/3 | Astrocytoma, NOS | Any | If grade not II | Used for tumours described as “astrocytoma” of any grade/behaviour, without definitive histology |
| 9505/1 | Ganglioglioma, NOS | I | Change in coding for neuroglial cell tumours | |
| 9505/3 | Ganglioglioma, anaplastic | III | | |
| 9506/1 | Central neurocytoma | II | | |
| 9540/0 | Neurofibroma, NOS | I | Inconsistent with ICD-10 site code for brain | [exclude if confirmed cranial / paraspinal nerve tumours] |
| 9540/3 | Malignant peripheral nerve sheath tumor [multiple subtypes] | II, III or IV | | |
| 9550/0 | Plexiform neurofibroma | I | | |
| 9560/0 | Schwannoma, NOS | I | | |
| 9560/1 | Melanotic schwannoma | I | | |
| 9560/3 | Neurilemoma, malignant | I | | |
| 9571/0 | Perineurioma, NOS | I, II or III | | |
| 9571/3 | Perineurioma, malignant | I, II or III | | |
| For all tumours with generic histology codes, cancer registry histology kept unless more definitive information available in UKTR ICD-O, International classification of diseases for oncology (version 3.2) | | | | |

eTable 3. OPCS-4 Codes to Identify Neurosurgical Procedures in Deceased Donors With Brain Tumors

| Codes for any neurosurgical procedure (all subtypes included) | |
|--|--|
| A01 | Major excision of tissue of brain |
| A02 | Excision of lesion of tissue of brain |
| A03 | Stereotactic ablation of tissue of brain |
| A04 | Open biopsy of lesion of tissue of brain |
| A05 | Drainage of lesion of tissue of brain |
| A06 | Other excision of lesion of tissue of brain |
| A07 | Other open operations on tissue of brain |
| A08 | Other biopsy of lesion of tissue of brain |
| A09 | Neurostimulation of brain |
| A10 | Other operations on tissue of brain |
| A11 | Operations on tissue of brain |
| A12 | Creation of connection from ventricle of brain |
| A13 | Attention to component of connection from ventricle of brain |
| A14 | Other operations on connection from ventricle of brain |
| A16 | Other open operations on ventricle of brain |
| A17 | Therapeutic endoscopic operations on ventricle of brain |
| A18 | Diagnostic endoscopic examination of ventricle of brain |
| A20 | Other operations on ventricle of brain |
| A22 | Operations on subarachnoid space of brain |
| A38 | Extirpation of lesion of meninges of brain |
| A39 | Repair of dura |
| A40 | Drainage of extradural space |
| A41 | Drainage of subdural space |
| A42 | Other operations on meninges of brain |
| A43 | Other extirpation of lesion of meninges of brain |
| V01 | Plastic repair of cranium |
| V02 | Other plastic repair of cranium |
| V03 | Opening of cranium |
| V04 | Reshaping of cranium |
| V05 | Other operations on cranium |
| Y46 | Open approach to contents of cranium |
| Y47 | Burrhole approach to contents of cranium |
| Codes for tumour resection | |
| A012 | Total lobectomy of brain |
| A013 | Partial lobectomy of brain |
| A018 | Other specified major excision of tissue of brain |
| A019 | Unspecified major excision of tissue of brain |
| A021 | Excision of lesion of tissue of frontal lobe of brain |
| A022 | Excision of lesion of tissue of temporal lobe of brain |
| A023 | Excision of lesion of tissue of parietal lobe of brain |
| A024 | Excision of lesion of tissue of occipital lobe of brain |
| A025 | Excision of lesion of tissue of cerebellum |
| A026 | Excision of lesion of tissue of brain stem |

| | |
|--------------------------------|---|
| A027 | Excision of transcranial dermoid cyst |
| A028 | Other specified excision of lesion of tissue of brain |
| A029 | Unspecified excision of lesion of tissue of brain |
| A068 | Other specified other excision of lesion of tissue of brain |
| A069 | Unspecified other excision of lesion of tissue of brain |
| A171 | Endoscopic extirpation of lesion of ventricle of brain |
| A381 | Extirpation of lesion of meninges of cortex of brain |
| A382 | Extirpation of lesion of meninges of sphenoidal ridge of cranium |
| A383 | Extirpation of lesion of meninges of subfrontal region of brain |
| A384 | Extirpation of lesion of meninges of parasagittal region of brain |
| A385 | Extirpation of lesion of falx cerebri |
| A386 | Extirpation of lesion of tentorium cerebelli |
| A388 | Other specified extirpation of lesion of meninges of brain |
| A389 | Unspecified extirpation of lesion of meninges of brain |
| A431 | Extirpation of lesion of meninges of skull base |
| A432 | Extirpation of lesion of meninges of skull clivus |
| A438 | Other specified other extirpation of lesion of meninges of brain |
| A439 | Unspecified other extirpation of lesion of meninges of brain |
| V051 | Extirpation of lesion of cranium |
| V052 | <i>Biopsy of lesion of cranium</i> |
| X532 | <i>Excision of lesion of unspecified organ</i> |
| X533 | <i>Destruction of lesion of unspecified organ</i> |
| X538 | <i>Other specified extirpation of unspecified organ</i> |
| X539 | <i>Unspecified extirpation of unspecified organ</i> |
| Y065 | <i>Gamma wave excision of lesion of organ NOC</i> |
| Y066 | <i>Vacuum excision of lesion of organ NOC</i> |
| Y067 | <i>Radiofrequency excision of lesion of organ NOC</i> |
| Y068 | <i>Other specified excision of lesion of organ NOC</i> |
| Y069 | <i>Unspecified excision of lesion of organ NOC</i> |
| Codes for tumour biopsy | |
| A041 | Open biopsy of lesion of tissue of frontal lobe of brain |
| A042 | Open biopsy of lesion of tissue of temporal lobe of brain |
| A043 | Open biopsy of lesion of tissue of parietal lobe of brain |
| A044 | Open biopsy of lesion of tissue of occipital lobe of brain |
| A045 | Open biopsy of lesion of tissue of cerebellum |
| A046 | Open biopsy of lesion of tissue of brain stem |
| A048 | Other specified open biopsy of lesion of tissue of brain |
| A049 | Unspecified open biopsy of lesion of tissue of brain |
| A081 | Biopsy of lesion of tissue of frontal lobe of brain NEC |
| A082 | Biopsy of lesion of tissue of temporal lobe of brain NEC |
| A083 | Biopsy of lesion of tissue of parietal lobe of brain NEC |
| A084 | Biopsy of lesion of tissue of occipital lobe of brain NEC |
| A085 | Biopsy of lesion of tissue of cerebellum NEC |
| A086 | Biopsy of lesion of tissue of brain stem NEC |
| A088 | Other specified other biopsy of lesion of tissue of brain |
| A089 | Unspecified other biopsy of lesion of tissue of brain |

| | |
|--|--|
| A181 | Diagnostic endoscopic examination of ventricle of brain and biopsy of lesion of ventricle of brain |
| A422 | Biopsy of lesion of meninges of brain |
| Y201 | <i>Stereotactic biopsy of lesion of organ NOC</i> |
| Y202 | <i>Stereotactic biopsy of organ NOC</i> |
| Y203 | <i>Biopsy of lesion of organ NOC</i> |
| Y204 | <i>Fine needle aspiration NOC</i> |
| Y205 | <i>Percutaneous biopsy NOC</i> |
| Y206 | <i>Plugged biopsy NOC</i> |
| Y207 | <i>Vacuum biopsy of lesion of organ NOC</i> |
| Y208 | <i>Other specified biopsy of organ NOC</i> |
| Y209 | <i>Unspecified biopsy of organ NOC</i> |
| Codes for external ventricular drain insertion | |
| A128 | Other specified creation of connection from ventricle of brain |
| A129 | Unspecified creation of connection from ventricle of brain |
| A201 | Drainage of ventricle of brain NEC |
| A203 | Monitoring of pressure in ventricle of brain |
| A221 | Drainage of subarachnoid space of brain |
| Codes for ventriculo-systemic shunt | |
| A122 | Creation of ventriculovascular shunt |
| A123 | Creation of ventriculopleural shunt |
| A124 | Creation of ventriculoperitoneal shunt |
| A131 | Maintenance of proximal catheter of cerebroventricular shunt |
| A132 | Maintenance of distal catheter of cerebroventricular shunt |
| A133 | Insertion of antisyphon device into cerebroventricular shunt |
| A134 | Renewal of valve of cerebroventricular shunt |
| A141 | Renewal of cerebroventricular shunt |
| A142 | Revision of cerebroventricular shunt NEC |
| A143 | Removal of cerebroventricular shunt |
| A144 | Irrigation of cerebroventricular shunt |
| A145 | Attention to cerebroventricular shunt NEC |
| Source: Office of Population Censuses and Surveys Classification of Interventions and Procedures (version 4.9). ¹ | |
| Procedures with codes starting 'V', 'X' or 'Y' (italicised) assumed to relate to brain tumour if within 7 days of diagnosis | |

eTable 4. Full Details of Brain Tumors in Deceased Donors

| Grade, histology | Count (n=282) |
|---|------------------|
| Tumours with definitive grade ^a | |
| Grade I tumours | |
| Astrocytic tumours | |
| Pilocytic astrocytoma | 14 |
| Subependymal giant cell astrocytoma | 2 |
| Astrocytoma, NOS | 1 |
| Meningeal tumours | |
| Meningioma, NOS | 35 |
| Hemangioblastoma | 12 |
| Transitional meningioma | 7 |
| Meningothelial meningioma | 4 |
| Fibrous meningioma | 4 |
| Psammomatous meningioma | 1 |
| Craniopharyngioma, NOS | 6 |
| Subependymoma | 2 |
| Pineocytoma | 1 |
| Dysembryoplastic neuroepithelial tumour | 1 |
| Grade II tumours | |
| Astrocytic tumours | |
| Astrocytoma, NOS | 14 |
| Fibrillary astrocytoma | 3 |
| Gemistocytic astrocytoma, NOS | 1 |
| Meningeal tumours | |
| Meningioma, NOS | 2 |
| Atypical meningioma | 2 |
| Chordoid meningioma | 1 |
| Ependymoma, NOS | 8 |
| Oligodendroglioma, NOS | 8 |
| Central neurocytoma | 5 |
| Oligoastrocytoma, NOS | 4 |
| Chordoid glioma | 1 |
| Grade III tumours | |
| Astrocytic tumours | |
| Astrocytoma, anaplastic, NOS | 10 |
| Astrocytoma, NOS | 3 |
| Meningeal tumours | |
| Meningioma, malignant | 2 |
| Oligodendroglioma, anaplastic, NOS | 6 |
| Anaplastic oligoastrocytoma | 3 |
| Ependymoma, anaplastic | 2 |
| Gliomatosis cerebri | 1 |
| Glioma, malignant ^b | 1 |
| Grade IV tumours | |
| Astrocytic tumours | |
| Glioblastoma, NOS | 45 |
| Astrocytoma, NOS | 1 |
| Gliosarcoma | 1 |
| Embryonal tumours | |
| Medulloblastoma, NOS | 5 |
| Desmoplastic nodular medulloblastoma | 1 |
| Glioma, malignant ^b | 1 |

Continued

eTable 4 continued

| Grade, histology | Count (n=282) |
|--|------------------|
| Tumours without definitive grade | |
| Low grade tumours ^b | |
| Glioma, NOS | 4 |
| Meningioma, NOS | 4 |
| Neoplasm, benign | 3 |
| Astrocytoma, NOS | 2 |
| Oligodendroglioma, NOS | 1 |
| High grade tumours ^c | |
| Glioma, malignant | 8 |
| Neoplasm, malignant | 3 |
| Astrocytoma, NOS | 2 |
| Tumours with unknown grade ^d | |
| Neoplasm, uncertain whether benign or malignant | 15 |
| Glioma, malignant | 8 |
| Neoplasm, malignant | 5 |
| Astrocytoma, NOS | 4 |
| Glioma, NOS | 1 |
| Gliomatosis cerebri | 1 |
| ^a WHO Classification of Tumours of the Central Nervous System (2007); preferred terms from International Classification of Diseases for Oncology (version 3.2), except where indicated. ^b No further information available ^c Includes tumours described as "grade I or II", "low grade" or "benign", with ICD-O morphology codes 8000/0 or 8001/0 and no histological information or judged to be low grade after review of clinical details. Five with tissue diagnosis. ^d Includes tumours described as "grade III or IV", "high grade", "aggressive" or "butterfly glioma", or judged to be high grade after review of clinical details. Four with tissue diagnosis. ^d Includes tumours without definite or suspected grade reported, described as "gliomatosis cerebri" without grade reported, or with ICD-O morphology codes 8000/1, 8001/1, 8000/3 or 8001/3 and no histological information. Six with tissue diagnosis. NOS, not otherwise specified; WHO, World Health Organisation | |

eTable 5. Treatment History in Deceased Donors With Brain Tumors

| Treatment | At any time | >1 month before donation | <1 month before donation |
|---|-------------|--------------------------|--------------------------|
| Any neurosurgical procedure | 202 (72%) | 98 (35%) | 149 (53%) |
| Resection | 140 (50%) | 62 (22%) | 84 (30%) |
| Biopsy ^a | 70 (25%) | 35 (12%) | 35 (12%) |
| External ventricular drain | 51 (18) | 8 (3%) | 46 (16%) |
| Cerebroventricular shunt ^b | 17 (6%) | - | - |
| Radiotherapy | 29 (10%) | 26 (9%) | 4 (1%) |
| Values are n (% of donors); some donors had procedures during both time periods (so column 2 ≠ column 3 + column 4) | | | |
| ^a Excludes biopsy at the time of resection; all donors with a tissue diagnosis before date of donation assumed to have undergone biopsy at time of diagnosis | | | |
| ^b Ventriculo-peritoneal (16), type not specified (1) | | | |


eTable 6. Recipient Characteristics According to Donor Type

| | Transplants from donors without brain tumours ^a | Transplants from donors with brain tumours ^b | Transplants from donors with high grade brain tumours |
|---|--|---|---|
| Single kidney transplants | (n=19,203) | (n=389) | (n=124) |
| Recipient age (years) | 50 (38 to 59) | 48 (36 to 60) | 52 (38 to 63) |
| Highly sensitised (cRF ≥85%) | 1,741 (9%) | 44 (11%) | 12 (10%) |
| On dialysis at time of transplant | 17,110 (89%) | 351 (90%) | 111 (90%) |
| Recipient diabetes | 1,430 (7%) | 27 (7%) | 10 (8%) |
| Previous kidney transplant | 2,791 (15%) | 68 (17%) | 12 (10%) |
| Wait time (days) | 755 (312 to 1,358) | 778 (280 to 1,437) | 836 (332 to 1,345) |
| Liver transplants | (n=7,755) | (n=190) | (n=72) |
| Recipient age (years) | 51 (39 to 59) | 52 (41 to 60) | 51 (40 to 58) |
| Super-urgent ^c | 1,109 (14%) | 34 (18%) | 8 (11%) |
| Previous liver transplant | 767 (10%) | 22 (12%) | 7 (10%) |
| Hepatitis C positive | 1,182 (15%) | 38 (20%) | 15 (21%) |
| UKELD score ^{2 d} | 55 (51 to 59) | 54 (51 to 58) | 54 (50 to 59) |
| Heart transplants | (n=1,762) | (n=69) | (n=26) |
| Recipient age (years) | 47 (27 to 56) | 50 (25 to 58) | 50 (28 to 58) |
| Mechanical cardiac support ^e | 366 (21%) | 15 (22%) | 6 (23%) |
| Urgent ^c | 873 (50%) | 38 (55%) | 13 (50%) |
| Lung transplants | (n=1,670) | (n=46) | (n=10) |
| Recipient age (years) | 52 (37 to 58) | 39 (21 to 51) | 37 (24 to 43) |
| COPD | 455 (27%) | 8 (17%) | 1 (10%) |
| <p>Values are n (%) or median (IQR). Missing data (n): wait time (19), UKELD score (216), dialysis status (47)</p> <p>cRF, calculated reaction frequency (reflects the proportion of blood group identical deceased donors that are HLA compatible with the recipient, based on a national reference pool);³ COPD, chronic obstructive pulmonary disease; UKELD, UK end-stage liver disease.</p> <p>^a Includes repeat transplants</p> <p>^b Includes donors with high grade tumour (last column)</p> <p>^c According to national criteria, patients with a very limited short-term prognosis are prioritised for organ allocation.^{4,5}</p> <p>^d Only calculated for elective transplants</p> <p>^e Defined as the use of a ventricular assist device, total artificial heart or extra-corporeal membrane oxygenation prior to transplant</p> | | | |

eTable 7. Characteristics of Utilized and Nonutilized Deceased Donors With Brain Tumors


| | Utilised donors with brain tumours (n=282) | Non-utilised donors with brain tumours (n=83) |
|---|--|---|
| Donor characteristics | | |
| Age (years) | 42 (33 to 54) | 51 (39 to 60) |
| Female sex | 154 (54%) | 46 (55%) |
| DCD | 41 (15%) | 49 (59%) |
| BMI (kg/m ²) | 26 (23 to 28) | 26 (23 to 30) |
| Diabetes | 10 (4%) | 7 (8%) |
| Missing data | 5 (2%) | 12 (14%) |
| Hypertension | 42 (15%) | 12 (14%) |
| Missing data | 9 (3%) | 14 (17%) |
| Smoking ^a | 69 (24%) | 20 (24%) |
| Missing data | 5 (2%) | 14 (17%) |
| Alcohol abuse ^a | 10 (4%) | 5 (6%) |
| Missing data | 27 (10%) | 19 (23%) |
| Drug abuse ^a | 14 (5%) | 4 (5%) |
| Missing data | 5 (2%) | 13 (16%) |
| Organ-specific risk indices ^b | | |
| Kidney | | |
| Terminal creatinine (μmol/L) | 65 (50 to 83) | 57 (45 to 72) |
| UK KDRI ^c | 0.99 (0.81 to 1.27) | 1.03 (0.98 to 1.50) |
| Liver | | |
| UK DLI ^d | 0.97 (0.84 to 1.12) | 1.67 (1.02 to 1.99) |
| Lung donor category | | |
| Optimal | 49 (23%) | 5 (10%) |
| Extended criteria | 106 (50%) | 22 (46%) |
| Marginal | 28 (13%) | 9 (19%) |
| Missing data | 31 (14%) | 12 (25%) |
| Tumour characteristics | | |
| Time since diagnosis (days) | 8 (2 to 463) | 9 (3 to 165) |
| Histological diagnosis | 210 (74%) | 61 (73%) |
| WHO grade ^e | | |
| I | 90 (32%) | 15 (18%) |
| II | 49 (18%) | 9 (11%) |
| III | 28 (9%) | 8 (10%) |
| IV | 54 (19%) | 36 (43%) |
| Grade uncertain | | |
| Low grade | 14 (5%) | - |
| High grade | 13 (5%) | 3 (4%) |
| Grade unavailable | 34 (12%) | 12 (14%) |
| Treatment history | | |
| Resection | 140 (50%) | 46 (55%) |
| EVD insertion | 51 (18%) | 13 (16%) |
| Cerebroventricular shunt | 17 (6%) | 5 (6%) |
| Biopsy ^f | 70 (25%) | 19 (23%) |
| Radiotherapy | 29 (10%) | 13 (16%) |
| <p>Values are n (%) and median (IQR). Restricted to consented donors where at least one organ was offered for transplantation (n=365).</p> <p>BMI, body mass index; DCD, donation after circulatory death; EVD, external ventricular drain; UK KDRI, UK kidney donor risk index; UK DLI, UK donor liver index.</p> <p>Missing data (n), where not stated above: BMI (13), terminal creatinine (7), UK KDRI (6), UK DLI (25), basis of diagnosis (8); time since diagnosis (9).</p> <p>^a Past or current. ^b Where organ offered. ^c Excludes donors aged <18 years. ^d Excludes adjustment for split liver transplantation. ^e 2007 classification system. ^f Excludes biopsy at time of resection.</p> | | |

eFigure 1. Data Linkage Process



Data linkage performed by Public Health Scotland Electronic Data Research and Innovation Service (UKTR-SCR) and NCRAS (UKTR-NCRAS). CHI, community health index; DOB, date of birth; NCRAS, National Cancer Registration and Analysis Service; NHS, National Health Service; SCR, Scottish Cancer Registry; NHSBT, National Health Service Blood and Transplant. Shaded box, "pseudonymisation at source" applied (prevents sharing of identifiable data on individuals without cancer). *Quality of matching graded according to standard criteria.⁷


eFigure 2. Patient Survival in Transplants From Deceased Donors With Brain Tumors and Matched Controls



BT, transplant from donor with brain tumour. (A) Single kidney transplants, matched on donor age, sex, type and terminal creatinine, recipient age, sex and graft number, calendar period (no matches for one case [excluded]; insufficient matches for four cases, eight controls missing). (B) Liver transplants, matched on donor age, sex and type, recipient age, sex and urgency, calendar period (no matches for one case [excluded]; insufficient matches for three cases, five controls missing). (C) Cardiac transplants, matched on donor age, sex and type, recipient age, sex and urgency, calendar period (no

matches for one case [excluded], insufficient matches for two cases, six controls missing). (D) Lung transplants, matched on donor and recipient age and sex. Data censored at last follow-up or 10 years. Transplants without outcome data excluded.

eFigure 3. Graft Survival in Transplants From Deceased Donors With Brain Tumors and Matched Controls



BT, transplant from donor with brain tumour. (A) Single kidney transplants, matched on donor age, sex, type and terminal creatinine, recipient age, sex and graft number, calendar period (no matches for one case [excluded]; insufficient matches for four cases, eight controls missing). (B) Liver transplants, matched on donor age, sex and type, recipient age, sex and urgency, calendar period (no matches

for one case [excluded]; insufficient matches for three cases, five controls missing). (C) Cardiac transplants, matched on donor age, sex and type, recipient age, sex and urgency, calendar period (no matches for one case [excluded], insufficient matches for three cases, six controls missing). (D) Lung transplants, matched on donor and recipient age and sex. Graft failure defined as re-transplantation (or resumption of long-term dialysis in kidney recipients), censored at death, last follow-up or 10 years. Transplants without outcome data excluded.

eReferences

1. NHS Digital Terminology and Classifications Delivery Service. OPCS Classification of Interventions and Procedures (version 4.9). 2019. <https://isd.digital.nhs.uk/trud/users/guest/filters/0/categories/10/items/119/releases>. (Accessed: December 2021).
2. Barber K, Madden S, Allen J, et al. Elective liver transplant list mortality: development of a United Kingdom end-stage liver disease score. *Transplantation*. 2011;92(4):469-476.
3. Fuggle SV, Allen JE, Johnson RJ, et al. Factors Affecting Graft and Patient Survival After Live Donor Kidney Transplantation in the UK. *Transplantation*. 2010;89(6):694-701.
4. NHS Blood and Transplant. Liver Transplantation: Selection Criteria and Recipient Registration (POL195/12). 2021. <https://www.odt.nhs.uk/transplantation/tools-policies-and-guidance/policies-and-guidance/>. (Accessed: March 2022).
5. NHS Blood and Transplant. Heart Transplantation: Selection Criteria and Recipient Registration (POL229/8). 2021. <https://www.odt.nhs.uk/transplantation/tools-policies-and-guidance/policies-and-guidance/>. (Accessed: March 2022).
6. Louis DN, Ohgaki H, Wiestler OD, et al. The 2007 WHO classification of tumours of the central nervous system. *Acta Neuropathol*. 2007;114(2):97-109.
7. Padmanabhan S, Carty L, Cameron E, Ghosh RE, Williams R, Strongman H. Approach to record linkage of primary care data from Clinical Practice Research Datalink to other health-related patient data: overview and implications. *Eur J Epidemiol*. 2019;34(1):91-99.