

Letter: A Note on Neurosurgical Resection and Why We Need to Rethink Cutting

To the Editor:

This letter reflects the interdisciplinary approach of the Cluster of Excellence, “Matters of Activity. Image Space Material,” located at Humboldt University of Berlin, Germany.

PARADIGM SHIFT

In the 1960s, optical magnification and the concept of microsurgery entered the operating room and revolutionized the effectiveness and safety of neurosurgical procedures. By utilizing *natural anatomic pathways* within the brain, the new conceptual foundation, combined with the technological advances in surgical microscopy, allowed *manually invading the brain* with fewer harmful effects. In recent years, the rapidly growing field of computational neuroscience has opened up new perspectives for exploring brain function at the micro and macro scales. Neural network simulations approximate the mechanistic prerequisites of even the highest cognitive functions by modeling their material basis in terms of neural systems.¹ Those systems are characterized by interactive, distributed, dynamic, and adaptable processing within neuron populations interlinked by local and long-distance connectivity within and across functional domains.² These models can explain some degree of resilience of large parts of the brain to injury or degeneration and may offer novel perspectives on predicting variable effects of local injuries.³ We believe that the current decade will witness another paradigm shift: the application of network thinking in clinical neurosurgery through the development of appropriate models and technological means to perform *network-based neurosurgery*.

BRAIN MATTERS

Living matter can move, grow, separate, communicate, and reorganize at any scale. From the cell to brain or from synaptic transmission to large-scale network communication, the underlying structural principles and their functional activity remain unchanged. As the neurosurgeon interacts with the patient, mapping and rerouting neuroanatomic features in real-time, the operation takes on a new dimension, in which the subject *is* the object and the act of cutting is a matter of disconnecting as much as connecting. The embodied cognition of the neurosurgeon and the complex processes of retrieving data from a fundamentally instable matter constitute the very volatility in which lie the infinite possibilities for *a new model of interrelation between sensing, knowing, and operating*. In various artisanal practices, the cut is the central gesture to perfectly separate two

boundary layers along planes and hidden interfaces invisible to the human eye. How can learning from implicit expert knowledge complement technological advancements and how can this embodied knowledge augment new models of collaborative robotic tools? We suggest reconsidering the *cutting gesture as a constructive intervention* enabled by a profound understanding of the materiality of the brain and its emergence in dynamic functional networks. *Network-based neurosurgery*, as a variable intervention along multiple axes and across scales, can only be put into practice through an integrated effort of scholars with diverse disciplinary backgrounds, including neuro- and cognitive science, neurocomputation, materials science, engineering, design, and anthropology.

DOWNSCALING AND UPSCALING

Today, clinical planning tools are usually limited to modality-specific cortical mappings⁴ and long association fiber visualizations.⁵ Yet, every procedure on the brain affects different structural and functional scales, encompassing the microscopic level of neurons, the mesoscopic level of local network interplay, and the macroscopic level of functional interactions between nuclei and areas throughout the brain. Neurocomputational models of perceptual, motor, and cognitive functions need to bridge across these levels⁶ and approximate neuroanatomic reality and functional interactions at multiple scales.⁷ Only then can network computation become capable of informing the neurosurgical intervention in view of potentially optimizing it. According to this *future vision*, the effects of possible interventions on network dynamics will be simulated and operational strategies modified accordingly based on virtual lesions of neuronal elements and connections within brain-constrained networks. A precondition of this novel strategy is mathematically precise models that can be individualized to the patient’s neuroanatomy and used in real-time during surgery for predicting the outcome of any tissue manipulation. Since modeling will entail a probabilistic estimation and, as such, integrate the remaining uncertainty of the final effect, we also need new visualization and interaction methods to engage with these uncertainties. To enable *network-based neurosurgery* that targets multilevel accuracy, model developments must be accompanied by a substantial increase in medical device technology precision, scaling down from the millimeter to micrometer level and from macroscopic to molecular cutting (Figure). These new tools will no longer be operated manually, but require cooperative robotic assistance. Mastering these new cutting tools, which are both predictive and explorative devices, will bring new challenges, as neurosurgery becomes a much more dynamic operation encompassing ever-changing and mind-defying scales.




FIGURE. *Fantastic Voyage 2021.*

NETWORK-BASED NEUROSURGERY

Network-based neurosurgery needs to be guided and informed by the unique neuronal network compositions, dynamics, and phenotypes of the individual patient. The process of *informed interface modification*, which includes deleterious and destructive as well as curative and augmentative effects, requires a change in the mindset of the profession. We want to emphasize that *network-based neurosurgery* is about creating new spaces, new functions, and new pathways to knowledge and practice, and likewise about how the neurosurgeon's skillset will be thoroughly enhanced and transformed. Concepts to realize this new notion of *cutting* have already been explored and applied, especially in the field of theranostics, where tools also sense and not only divide. We believe that this approach needs to be further developed. Future adaptively evolving tools will overcome the distinction between modeling and treating, and become radically hybrid: they will be able to autonomously orient themselves (navigate), probe and measure the brain in real-time (diagnose), destroy and create new interfaces (treat), and design neuronal connectivity to restore and enhance cerebral functions (heal), with philosophical and socioethical implications that need to be addressed by all stakeholders.

Funding

The authors acknowledge the support of the Cluster of Excellence Matters of Activity, Image Space Material funded by the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) under Germany's Excellence Strategy—EXC 2025.

Disclosures

The authors have no personal, financial, or institutional interest in any of the drugs, materials, or devices described in this article.

Thomas Picht, MD, PhD *‡§¶

Maxime Le Calvé, PhD*‡
Rosario Tomasello, PhD*||
Lucius Fekonja, MA*‡
Mohammad Fardin Gholami, MSc*#
Matthias Bruhn, PhD***
Carola Zwick, PhD*‡‡
Jürgen P. Rabe, PhD*#
Claudia Müller-Birn, PhD*\$\$
Peter Vajkoczy, MD, PhD*‡
Igor M. Sauer, MD, PhD*¶¶
Stefan Zachow, PhD*|||##
John A. Nyakatura, PhD****
Patricia Ribault, PhD*‡‡‡‡
Friedemann Pulvermüller, PhD*¶||\$\$\$

* Cluster of Excellence Matters of Activity, Image Space Material
 Humboldt-Universität zu Berlin
 Berlin, Germany

‡ Department of Neurosurgery
 Charité-Universitätsmedizin Berlin
 Berlin, Germany

§ Berlin Simulation and Training Center
 Charité-Universitätsmedizin Berlin
 Berlin, Germany

¶ Einstein Center for Neurosciences
 Charité-Universitätsmedizin Berlin
 Berlin, Germany

|| Brain Language Laboratory
 Department of Philosophy and Humanities
 Freie Universität Berlin
 Berlin, Germany

Department of Physics & IRIS Adlershof
 Humboldt-Universität zu Berlin
 Berlin, Germany

** Karlsruhe University of Arts and Design
 Karlsruhe, Germany

‡‡ weisensee kunsthochschule Berlin
 Berlin, Germany

\$\$\$ Institute of Computer Science
 Freie Universität Berlin
 Berlin, Germany

¶¶ Department of Surgery
 Experimental Surgery
 Charité—Universitätsmedizin Berlin
 Berlin, Germany

||| Zuse Institute Berlin
 Berlin, Germany

Department of Oral and Maxillofacial Surgery
 Charité-Universitätsmedizin Berlin
 Berlin, Germany

*** Comparative Zoology
 Institute of Biology
 Humboldt-Universität zu Berlin
 Berlin, Germany

**** Humboldt-Universität zu Berlin
 Berlin, Germany

^{###} *École Nationale Supérieure des Beaux-Arts de Paris*
Paris, France
^{\$\$\$} *Berlin School of Mind and Brain*
Humboldt-Universität zu Berlin
Berlin, Germany

REFERENCES

1. Tomasello R, Garagnani M, Wennekers T, Pulvermüller F. A neurobiologically constrained cortex model of semantic grounding with spiking neurons and brain-like connectivity. *Front Comput Neurosci* 2018;12:88.
2. Duffau H. New philosophy, clinical pearls, and methods for intraoperative cognition mapping and monitoring “à la carte” in brain tumor patients. *Neurosurgery*. 2021;88(5):919-930.
3. Aerts H, Schirner M, Dhollander T, et al. Modeling brain dynamics after tumor resection using The Virtual Brain. *NeuroImage*. 2020;213:116738.
4. Rosenstock T, Grittner U, Acker G, et al. Risk stratification in motor area-related glioma surgery based on navigated transcranial magnetic stimulation data. *J Neurosurg*. 2017;126(4):1227-1237.
5. Tuncer MS, Salvati LF, Grittner U, et al. Towards a tractography-based risk stratification model for language area associated gliomas. *NeuroImage Clin*. 2021;29:102541.
6. Pulvermüller F, Tomasello R, Henningsen-Schomers MR, Wennekers T. Biological constraints on neural network models of cognitive function. *Nat Rev Neurosci*. 2021;22:488-502.
7. van Albada SJ, Morales-Gregorio A, Bakker R, et al. Bringing anatomical information into neuronal network models. 2020. arXiv:2007.0031.

© Congress of Neurological Surgeons 2021. This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial License (<https://creativecommons.org/licenses/by-nc/4.0/>), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited. For commercial re-use, please contact journals.permissions@oup.com

<https://doi.org/10.1093/neuros/nyab326>
