



STUDY PROTOCOL

REVISED

What is known about the protective factors that promote LGBTI+ youth wellbeing? A scoping review protocol [version 2; peer review: 2 approved]

Nerilee Ceatha ¹, Marta Bustillo ¹, Louise Tully ², Oscar James ²,
Des Crowley ^{1,3,4}

¹University College Dublin, Belfield, Dublin, D4, Ireland

²Royal College of Surgeons in Ireland, St Stephen's Green, Dublin, D2, Ireland

³Irish College of General Practitioners, Dublin, Co Dublin, D2, Ireland

⁴Health Services Executive, Dublin North Central, Co Dublin, D9, Ireland

v2 First published: 30 Mar 2020, 3:11
<https://doi.org/10.12688/hrbopenres.13018.1>

Latest published: 10 Jun 2020, 3:11
<https://doi.org/10.12688/hrbopenres.13018.2>

Abstract

Background: There is much concern at the substantial vulnerabilities experienced by lesbian, gay, bisexual, transgender and intersex (LGBTI+) youth as a consequence of discrimination, stigmatisation and marginalisation. Recent research highlights the importance of understanding factors that can promote wellbeing for this population. This paper presents a protocol for a scoping review which aims to systematically map and synthesise the extent and nature of the peer-reviewed, published and unpublished academic literature on the protective factors that promote wellbeing for sexual and gender minority young people.

Methods: In accordance with the methodological framework for scoping reviews, the following six stages will be undertaken: (1) identifying the research question, (2) identifying relevant studies, (3) study selection, (4) charting the data, (5) collating, summarising and reporting results and (6) consultation. The PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation will be used throughout the review process. Key inclusion criteria will use the Population, Concept, Context approach, with two reviewers independently conducting the screening and extraction stages across five databases. Identified protective factors will be collated, summarised and categorised iteratively by one reviewer in consultation with the review team. Stakeholder consultation is a key strength of the scoping review process and will be complemented by the public patient involvement of LGBTI+ young people with expertise by experience.

Conclusions: The scoping review has the potential to inform policy, practice and future research through enhanced understandings of the complex interplay of factors that promote wellbeing for sexual minority, gender minority and intersex youth. This first stage of the research process will inform the development of a larger research project. The findings will be disseminated through a peer reviewed publication, a conference presentation and by sharing the findings with key stakeholders, including LGBTI+ young people.

Open Peer Review

Reviewer Status

	Invited Reviewers	
	1	2
version 2 (revision) 10 Jun 2020	 report	
	↑	
version 1 30 Mar 2020	? report	 report

1 **Yael Perry** , Telethon Kids Institute, Perth, Australia

2 **Michelle Johns**, Centers for Disease Control and Prevention, Atlanta, USA

Any reports and responses or comments on the article can be found at the end of the article.

Keywords

Youth, LGBTI+, sexual and gender minority, wellbeing, protective factors, scoping review

Corresponding author: Nerilee Ceatha (nerilee.ceatha@ucdconnect.ie)

Author roles: **Ceatha N:** Conceptualization, Data Curation, Methodology, Project Administration, Resources, Validation, Writing – Original Draft Preparation, Writing – Review & Editing; **Bustillo M:** Methodology, Validation; **Tully L:** Methodology, Writing – Review & Editing; **James O:** Data Curation, Writing – Review & Editing; **Crowley D:** Conceptualization, Methodology, Supervision, Writing – Review & Editing

Competing interests: Nerilee Ceatha was a member of the Oversight Committee for the Irish LGBTI+ National Youth Strategy.

Grant information: This work was funded by the Health Research Board, Ireland [SPHeRE/2013/1].

Copyright: © 2020 Ceatha N *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Ceatha N, Bustillo M, Tully L *et al.* **What is known about the protective factors that promote LGBTI+ youth wellbeing? A scoping review protocol [version 2; peer review: 2 approved]** HRB Open Research 2020, 3:11 <https://doi.org/10.12688/hrbopenres.13018.2>

First published: 30 Mar 2020, 3:11 <https://doi.org/10.12688/hrbopenres.13018.1>

REVISED Amendments from Version 1

The protocol has been revised following peer review. In response to the suggestion of major revisions, careful consideration has been given to the following: inclusion of grey literature; the stakeholder consultation; the use of the LGBTI+ acronym; definitions and operationalisation of concepts of wellbeing and mental health; timeframes for the search; inclusion criteria regarding age; and the rationale for choice of scoping review. The protocol has been amended to include dissertations and theses, which may be published or unpublished, alongside peer reviewed journal articles. Further information has been included about the stakeholders and the purpose of the consultations. Regarding self-descriptors used by sexual minority, gender minority and intersex youth, the protocol has made it more explicit that there are a broad range and wide variation across a spectrum of identities, orientations and expressions. The parameters around the conceptualisation of wellbeing as a construct has been elaborated. The reasoning underpinning the inclusion of mental health as an integral component of wellbeing has been outlined. This facilitated further refining of the research question, inclusion and exclusion criteria and the search strategy. The Concept from the Population – Concept – Context has been defined as 'protective factors that promote wellbeing.' Consideration was given to placing timeframes on the search. In keeping with the scoping review methodology, the search will be conducted from journal inception and map changes across time. The suggestion that studies with participants where the mean age falls within the specified age range has been adopted and the inclusion and exclusion criteria revised to reflect this. While scoping reviews do not include quality assessment or risk of bias, the rationale for the choice of this methodology as the most appropriate for this under researched topic have been expanded. The strengths of the scoping review methodology have been made more explicit.

Any further responses from the reviewers can be found at the end of the article

Introduction

It is accepted that there is “no health without mental health”¹, with the World Health Organization (WHO) describing mental health as “a state of wellbeing”². While the concept of wellbeing is contested, it is used extensively throughout the literature with less clarity about how this is defined^{3,4}. This scoping review is informed by the WHO’s holistic conceptualisation of wellbeing². This encompasses a dynamic process that includes: life satisfaction, purpose and meaning; experiencing equilibrium, vitality and self-efficacy; alongside a sense of contribution². Furthermore, the WHO’s *Ottawa Charter of Health Promotion* situates individuals within their wider cultural and social environment, emphasising the importance of addressing the ecological context in order to strengthen the person⁵. As such, social justice is a necessary pre-requisite for health⁵. This conceptualisation facilitates a move beyond implicit understandings of a dichotomy of mental wellness and mental illness^{3,4}. However, these binary understandings may be part of a wider public discourse where mental health has become synonymous with mental ill-health, as distinct from positive mental health or the relationship between mental health and social wellbeing³⁻⁶. Such understandings may be informed by a clinical and pathologised framing of mental health as referring solely to difficulties and concerns requiring diagnosis and treatment with resultant stigmatisation^{2-4,7-9}. Research regarding attitudinal changes in

the wider Irish population identified greater reluctance to openly share information about mental health concerns in personal and professional relationships⁷⁻⁹. Furthermore, over half the Irish population would not wish others to know if they had a mental health difficulty⁶. In response, improved mental health and wellbeing have been identified as central to mental health promotion in Ireland with the launch of *Connecting for Life: Ireland’s national strategy to reduce suicide 2015–2020*¹⁰. The Strategy outlines protective factors, such as help-seeking and social connectedness; however, the under-development of research into protective factors for mental health, particularly for population-specific target groups, is acknowledged¹⁰.

While *Connecting for Life* adopts a whole-population approach, it identifies specific priority groups, notably those vulnerable to suicide including lesbian, gay, bisexual, transgender, intersex, questioning, queer, asexual, and non-binary (LGBTI+) populations¹⁰. The acronym LGBTI+ comprises three dimensions: sexual orientation, gender identity and sex development. Sexual orientation refers to identification, behaviour and attraction, with suggestions of a higher life-time prevalence of same-sex behaviour and attraction than identification, and a higher reported prevalence of bisexual people, particularly bisexual women¹¹. Gender identity refers to someone’s internal sense of their gender as male, female or non-binary, and may not accord with the sex ascribed at birth¹¹. As such, those who identify as transgender and non-binary also have a sexual orientation and may be heterosexual, lesbian/gay, bisexual or asexual¹¹. Intersex refers to the spectrum of variations of sex development that occur within humanity¹². Likewise, those who identify as intersex also have a gender identity and sexual orientation.

The wellbeing of LGBTI+ populations has generated considerable research interest over many decades, often identifying vulnerability to psychological distress, self-harm and suicide, both nationally and internationally^{10,13}. This is often contextualised through Minority Stress Theory¹⁴, highlighting the consequence of stigmatisation, marginalisation and discrimination on the wellbeing of LGBTI+ populations¹³⁻¹⁵. Particular concern has been expressed in relation to LGBTI+ youth with noted mental health disparities¹⁶⁻¹⁹. These concerns also extend to the Irish context^{10,20-22}.

There is a tendency to focus on resultant deficits, with sparse literature on strengths-based approaches which promote and protect LGBTI+ wellbeing^{23,24}. This may assume that, because of the marginalisation of sexual minority, gender minority and intersex youth, these young people are automatically ‘at risk’^{25,26}. Researchers have cautioned against this continued representation which may inadvertently portray young LGBTI+ lives as a trajectory, assuming self-harm and suicidality^{27,28}. It has been emphasised that the research taken to indicate heightened mental health risk fails to emphasise that the vast majority of those who identify as LGBTI+ report positive experiences of mental health and social wellbeing^{13,25-29}. Such generalised and universalising approaches may not recognise the range of mental health promoting factors available to LGBTI+ populations, including young people^{29,30}. Furthermore, researchers have emphasised that the dominant research focus on

mental health risk for LGBTI+ youth does not identify interventions or suggest solutions^{23,24}. As a result, this representation may unintentionally stigmatise sexual minority, gender minority and intersex young people, with a subsequent decrease in help-seeking^{21,31}. The national and international literature suggesting substantial vulnerabilities highlights the importance of understanding factors that are protective for this population^{10,13,21}.

The current research imbalance and emphasis on mental health disparities has been acknowledged^{10,13,31}. Health and social policies are integral to promoting the social acceptance of LGBTI+ people with stark differences noted between countries and over time³². In particular, marked contrasts are evident amongst countries formerly colonised by Britain in relation to decriminalisation of homosexuality³². This can be seen in the Irish context, where despite its history of colonisation, there has been significant progress since 1993 following decriminalisation³³. The rapid recognition of LGBTI+ rights was markedly enhanced in 2014 when the Irish Government became a signatory to the *Declaration of Intent* on the International Day Against Homophobia and Transphobia³⁴. This commitment informed legislative and policy measures including: a referendum and subsequent changes to the constitution to provide for marriage equality; legislation on gender recognition for adults; and the introduction of policy, including the publication of the *LGBTI+ National Youth Strategy* as part of the programme for government³⁵⁻³⁷. The strategy was the first of its kind in a global context, with three overarching goals with the third of these prioritising the development of the research and data environment³⁷. This acknowledges the dearth of research internationally and the urgent need for Irish-specific studies to ensure policy and practice is evidence-informed in relation to promoting LGBTI+ youth wellbeing³⁷.

It is within this context that this scoping review is being undertaken.

Methods

Study rationale

The scoping review is part of a broader PhD mixed-methods project. This first stage of the research process will locate the study within the literature to inform the future development of the qualitative and quantitative aspects of the project^{38,39}. As far as we can determine there is no existing peer reviewed or published synthesis of the research on protective factors for LGBTI+ youth wellbeing. This is surprising, given the extensive research focus, over several decades, on LGBTI+ mental health disparities, with specific attention given to youth mental health risk^{10,13,16-22}. The limited research focus on protective factors that promote LGBTI+ wellbeing is noteworthy given that a decade has passed since Haas and colleagues drew attention to the issue¹³. This group of researchers specifically recommended that studies should be conducted on potentially protective factors, including those that mitigate mental health risk and promote resilience for sexual and gender minority populations¹³.

Scoping review objectives

A scoping review was chosen in order to ascertain the breadth of work conducted in this field⁴⁰⁻⁴³. In line with current

recommendations, the overarching objective is to collect and synthesise the quantitative, qualitative and mixed-methods academic literature on the protective factors for sexual minority, gender minority and intersex youth wellbeing. The review aims to map the concepts, themes and types of available evidence within the existing national and international literature⁴⁰. The purpose of this scoping review is to make available the progress of this field of study, the characteristics of those studies undertaken to date, the various domains assessed, and the specific outcome measures used⁴⁰. Furthermore, this review will identify the extent and nature of the academic literature, including research deficits and knowledge gaps⁴¹. The scoping review has the potential to inform policy, practice and future research, particularly through mapping a course forward to guide the planning and the commissioning of future research⁴³. A key strength of the scoping review framework is the priority placed on stakeholder consultation as part of the methodological framework^{40,41,43}. This suggests that both the process and results are strengthened through the contribution of those with research, policy and practice knowledge or expertise of the topic^{40,41,43}. A potential benefit of scoping reviews is that they can address topics considered important in the policy context^{42,43}. The project is aligned to the Irish *LGBTI+ National Youth Strategy* and the specific objective to “develop research into the factors that support positive mental health for LGBTI+ young people” (p.31)³⁷. Stakeholders involved in the development and implementation of the Strategy will be invited to contribute to the consultation process. This will be complemented by consultation within broader LGBTI+ networks internationally. Furthermore, Daudt, van Mossel and Scott suggest that suitable stakeholders should be invited to be part of the research team⁴³. The study team includes members from within LGBTI+ communities with research, policy and practice backgrounds. The consultation will be enhanced by engaging LGBTI+ youth with expertise by experience via focus groups⁴⁴⁻⁴⁶.

The following research question will be considered: What is the extent (that is the size and breadth), range (variation and topic), and nature (characteristics, design, focus) of the evidence on the topic: ‘protective factors – LGBTI+ – youth – wellbeing’?

Protocol design

Scoping reviews are defined as “a systematic approach to map evidence on a topic and identify main concepts, theories, sources and knowledge gaps” (p 467)⁴⁷. They assist in charting outcomes across settings and contexts, identifying where research is well-established and where there are gaps in the literature⁴². The Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation will be used throughout the review process⁴⁷. The methodological framework will be followed as outlined by Arksey and O’Malley and Levac, Colquhoun and O’Brien^{40,41}. This consists of six stages: (1) identifying the research question, (2) identifying relevant studies, (3) study selection, (4) charting the data, (5) collating, summarising and reporting results and (6) consultation^{40,41}. While the sixth stage is considered optional within the framework, the authors concur with Levac, Colquhoun and O’Brien that this process should be prioritised⁴¹. This process offers the

potential to enhance understandings of the complex interplay of protective factors for sexual minority, gender minority and intersex youth⁴⁴⁻⁴⁶.

These stages of the scoping review will be discussed in further detail below.

Stage 1: identifying the research question

Through an initial review of the literature, alongside consultation with key stakeholders within LGBTI+ research networks, the overarching research question is: what is the extent, range, and nature of the peer-reviewed academic qualitative, quantitative and mixed-methods evidence regarding LGBTI+ youth wellbeing? This question has been revised or refined through informal the consultation with key stakeholders, consistent with iterative and reflexive approach underpinning scoping reviews^{40,41,43}.

Stage 2: identifying relevant studies

In order to identify relevant studies, the search strategy will be underpinned by key inclusion criteria based on the PRISMA checklist for scoping reviews using the Population, Concept, Context (PCC) screening criteria⁴⁷:

- P – Population: sexual minority, gender minority, intersex and non-binary youth
- C – Concept: protective factors that promote wellbeing
- C – Context: any country (or region) with broadly comparable social acceptance measures

With the limited research attention given to the topic, the scoping review will focus on published and unpublished, academic, peer reviewed research literature including quantitative, qualitative, and mixed-methods publications. Additionally, review articles will be included, such as: evidence syntheses, systematic reviews, and meta-analyses using quantitative, qualitative, and mixed-methods approaches, scoping reviews, narrative reviews, rapid reviews, and realist reviews. The authors are aware of the wealth of grey literature. However, it is well-documented that assessment of study quality and risk of bias are not considered to be part of the scoping review process, which is to describe the breadth and nature of the evidence^{42,48}. To ensure that some grey literature is included, academic dissertations will be included along with peer reviewed journal articles. Three key repositories will be searched including the Networked Digital Library of Theses and Dissertations, Electronic Theses Online Service and DART Europe. Other types of publication will be excluded from the search (i.e., book chapters, conference abstracts, reports, policy briefs etc.) or publications in a language other than English.

Careful consideration has been given to search timeframes, particularly in light of the rapid changes that have occurred across the cultural and social landscape within the past ten years. However, a core function of a scoping review is to determine the coverage of a body of literature on a given topic^{40,41,43,48}. Furthermore, Meyer's publication of Minority Stress Theory in 2003 continues to have resonance^{14,30}. On this basis, no time limits will be placed on the initial search and the literature from

journal inception will be scoped. It is anticipated that assessing the timeline of publications on this topic, will enable these changes to be mapped⁴⁰⁻⁴³.

The scoping review will consider all research with sexual minority, gender minority and intersex youth⁴⁹. This study recognises that the LGBTI+ acronym has particular resonance in the Irish context, with its use evolving iteratively through consultative policy-making processes³⁷. However, there are wide variations in sexuality, gender identity and diverse sex development, and how this is expressed in relation to identities and orientations, particularly for youth⁴⁹. The use of the LGBTI+ acronym reflects the authors' understanding of this diversity and ways of expressing these variations across a wide spectrum. While the search strategy has been informed by the work of Lee, Ylioja and Lackey, care has been taken to ensure that the search terms do not simply replicate their work⁴⁹. As such, the search strategy has been specifically tailored for this scoping review with deliberately wide search parameters using a broad spectrum of self-descriptors and related terms (see *Extended data*)⁵⁰.

Studies with LGBTI+ populations aged between 10 and 24 years will be included, consistent with the National Youth Strategy definition of youth⁵¹. A criterion for inclusion is that the study specifically targets young people. While it is recognised that some highly relevant studies may have a mix of eligible/ineligible participants, this review will include studies where the mean age falls within the specified age range, that is, between 10 and 24 years.

A holistic view of wellbeing underpins this review in accordance with the WHO^{2,5}. This acknowledges that while the dominant research focus has been on mental health risk, many of these studies will also include information about protective. This construct is further informed by the systematic review conducted by Wilson and Cariola and their recommendation of the need for strengths-based research into “resilience and protective factors for sexual and gender minority youth...across microsystems and macrosystems” (pp206–207)³⁰. They emphasise the importance of exploring the environmental, community and interpersonal characteristics of LGBTI+ youth “leading happy well-adjusted lives” (p206)³⁰. While the available frames of reference for LGBTI+ youth via the twin tropes of: “victims in need of tolerance and inclusion” and “just like everyone else” are problematised²⁸, this approach may inform more nuanced understandings of such protective factors for times of compromised wellbeing³⁰. Furthermore, the authors concur that Minority Stress Theory may provide a framework for exploring sexual minority, gender minority and intersex youth understandings of mental health promotion strategies and interventions³⁰. This is consistent with *Connecting for Life* which identified different protective factors for adolescent and adult populations, for example, help-seeking was positively associated with youth wellbeing¹⁰.

In light of the continued criminalisation of homosexuality in some parts of the world, with an impact on research and obtaining data, the context will be limited to countries and regions where

there are broadly comparable measures of social acceptance of LGBTI+ populations as measured by the Global Acceptance Index³². While this may limit generalisability, the rapid pace of change, as can be seen in the example of Ireland, may generate interest and be relevant to countries and regions where there is less acceptance³².

Search strategy. The search strategy was developed in consultation with the subject liaison librarian. A preliminary search was undertaken to establish whether existing scoping reviews had been conducted on the topic or in relation to protective factors for LGBTI+ youth wellbeing. A search for any reviews already conducted or aligning with the topic was undertaken across the Cochrane Database of Systematic Reviews, Campbell Collection, Epistemonikos and JBI Evidence Synthesis. When this yielded no results, the Database of Abstracts of Reviews of Effects from the National Institute for Health Research and PROSPERO, an international database of systematic reviews regarding health and social wellbeing, were subsequently searched. When no systematic, scoping or any other type of review was identified, an initial keyword search was piloted across three electronic databases: PubMed, PsycINFO and ASSIA. This informed further review of the search strategy with informal consultation undertaken with key stakeholders and LGBTI+ young people to ensure that deliberately broad keywords and search terms were included. The LGBTI+ acronym refers to those self-identifying as lesbian, gay, bisexual, transgender, intersex, questioning, queer, asexual and non-binary (LGBTI+). However, this umbrella terms is not limited to these forms of self-identification. This approach recognises the varied range of terms used to refer to sexual minority, gender minority and intersex populations with 67 LGBTI+ self-identifiers, and related terms used in the search strategy⁴⁹. To identify relevant studies, the following terms for sexual and gender minorities will be searched including, but not limited to (Title/Abstract LGBTI OR LGBTQ OR lesbian OR gay OR bisexual OR asexual OR pansexual OR transgender OR intersex OR non-binary OR queer OR “sexual minority” OR “gender minority” OR homosexuality OR bisexuality), combined using AND with terms used for those aged 10–24 years including (Title/Abstract youth OR young person OR “young people” OR “young adult” OR adolescent OR adolescence OR teen OR teenage OR teenager OR juvenile OR minors OR “emerging adult”), combined using AND with terms for protect including (Keyword resilient OR “protective factor”), combined using AND with terms for wellbeing including (key wellness OR wellbeing OR “mental health” OR “quality of life” OR “happiness with life” OR “lifesatisfaction”

The authors further revised and refined the search strategy through a MeSH database, main subjects, thesaurus terms, keywords and index headings and to identify databases for inclusion. An electronic search strategy will be used to identify databases of the published, peer-reviewed literature. Based on the pilot search, six electronic databases have been selected, containing academic, peer-reviewed journals for systematic searching from inception with relevance to medicine, nursing, psychology, allied health, social sciences and education including: PubMed, CINAHL, PsycINFO, ASSIA, ERIC International

(Proquest) and Academic Search Complete. The search strategy for PubMed database can be found in the online supplementary material (see *Extended data*)⁵⁰.

Stage 3: study selection

The search results will be stored in an electronic referencing system and duplicates removed. Studies will be included for abstract screening if they meet the criteria for Population, Concept, Context as outlined⁴⁷. Two reviewers will initially screen a small portion of the available evidence independently, to ensure the inclusion and exclusion criteria is clear, firstly screening by title and abstract, with discussion until there is complete agreement regarding inclusion. A third reviewer will be consulted until there is consensus regarding the inclusion and exclusion criteria. Abstracts will subsequently be assessed by two reviewers, independently, with discussion afterward until there is agreement. If a consensus cannot be reached further discussion will take place with a third reviewer until there is an agreed decision to include or exclude the study for analysis. Study selection will be based on *a priori* inclusion and exclusion criteria as outlined in [Table 1](#) below⁴⁷. A copy of the screening template is available as *Extended data*⁵⁰.

Queries for discussion will be recorded using a written template (see *Extended data*)⁵⁰. A table with excluded studies and reasons for exclusion will be generated based on this *a priori* criteria. The study team will be consulted throughout this process of selecting sources of evidence. The final step includes citation searching of the studies where the reference lists of the included articles will be reviewed using the citation function of Google Scholar to search for additional studies, supplemented by reference searching^{40,41,43,47}.

Stage 4: charting the data

The data extraction process in scoping reviews is referred to as ‘charting’ the data^{40,41,43,47}. A data extraction tool will be developed and piloted by the research team to provide a written overview of the key information to be captured in a summary table⁴⁷. This will record the following information: author(s); year of publication; country where study was conducted; aims/purpose of the study; methodology/methods; study population and sample size; outcomes and key findings in relation to the scoping review questions. The project lead will complete a full-text review and extract the data according to the summary table. All variables will be identified including assumptions and simplifications. The summary table will be tested by the study team to check a random sample of the completed data extracted. Consultation will take place with the study team throughout this process. This will establish processes for obtaining and confirming data. Where there is disagreement, the study team will be consulted until there is a decision to include or exclude a study. It is anticipated that completion of the summary table will be an iterative and reflexive process^{40,41,43,47}.

Stage 5: collating, summarising and reporting the results

The PRISMA-ScR checklist for reporting scoping reviews will be used⁴⁷. A rationale for collating the results will describe the methods and the use of this information in any data synthesis will be outlined⁴⁷. The methods of handling and

Table 1. Inclusion and exclusion criteria of study selection⁴⁷.

Inclusion	Exclusion
<ul style="list-style-type: none"> Study includes participants who self-identify as lesbian, gay, bisexual, transgender, intersex, queer, questioning, asexual, nonbinary or related terms 	<ul style="list-style-type: none"> Heterosexual, cisgender participants only No demographic measure of sexual orientation, gender identity, non-binary or intersex status
<ul style="list-style-type: none"> Study conducted in a country (or region) with a broadly similar Global Acceptance Index rank 	<ul style="list-style-type: none"> Study conducted in a country (or region) with a widely disparate Global Acceptance Index rank²⁸
<ul style="list-style-type: none"> Study with participants aged 10–24 years Study where young people are specifically targeted Study whereby the mean age falls within the specified age range 	<ul style="list-style-type: none"> Study whereby participants are children ≤10 years or adults ≥24 years Study whereby the mean age falls outside the specified age range
<ul style="list-style-type: none"> Study referring to any measures of resilience Study referring to ecological, psychosocial or cognitive measures that protect wellbeing <p>OR</p> <ul style="list-style-type: none"> Study referring to minority stress 	<ul style="list-style-type: none"> No reference in study to resilience No reference to any protective factors including: interpersonal, community-based or policy measures <p>OR</p> <ul style="list-style-type: none"> No reference to factors that mitigate minority stress
<ul style="list-style-type: none"> Published in English 	<ul style="list-style-type: none"> Published in language other than English
<ul style="list-style-type: none"> Peer-reviewed 	<ul style="list-style-type: none"> Non-peer-reviewed
<ul style="list-style-type: none"> Academic journal article or dissertation 	<ul style="list-style-type: none"> Book, book chapter, conference abstract, paper or keynote, report etc.

summarising the charted data will be described⁴⁷. The selection of sources of evidence will be outlined using a flow diagram⁴⁷. The characteristics of sources of evidence will be described and cited, with the results synthesised and summarised⁴⁷. It is anticipated that there will be variation in study design and method. A general interpretation will be provided along with potential implications and limitations of the scoping review⁴⁷.

Stage 6: consultation

Stakeholder consultation. A scoping review provides for a consultation stage as part of the methodological framework⁴⁰. Levac, Colquhoun and O'Brien recommend that this stage is a requirement for a scoping review as it enhances methodological rigor⁴¹. The consultation will be undertaken with stakeholders recruited through a purposive sampling approach⁵². This widely used technique is considered particularly useful in identifying and selecting research and policy stakeholders who have particular knowledge about the research question⁵². The review will seek to consult with those involved with the Irish *LGBTI+ National Youth Strategy*, either in its development or implementation phases³⁷. Those included in the consultation, will potentially include: representatives of national statutory and voluntary bodies within the education, health and social care and youthwork sectors; practitioners in health, social care, education and youthwork; researchers; and policy makers³⁷. This recognises that consultation enhances the scoping review process and that the results are more useful when stakeholders contribute to the work^{41,43}. In order to embed consultation throughout the scoping review process, suitable stakeholders have been invited to be part of the research team. Daudt, van Mossel and Scott suggest this adds depth to all stages of the review⁴³. The purpose of the stakeholder consultation comprises three phases: (1) search phase: reviewing and revising search terms and inclusion/ exclusion criteria; (2) analysis phase: an iterative

refinement of included sources of evidence and relevant data (3) findings: critical appraisal to ensure correct data interpretation and suggestions for knowledge translation^{41,43}. This will provide an opportunity to provide insights beyond those in the literature in order to analyse, interpret and integrate the study findings^{41,43}.

This will be enhanced by public patient involvement (PPI) through focus groups with LGBTI+ young people.

Patient and public involvement. Involvement of young people in research processes is increasingly emphasised by researchers, policy makers and practitioners^{45–46}. The provision within the framework for a consultation stage aligns with the objectives of the study and recognises LGBTI+ youth expertise, the social and cultural capital within youth networks and youth agency regarding their mental health and wellbeing^{45–46}. PPI approaches recognise that the inclusion, engagement and participation of young people in research is both child-centred and rights-based⁴⁶. Focus groups will use interactive participatory approaches to share the findings from the scoping review to explore LGBTI+ young people's understandings, meanings and interpretations⁴⁵. In Ireland, it is acknowledged that some young people are seldom-heard, including sexual and gender minority youth⁴⁴. Baker and Beagan call for collaboration that promotes 'learning with' LGBTI+ communities⁵³. This recognises that young people can and should be more involved in all stages of the research process, not just in providing data to researchers^{44–46}. The preliminary findings from the stage 5 framework will inform the consultation⁴¹. This will inform further synthesis of the review.

Dissemination and ethics

Ethical approval has been granted from the UCD Humanities Research Ethics Committee to undertake consultations on the scoping review findings with stakeholders and to conduct

focus groups with young people (Ref#: HS-19-80-Ceatha-Campbell). It is hoped that the involvement of sexual minority, gender minority and intersex youth will provide insights into research dissemination with these populations of young people, their families and with professionals in health, social care and education⁴⁶. The research team anticipate that the results will be disseminated through a peer reviewed publication, a conference presentation and presentations to the key stakeholders, including LGBTI+ youth.

Discussion

To our knowledge, this will be the first scoping review exploring the protective factors that promote the wellbeing of sexual minority, gender minority and intersex youth, including young people who self-identify as LGBTI+. Drawing on Arksey and O'Malley's methodological framework, the search strategy will map the established quantitative, qualitative and mixed-methods evidence of the protective factors currently considered, identify research gaps and provide recommendations⁴⁰. The PRISMA Extension for Scoping Reviews (PRISMA-ScR) checklist will be used throughout the review process in order to ensure transparency and enhancing the potential for replication⁴⁷. Stakeholder consultation is a key strength of the scoping review process and will engage with a range of people with expertise in research, policy and practice^{41,43}. This will be complemented by PPI with sexual minority, gender minority and intersex youth through interactive, participatory focus groups⁴⁵. This offers a unique opportunity to include LGBTI+ young people with expertise by experience in the research process⁴⁶. A recognised limitation of scoping reviews is that they do not assess the quality of studies, like the more traditional systematic review. However, a scoping review methodology has the capacity to collect a great quantity of different types of literature. This is of particular relevance when there is little known or published about a topic area. This scoping review has the potential to ascertain the work conducted in the field, map the available literature and identify key concepts⁴³. This could inform the design of future full systematic reviews on this subject area by demonstrating the breadth and nature of the literature to date^{43,48}.

Data availability

Underlying data

No underlying data are associated with this article.

Extended data

Open Science Framework: Scoping review protocol on protective factors that promote LGBTI+ youth wellbeing. DOI [10.17605/OSF.IO/6PMDA](https://doi.org/10.17605/OSF.IO/6PMDA)⁵⁰.

This project contains the following extended data:

- Version 2 PubMed search string scoping review OSF (DOCX). (PubMed search string to be used in the scoping review.)
- Version 2, Screening criteria using Population, Concept, Context for OSF (DOCX). (Screening criteria to be used in the scoping review.)
- Version 2, [Table 1](#). Inclusion and exclusion criteria of study selection for OSF (DOCX). (Screening criteria to be used in the scoping review.)
- Version 2 Screening template of inclusion and exclusion criteria OSF (DOCX). (Eligibility criteria screening template to be used in the scoping review.)
- Flow chart inclusion & exclusion criteria OSF (PPT). (Flow chart of decisions for inclusion and exclusion for the scoping review.)

Extended data are available under the terms of the [Creative Commons Zero "No rights reserved" data waiver](#) (CC0 1.0 Public domain dedication).

Acknowledgements

Many thanks to Dr Gary J. Gates, demographer for reviewing the search terminology, constructive feedback and helpful suggestions.

References

1. Prince M, Patel V, Saxena S, *et al.*: **No health without mental health**. *Lancet*. 2007; **370**(9590): 859–77. [PubMed Abstract](#) | [Publisher Full Text](#)
2. World Health Organization: **The world health report: 2001: Mental health: New understanding, new hope**. Geneva: WHO. 2001; 1. [Reference Source](#)
3. Dooris M, Farrier A, Froggett L: **Wellbeing: the challenge of 'operationalising' an holistic concept within a reductionist public health programme**. *Perspect Public Health*. 2018; **138**(2): 93–99. [PubMed Abstract](#) | [Publisher Full Text](#)
4. Dodge R, Daly AP, Huyton J, *et al.*: **The challenge of defining wellbeing**. *International Journal of Wellbeing*. 2012; **292**(3). [Publisher Full Text](#)
5. World Health Organization: **Ottawa charter for health promotion: an International Conference on Health Promotion, the move towards a new public health**. World Health Organization: Canada. 1986; 17–21. [Publisher Full Text](#)
6. Barry M, van Lente E, Molcho M, *et al.*: **SLÁN 2007: Survey of lifestyle, attitudes and nutrition in Ireland: Mental health and social well-being report**. Dublin: Department of Health and Children, The Stationery Office. 2009. [Reference Source](#)
7. Millward Brown Landsdown: **Irish attitudes towards mental health problems**. Dublin: See Change. 2012.
8. Millward Brown Landsdown: **Public attitudes towards mental illness: A benchmark study for See Change**. Dublin: See Change. 2010.
9. Mac Gabhann L, Lakeman R, McGowen P, *et al.*: **Hear my Voice: The experience**

- of discrimination of people with mental health problems in Ireland. Dublin: Dublin City University. 2010.
[Reference Source](#)
10. National Office for Suicide Prevention: **Connecting for life: Ireland's national strategy to reduce suicide 2015-2020**. Health Services Executive, Dublin. 2014.
[Reference Source](#)
 11. Gates G, Williams Distinguished Scholar: **How many people are lesbian, gay, bisexual, and transgender?** UCLA, CA: The Williams Institute. 2011.
[Reference Source](#)
 12. Roen K: **Intersex or diverse sex development: Critical review of psychosocial health care research and indications for practice**. *J Sex Res*. 2019; 56(4-5): 511-28.
[PubMed Abstract](#) | [Publisher Full Text](#)
 13. Haas AP, Eliason M, Mays VM, *et al.*: **Suicide and suicide risk in lesbian, gay, bisexual, and transgender populations: review and recommendations**. *J Homosex*. 2010; 58(1): 10-51.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 14. Meyer IH: **Prejudice, social stress, and mental health in lesbian, gay, and bisexual populations: conceptual issues and research evidence**. *Psychol Bull*. 2003; 129(5): 674-697.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 15. HSE National Social Inclusion Governance Group: **LGBT Health: Towards meeting the health care needs of lesbian, gay, bisexual and transgender people**. Dublin: HSE. 2009.
[Reference Source](#)
 16. Liu RT, Sheehan AE, Walsh RFL, *et al.*: **Prevalence and correlates of non-suicidal self-injury among lesbian, gay, bisexual, and transgender individuals: A systematic review and meta-analysis**. *Clin Psychol Rev*. 2019; 101783.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 17. Lucassen MF, Stasiak K, Samra R, *et al.*: **Sexual minority youth and depressive symptoms or depressive disorder: A systematic review and meta-analysis of population-based studies**. *Aust N Z J Psychiatry*. 2017; 51(8): 774-787.
[PubMed Abstract](#) | [Publisher Full Text](#)
 18. Marshal MP, Dietz LJ, Friedman MS, *et al.*: **Suicidality and depression disparities between sexual minority and heterosexual youth: a meta-analytic review**. *J Adolesc Health*. 2011; 49(2): 115-23.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 19. Zhao Y, Montoro R, Igartua K, *et al.*: **Suicidal ideation and attempt among adolescents reporting "unsure" sexual identity or heterosexual identity plus same-sex attraction or behavior: forgotten groups?** *J Am Acad Child Adolesc Psychiatry*. 2010; 49(2): 104-13.
[PubMed Abstract](#) | [Publisher Full Text](#)
 20. McMahon EM, O'Regan G, Corcoran P, *et al.*: **Young Lives in Ireland: a school-based study of mental health and suicide prevention**. Cork, National Suicide Research Foundation. 2017.
[Publisher Full Text](#)
 21. Higgins A, Doyle L, Downes C, *et al.*: **The LGBTIreland Report: national study of the mental health and wellbeing of lesbian, gay, bisexual, transgender and intersex people in Ireland**. Dublin, GLEN/BeLonGto. 2016.
[Reference Source](#)
 22. GLEN/BeLonGto: **Key Findings: LGBT Lives**. 2009.
[Reference Source](#)
 23. Gahagan J, Colpitts E: **Understanding and Measuring LGBTQ Pathways to Health: A Scoping Review of Strengths-Based Health Promotion Approaches in LGBTQ Health Research**. *J Homosex*. 2017; 64(1): 95-121.
[PubMed Abstract](#) | [Publisher Full Text](#)
 24. Herrick AL, Stall R, Goldhammer H, *et al.*: **Resilience as a research framework and as a cornerstone of prevention research for gay and bisexual men: theory and evidence**. *AIDS Behav*. 2014; 18(1): 1-9.
[PubMed Abstract](#) | [Publisher Full Text](#)
 25. Bryan A, Mayock P: **Speaking back to dominant constructions of LGBT Lives: Complexifying 'at riskness' for self-harm and suicidality among lesbian, gay bisexual and transgender youth**. *Irish Journal of Anthropology*. 2012; 15(2): 8.
[Reference Source](#)
 26. Bryan A, Mayock P: **Supporting LGBT Lives? Complicating the suicide consensus in LGBT mental health research**. *Sexualities*. 2017; 20(1-2M): 65-85.
[Publisher Full Text](#)
 27. Savin-Williams RC: **The new gay teenager**. (Vol. 3). Cambridge, Massachusetts, Harvard University Press. 2005.
[Publisher Full Text](#)
 28. Talburt S, Rofes E, Rasmussen ML: **Introduction: Transforming Discourses of Queer Youth and Educational Practices Surrounding Gender, Sexuality, and Youth**. In: M. L. Rasmussen, E. Rofes & S. Talburt (Eds.), *Youth and sexualities: Pleasure, subversion, and insubordination in and out of schools*. New York: Palgrave Macmillan. 2004; 1-13.
[Publisher Full Text](#)
 29. Fredriksen-Goldsen KI, Simoni JM, Kim HJ, *et al.*: **The Health Equity Promotion Model: Reconceptualization of Lesbian, Gay, Bisexual, and Transgender (LGBT) Health Disparities**. *Am J Orthopsychiatry*. 2014; 84(6): 653-663.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 30. Wilson C, Cariola LA: **LGBTQI+ Youth and Mental Health: A Systematic Review of Qualitative Research**. *Adolesc Res Rev*. 2019; 1-25.
[Publisher Full Text](#)
 31. Roberts LM, Marx RA: **The persistence of policies of protection in LGBTQ research & advocacy**. *J LGBT Youth*. 2018; 15(4): 280-299.
[Publisher Full Text](#)
 32. Flores AR: **Social Acceptance of LGBT People in 174 Countries 1981 to 2017**. Williams Institute: UCLA. 2019.
[Reference Source](#)
 33. Kuhl M: **Ireland wins LGBT+ activism award at World Pride in New York**. In Gay Community News; NXF Dublin, Ireland. 2019.
[Reference Source](#)
 34. **International Day Against Homophobia and Transphobia (IDAHOT). Declaration of Intent**. 2014.
[Reference Source](#)
 35. Attorney General of Ireland: **Marriage Act 2015**. Irish Statute Book; Oireachtas: Dublin, Ireland. 2015.
[Reference Source](#)
 36. Attorney General of Ireland: **Gender Recognition Act 2015**. Irish Statute Book; Oireachtas: Dublin, Ireland. 2015.
[Reference Source](#)
 37. Department of Children and Youth Affairs (DCYA): **LGBTI+ National Youth Strategy**. DCYA, The Stationery Office: Dublin. 2018.
[Reference Source](#)
 38. Creswell JW, Creswell JD: **Research design: Qualitative, quantitative, and mixed methods approaches**. SAGE publications: Los Angeles. 2019; 31(1): 75-77.
[Publisher Full Text](#)
 39. Mertens D, Ginsberg P: **Deep in Ethical Waters: Transformative Perspectives for Qualitative Social Work Research**. *Qual Soc Work*. 2008; 7(4): 484-503.
[Publisher Full Text](#)
 40. Arksey H, O'Malley L: **Scoping studies: towards a methodological framework**. *Int J Soc Res Methodol*. 2005; 8(1): 19-32.
[Publisher Full Text](#)
 41. Levac D, Colquhoun H, O'Brien KK: **Scoping studies: advancing the methodology**. *Implement Sci*. 2010; 5(1): 69.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 42. Chang S: **Scoping Reviews and Systematic Reviews: Is It an Either/Or Question?** *Ann Intern Med*. 2018; 169(7): 502-503.
[PubMed Abstract](#) | [Publisher Full Text](#)
 43. Daudt HM, van Mossel C, Scott SJ: **Enhancing the scoping study methodology: a large, inter-professional team's experience with Arksey and O'Malley's framework**. *BMC Med Res Methodol*. 2013; 13(1): 48.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 44. Tricco AC, Lillie E, Zarin W, *et al.*: **PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation**. *Ann Intern Med*. 2018; 169(7): 467-473.
[PubMed Abstract](#) | [Publisher Full Text](#)
 45. Kelleher C, Seymour M, Halpenny AM: **Promoting the Participation of Seldom Heard Young People: A Review of the Literature on Best Practice Principles**. Department of Children and Youth Affairs, Dublin. 2014.
[Publisher Full Text](#)
 46. McEvoy O: **A practical guide to including seldom heard children and young people in decision-making**. Department of Children and Youth Affairs, Dublin. 2015.
[Reference Source](#)
 47. Lundy L: **'Voice' is not enough: conceptualising Article 12 of the United Nations Convention on the Rights of the Child**. *Br Educ Res J*. 2007; 33(6): 927-942.
[Publisher Full Text](#)
 48. Munn Z, Peters MDJ, Stern C, *et al.*: **Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach**. *BMC Med Res Methodol*. 2018; 18(1): 143.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 49. Lee JG, Ylioja T, Lackey M: **Identifying lesbian, gay, bisexual, and transgender search terminology: A systematic review of health systematic reviews**. *PLoS One*. 2016; 11(5): e0156210.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
 50. Ceatha N: **Scoping review protocol on protective factors that promote LGBTI+ youth wellbeing**. 2020.
<http://www.doi.org/10.17605/OSF.IO/6PMDA>
 51. Department of Children and Youth Affairs: **National Youth Strategy 2015-2020**. Dublin: Government Publications. 2015.
[Reference Source](#)
 52. Rubin HJ, Rubin IS: **Qualitative Interviewing: The art of hearing data**. Los Angeles, CA Sage Publications. 2005.
[Reference Source](#)
 53. Baker K, Beagan B: **Making assumptions, making space: an anthropological critique of cultural competency and its relevance to queer patients**. *Med Anthropol Q*. 2014; 28(4): 578-598.
[PubMed Abstract](#) | [Publisher Full Text](#)

Open Peer Review

Current Peer Review Status:  

Version 2

Reviewer Report 12 June 2020

<https://doi.org/10.21956/hrbopenres.14184.r27528>

© 2020 Perry Y. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Yael Perry 

Telethon Kids Institute, Perth, Australia

I have reviewed the authors' responses to my comments and am satisfied that they have addressed my concerns. Happy to approve the protocol.

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Youth mental health, LGBTIQ mental health, prevention of mental illness.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Version 1

Reviewer Report 27 May 2020

<https://doi.org/10.21956/hrbopenres.14111.r27304>

© 2020 Johns M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Michelle Johns

Division of Adolescent and School Health, Centers for Disease Control and Prevention, Atlanta, GA, USA

This review addresses an important gap in the literature, and I applaud the research team for taking it on.

Considerations:

Wellbeing is a broad construct that has been operationalized in many ways. It would be helpful for the authors to define how they are operationalizing wellbeing within the introduction to help establish the boundaries of this review for the reader.

Additionally, the inclusion of "mental health" as a key word is likely to pull many articles related to mental health disorders/sequelae such as depression, anxiety, PTSD, etc. It would be useful to address head on how the research team will handle such articles. Do they fit the scope? If so, under what circumstances?

The authors may be interested to know that a prior systematic review focused on the issue of transgender youth and protective factors, and included considerations of mental health: Johns, M.M., *et al.*, (2018)¹.

References

1. Johns MM, Beltran O, Armstrong HL, Jayne PE, et al.: Protective Factors Among Transgender and Gender Variant Youth: A Systematic Review by Socioecological Level. *J Prim Prev.* **39** (3): 263-301
[PubMed Abstract](#) | [Publisher Full Text](#)

Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Not applicable

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Sexual and gender minority health, sexual health, mental health, stigma, resilience.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 05 Jun 2020

Nerilee Ceatha, University College Dublin, Belfield, Ireland

We would like to thank the reviewer for their approval of the scoping review. We also welcome the suggestions of how the protocol can be improved, especially by clarifying constructs and how these will be operationalised. We will respond to these points below:

Wellbeing

We agree with the suggestion that it would be helpful to define wellbeing and how this will be operationalised in the introduction. Revising the protocol has provided an opportunity to make this more explicit in order to help establish the boundaries of the review. We accept that wellbeing is contested^{1,2}. Our use of the term draws from the holistic framing by the WHO³. This is further complemented by situating individuals within an ecological model where health is premised on

social justice⁴. To operationalise this construct we have drawn on the work of Wilson and Cariola and made this specific within the inclusion criteria⁵.

Mental health

We view mental health as an integral component of wellbeing. This approach is premised on our understandings that mental health is not binary; that anyone may experience times when their mental health may be compromised and that this does not preclude times of wellbeing^{1,2}. This holistic conceptualisation attempts to move away from clinical and pathologized framing of mental health which can be stigmatising¹. Careful consideration has been given regarding articles including articles related to mental health diagnoses and sequelae. Again, building on Wilson and Cariola's review, this has been operationalised using Minority Stress Theory⁵. As such, the scoping review will include articles which refer to mental health and then specifically review to determine whether there is any reference to factors that mitigate minority stress including, but not limited to: interpersonal, community-based or policy measures, alongside measures of resilience. To operationalise this, we have developed a flow chart of inclusion and exclusion criteria and further revised the screening tool (see *Extended data*)⁶.

Prior systematic review

We are aware of the systematic review by Johns et al on transgender youth and protective factors⁷. We have been using this study as a reference when piloting the search strategy to ensure that the search captures key articles, reviews such as this.

We again thank the peer reviewer for their review. We very much appreciate the feedback and believe that the revised protocol has been strengthened by addressing these suggestions which will be beneficial throughout the scoping review process.

1. Dooris, M, Farrier, A, & Froggett, L. Wellbeing: the challenge of 'operationalising' an holistic concept within a reductionist public health programme. *Perspectives in Public Health*, 2018, 138(2), 93-99.
2. Dodge R, Daly AP, Huyton J, Sanders LD. The challenge of defining wellbeing. *International Journal of Wellbeing*. 2012, 29;2(3).
3. World Health Organization (WHO). *Mental health atlas 2005*. A Report by the Department of Mental Health and Substance Dependence. World Health Organization: Geneva, 2005.
4. World Health Organization. *Ottawa charter for health promotion: an International Conference on Health Promotion, the move towards a new public health*. 17-21 November, World Health Organization: Canada, 1986.
5. Wilson, C, & Cariola, LA. LGBTQI+ Youth and Mental Health: A Systematic Review of Qualitative Research. *Adolescent Research Review*, 2019, 187-211.
6. Ceatha N: Scoping review protocol on protective factors that promote LGBTI+ youth wellbeing. 2020. <http://www.doi.org/10.17605/OSF.IO/6PMDA>
7. Johns, MM, Beltran, O, Armstrong, HL, Jayne, PE, & Barrios, LC. Protective factors among transgender and gender variant youth: A systematic review by socioecological level. *Journal of Primary Prevention*. 2018, 39(3), 263-301.

Competing Interests: No competing interests were disclosed.

<https://doi.org/10.21956/hrbopenres.14111.r27305>

© 2020 Perry Y. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Yael Perry 

Telethon Kids Institute, Perth, Australia

This scoping review protocol outlines a plan to conduct a very important and timely piece of research that has clear implications for the field, as well as practice and policy. It is well conceptualised and situated in a clear context. The focus on protective factors is most welcome in a sea of literature focused on risk factors. Nevertheless, there are some clarifications around constructs and criteria that I believe would further improve the protocol and the review itself, which I have outlined below:

- The authors have not included grey literature in the scope of the literature they intend to review. Given the breadth of a scoping review, and the potential to uncover relevant and meaningful data in the grey literature, it is advisable that this addition is considered
- The authors refer to ‘stakeholders’ throughout the protocol but do not define who these people are. It would be helpful to describe who the stakeholders are and what ‘stake’ they hold in relation to the research
- The definition of LGBTI+ provided is very limited. The dimensions of sexual orientation and gender identity do not encompass the ‘I’ for intersex (physical diversity), and the examples of both gender (male/female/non-binary) and sexual diversity (hetero/lesbian/gay/bisexual/asexual) do not encompass the myriad of identities and orientations people regularly express. The authors should clarify that a very wide spectrum of sexual orientations and gender identities exist (and are subjectively defined) and that the examples provided are not exhaustive. Consider reviewing (and using) the following systematic review on terminology in your search terms: Lee, J. G., Ylioja, T., & Lackey, M. (2016)¹.
- With regards to the research question, the authors oscillate between using the terms ‘protective factors’ and ‘youth wellbeing’. This needs to be clarified as wellbeing is a very vague construct and potentially encompasses far more than simply protective factors. The current operationalization of the wellbeing concept includes mental health – is this the opposite of mental illness or something else? I suggest that protective factors is used as the primary Concept (C) in place of wellbeing as this is far more specific and arguably will lend itself to a more useful review.
- Delete repeated references to the social science liaison librarian – this may have been important for the development of your conceptualization of the review, but isn’t usually included in the protocol.
- No time limits are placed on the literature search, however, the social context has changed dramatically for LGBTI+ young people over recent years. Is it appropriate to review and include literature from the 80s or 90s?
- The exclusion criteria for age (less than 50% of participants are in the specified age range) may be practically difficult to use – most studies won’t state participants’ ages by %. May want to consider

using the mean age falling within the specified age range (as well as a criterion that specifies the study targets young people specifically, so as not to inadvertently include a study targeting adults that happens to recruit a young population).

- The authors should consider using a standardized risk of bias tool (e.g. Mixed Methods Assessment Tool which can be used for both quantitative and qualitative studies).

An additional (minor) point – for the sake of clarity and ease of reading - some of the protocol is repetitive in nature. It would benefit from an additional review by the authors to minimize this repetition.

References

1. Lee JG, Ylioja T, Lackey M: Identifying Lesbian, Gay, Bisexual, and Transgender Search Terminology: A Systematic Review of Health Systematic Reviews. *PLoS One*. 2016; **11** (5): e0156210 [PubMed Abstract](#) | [Publisher Full Text](#)

Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others?

Partly

Are the datasets clearly presented in a useable and accessible format?

Not applicable

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Youth mental health, LGBTIQ mental health, prevention of mental illness.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 05 Jun 2020

Nerilee Ceatha, University College Dublin, Belfield, Ireland

We would like to thank the reviewer for their detailed review and helpful feedback. We particularly appreciate the constructive comments of how the protocol can be improved, especially by clarifying constructs and criteria. We will respond to each of the points below:

Grey literature

We have given careful consideration to the wealth of grey literature and its inclusion. While we concur that there is a wealth of grey literature, there is broad variation in the quality of that literature. However, critical appraisal is not part of a scoping review methodology and this review would not include quality assessment and risk of bias^{1,2,3}. We acknowledge that there may potentially be a lot of important grey literature in dissertation form. We have now included dissertations, which may be unpublished, and will search three key repositories.

Stakeholders

Thank you for highlighting the need to describe and define the stakeholders who have been and will be invited to consult throughout the protocol development and scoping review process. Informed by the work of Levac and colleagues, we have provided further details of the purpose for the consultation and sought to specify the stakeholders invited to consult¹. Drawing on the recommendations of Daudt and colleagues, we have also clearly articulated that the study team includes suitable stakeholders³.

Use of the LGBTI+ acronym

In relation to the use of the LGBTI+ acronym, we welcome these suggestions. We are aware of the wide variations and how this is expressed in relation to identities and orientations regarding sex, gender and sexual orientation. This review is being conducted within the Irish policy context, with LGBTI+ being the preferred acronym⁴. However, we wish to ensure that this review has international resonance. Thank you for drawing attention to the importance of ensuring that definitions of diversity of sexual orientations and gender identities should be expanded to encompass other expressions, including intersex identifications⁵. We have made this more explicit throughout the protocol. Further, we have highlighted that the use of broad search parameters reflects our understanding of this diversity and ways of expressing these variations across a wide spectrum. While the work of Lee, Ylloja and Yackey was cited, this has now been made more explicit⁶.

Refining the Research Question re: wellbeing

Revising the protocol has provided an opportunity to ensure consistency and outline how constructs will be operationalised with regards to the research question. We now refer to 'protective factors' throughout the protocol. We have given consideration to the use of 'wellbeing' as the Primary Concept (C) and agree that this can be a vague term, however, it is used extensively throughout the literature. As such, much would be lost if the search did not include this term. However, we concur that the inclusion of the term 'wellbeing' needs to be specific in order to provide a more useful review. We have amended the Primary Concept to 'protective factors that promote wellbeing'. We have clarified that our use of the term 'wellbeing' draws from a holistic concept as outlined by the WHO⁷, complemented by the Ottawa Charter for health promotion⁸. We have drawn on the work of Wilson and Cariola and specifically outlined how these constructs will be operationalised within the inclusion and exclusion criteria. We welcome the question on the inclusion of mental health, which we view as an integral component of wellbeing. This approach is premised on our understandings that mental health is not binary; that anyone may experience times when their mental health may be compromised and that this does not preclude times of wellbeing^{9,10}. This holistic conceptualisation attempts to move away from clinical and pathologized framing of mental health which can be stigmatising⁹. Again, building on Wilson and Cariola's review, this has been operationalised in the context of Minority Stress Theory¹¹. As such the scoping review will include articles which refer to mental health and then specifically screen to determine whether there is any reference to factors that mitigate minority stress including, but not limited to: interpersonal, community-based or policy measures, alongside measures of resilience. To operationalise this, we have developed a flow chart of inclusion and exclusion criteria and further revised the screening tool (see *Extended data*)¹².

Reference to the subject librarian

The repeated references have been removed.

Timeframe on the search

We have given careful consideration as to whether to impose a timeframe on the search. One of the core functions of a scoping review is to determine the coverage of a body of literature on a given topic². While it is acknowledged that there have been rapid changes in the last decade, with the example of Ireland one of the most dramatic in this regard, assessing the timeline of publications on this topic will facilitate the mapping of these changes³. Further, Wilson and Cariola recommend that Minority Stress Theory, published in 2003, may be useful in addressing research gaps¹¹.

Inclusion and exclusion criteria regarding age

Thank you for the suggestion that we include a criterion that specifies the study targets young people and that the mean age of study participants should fall within the specified age range. This is very helpful. The inclusion and exclusion criteria have been amended to reflect these suggestions.

Risk of bias

A 'standardized risk of bias tool' would be appropriate for use with a systematic review, rather than a scoping review². Thus, assessment using a 'standardized risk of bias tool' is beyond the scope of this review. Further, these types of review have the potential to determine whether a systematic review is needed and the potential design of this. Daudt and colleagues suggest that scoping reviews may be a "necessary pre-requisite" for determining whether a full systematic review is required³.

Repetition

The protocol has been edited to address the repetition in the writing.

Thank you for the review and the encouraging comments that the study is timely and important with implications for research, policy and practice. We very much appreciate the feedback and believe that the revised protocol has been strengthened by addressing these suggestions. These refinements and revisions will be beneficial throughout the scoping review process.

References

1. Levac D, Colquhoun H, O'Brien KK. Scoping studies: advancing the methodology. *Implementation Science*. 2010, 5(1):69.
2. Munn, Z., Peters, M.D.J., Stern, C. *et al*. Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. *BMC Medical Research Methodology*. 2018, 18, 143.
3. Daudt HM, van Mossel C, & Scott SJ. Enhancing the scoping study methodology: a large, inter-professional team's experience with Arksey and O'Malley's framework. *BMC Medical Research Methodology*. 2013, 13(1):48.
4. Department of Children and Youth Affairs (DCYA). LGBTI+ National Youth Strategy; DCYA, The Stationery Office: Dublin, 2018.
5. Roen K. Intersex or diverse sex development: Critical review of psychosocial health care research and indications for practice. *The Journal of Sex Research*. 2019 Jun 13;56(4-5):511-28.
6. Lee JG, Ylloja T, Lackey M: Identifying lesbian, gay, bisexual, and transgender search terminology: A systematic review of health systematic reviews. *PLoS One*. 2016;11(5):e0156210. 27219460 10.1371/journal.pone.0156210 4878791

7. World Health Organization (WHO). *Mental health atlas 2005*. A Report by the Department of Mental Health and Substance Dependence. World Health Organization: Geneva, 2005.
8. World Health Organization. *Ottawa charter for health promotion: an International Conference on Health Promotion, the move towards a new public health*. 17-21 November, World Health Organization: Canada, 1986.
9. Dooris, M, Farrier, A, & Froggett, L. Wellbeing: the challenge of 'operationalising' an holistic concept within a reductionist public health programme. *Perspectives in Public Health*, 2018, 138(2), 93-99.
10. Dodge R, Daly AP, Huyton J, Sanders LD. The challenge of defining wellbeing. *International Journal of Wellbeing*. 2012, 29;2(3).
11. Wilson, C, & Cariola, LA. LGBTQI+ Youth and Mental Health: A Systematic Review of Qualitative Research. *Adolescent Research Review*, 2019, 187-211.
12. Ceatha N: Scoping review protocol on protective factors that promote LGBTI+ youth wellbeing. 2020. <http://www.doi.org/10.17605/OSF.IO/6PMDA>

Competing Interests: No competing interests were disclosed.
