

Research

Open Access

Analysis of the TCR alpha and beta chain CDR3 spectratypes in the peripheral blood of patients with Systemic Lupus Erythematosus

Wei Luo¹, Li Ma*¹, Qian Wen¹, Xin-Sheng Yao¹, Na Wang³, Hong-Yun Zou¹, Ming-Qian Zhou¹, Ying Lin², Zhen-Qiang Wu², Xiao-Wei He², Ju-Fang Wang² and Xiao-Ning Wang*^{1,2}

Address: ¹Institute of Molecular Immunology, Southern Medical University, Guangzhou 510515, PR China, ²College of Biosciences & Bioengineering, South China University of Technology, Guangzhou 510641, PR China and ³Department of Dermatology & Rheumatology, Nanfang Hospital, Guangzhou 510515, PR China

Email: Wei Luo - luowei_421@163.com; Li Ma* - maryhmz@126.com; Qian Wen - wencaoxi@163.com; Xin-Sheng Yao - immunology@126.com; Na Wang - nana198295@163.com; Hong-Yun Zou - yijiaming2000@163.com; Ming-Qian Zhou - zmq@fimmu.com; Ying Lin - feylin@scut.edu.cn; Zhen-Qiang Wu - btzhqwu@scut.edu.cn; Xiao-Wei He - davidxwe@yahoo.com; Ju-Fang Wang - jufwang@scut.edu.cn; Xiao-Ning Wang* - xnwang@21cn.net

* Corresponding authors

Published: 29 July 2008

Received: 16 April 2007

Journal of Autoimmune Diseases 2008, **5**:4 doi:10.1186/1740-2557-5-4

Accepted: 29 July 2008

This article is available from: <http://www.jautoimdis.com/content/5/1/4>

© 2008 Luo et al; licensee BioMed Central Ltd.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

BioMed Central have removed this article from the public domain as the article was published in error.