

DOI: 10.1038/ncomms14710 OPEN

Corrigendum: Endothelial to mesenchymal transition is common in atherosclerotic lesions and is associated with plaque instability

Solene M. Evrard, Laura Lecce, Katherine C. Michelis, Aya Nomura-Kitabayashi, Gaurav Pandey, K-Raman Purushothaman, Valentina d'Escamard, Jennifer R. Li, Lahouaria Hadri, Kenji Fujitani, Pedro R. Moreno, Ludovic Benard, Pauline Rimmele, Ariella Cohain, Brigham Mecham, Gwendalyn J. Randolph, Elizabeth G. Nabel, Roger Hajjar, Valentin Fuster, Manfred Boehm & Jason C. Kovacic

Nature Communications 7:11853 doi: 10.1038/ncomms11853 (2016); Published 24 June 2016; Updated 16 Feb 2017

In this Article, the catalogue number for the anti-Fap-Alexa Fluor 647 antibody is listed incorrectly and should have read bs-5758R-A647 instead of bs-5760R-A647.

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/

© The Author(s) 2017