

## **Title page**

# **Hydrogen therapy as an effective and novel adjuvant treatment against COVID-19**

**Mingke Wang<sup>1</sup> PhD, Jianhui Peng<sup>2</sup> MD, Jufen Hui<sup>1</sup> BS, Dengyong Hou<sup>1</sup> PhD, Weipeng Li<sup>1</sup> MD, Jishun Yang<sup>3\*</sup> PhD**

<sup>1</sup> Department of Disease Control and Prevention, Naval Medical Center of PLA, Naval Medical University, Shanghai 200052, China

<sup>2</sup> Department of Quality Management, Guangdong Second Provincial General Hospital (Pazhou Campus), Guangzhou 510317, Guangdong, China

<sup>3</sup> Medical Care Center, Naval Medical Center of PLA, Naval Medical University, Shanghai 200052, China

### **\*Corresponding author:**

Jishun Yang, PhD, Medical Care Center, Naval Medical Center of PLA, Naval Medical University, No.338, Huaihai West Road, Shanghai 200052, China. Tel: +86 15821184928, E-mail address: [jasunyang@foxmail.com](mailto:jasunyang@foxmail.com)/[wmke020@sina.com](mailto:wmke020@sina.com)

**Running Title:** COVID-19: hydrogen as a potential adjuvant treatment

**Original article for which this letter is submitted**

1. Wang ST, Bao C, He Y, Tian X, Yang Y, Zhang T, et al. Hydrogen gas (XEN) inhalation ameliorates airway inflammation in asthma and COPD patients. *QJM* 2020. DOI: 10.1093/qjmed/hcaa164.

**Conflict of interest:** None declared.

**Funding:** This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

**Ethical statement:** The article doesn't contain the participation of any human being and animal.

**Verification:** All authors have seen the manuscript and agree to the content. All the authors played a significant role in the paper.

## **Hydrogen therapy as an effective and novel adjuvant treatment against COVID-19**

Dear Editor,

We read with great interest the recent article by Wang et al <sup>1</sup>, which showed that 45 minutes hydrogen gas (H<sub>2</sub>) inhalation once attenuated airway inflammation in asthma and COPD patients by mainly inhibiting the pro-inflammatory cytokines of MCP-1, IL-4 and IL-6. High IL-6 level had also been found closely correlated with the incidence of detectable serum severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) viral load and the vital signs of coronavirus disease 2019 (COVID- 19) patients<sup>2,3</sup>. As of September 14, 2020, 28 637 952 confirmed cases of COVID-19 patients have been reported with 917 417 deaths in 212 countries globally<sup>4</sup>, and COVID- 19 has caused an unprecedented global public health crisis<sup>5</sup>. However, to date, effective therapeutic approach or antiviral drugs for COVID- 19 remain limited<sup>6</sup>.

Hydrogen (H<sub>2</sub>) is colorless, odorless, and the lightest of gas molecules in the universe. Since the first reported hydrogen therapy in a skin squamous carcinoma mouse model, studies in the past ten years have indicated that H<sub>2</sub> has therapeutic effects in diverse animal models and human disease, including metabolic syndrome, organ injury(respiratory system, nervous system, reproductive system, etc.), radiation damage and cancer, from acute illness to chronic illness<sup>7,8</sup>. We hypothesize that hydrogen therapy may be as an effective and novel adjuvant treatment against COVID-19, and exhibit beneficial potential to prevent COVID-19-associated cytokine storm and multiple organ

damage through following multiple mechanisms<sup>8</sup>. First, H<sub>2</sub>, as an important physiological regulatory factor with antioxidant effects on cells and organs, could activate the Nrf2 signaling pathway, provide cytoprotective activity and reduce tissue damage caused by SARS-CoV-2 infection<sup>9,10</sup>. Additionally, oxidative stress induced by viral infections could exacerbate the DNA methylation defect which may result in further ACE2(a functional receptor for the viral spike glycoprotein that allows the entry of SARSCoV-2 into cells) hypomethylation and enhanced viremia<sup>11</sup>. H<sub>2</sub>, as an antioxidant, may downregulate ACE2 expression through epigenetic control of the ACE2 gene. Second, SARS-CoV-2 induced activation of apoptosis and p53 signalling pathway in lymphocytes may play an important role in the development of patients' lymphopenia<sup>12</sup>, while H<sub>2</sub> could exert anti-apoptotic effects in lymphocytes attributed to its free radicals scavenging capacity, which may prevent disease progression and be used for prevention and treatment in COVID-19 patients<sup>13</sup>. Last, but definitely not least, H<sub>2</sub> can suppress proinflammatory gene expression(TNF- $\alpha$ , IL-1 $\beta$ , IL-6, IL-10 and ICAM-1) via NF-kb pathway, while these pro-inflammatory cytokines could be overexpressed in COVID-19 infection and play important roles in the progress of diseases <sup>14,15</sup>.

In conclusion, with the effects on selective anti-oxidation, anti-apoptosis, anti-inflammation, gene expression alterations, and as a gaseous signal modulator<sup>8</sup>, hydrogen therapy may be a novel, promising and effective adjuvant treatment against COVID-19. Although additional experiments and clinical studies are required to confirm this hypothesis, we hope that hydrogen therapy would provide an emerging and good option for the currently limited prevention and treatment strategy of COVID-19.

**Conflict of interest:** None declared.

## References

1. Wang ST, Bao C, He Y, Tian X, Yang Y, Zhang T, et al. Hydrogen gas (XEN) inhalation ameliorates airway inflammation in asthma and COPD patients. *QJM* 2020. DOI: 10.1093/qjmed/hcaa164.
2. Liu B, Li M, Zhou Z, Guan X, Xiang Y. Can we use interleukin-6 (IL-6) blockade for coronavirus disease 2019 (COVID-19)-induced cytokine release syndrome (CRS)? *J Autoimmun* 2020; **111**: 102452.
3. Chen X, Zhao B, Qu Y, Chen Y, Xiong J, Feng Y, et al. Detectable serum SARS-CoV-2 viral load (RNAemia) is closely correlated with drastically elevated interleukin 6 (IL-6) level in critically ill COVID-19 patients. *Clin Infect Dis* 2020. DOI:10.1093/cid/ciaa449.
4. World Health Organization. Weekly epidemiological update coronavirus disease 2019 (COVID-19).  
<https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports>(14 September 2020, date last accessed).
5. Abdulrab S, Al-maweri S, Halboub E. Ursodeoxycholic acid as a candidate therapeutic to alleviate and/or prevent COVID-19-associated cytokine storm. *Med Hypotheses* 2020; **143**: 109897.
6. Aygun H. Vitamin D can prevent COVID-19 infection-induced multiple organ damage. *Naunyn Schmiedebergs Arch Pharmacol* 2020; **393**: 1157-60.

7. Dole M, Wilson FR, Fife WP. Hyperbaric hydrogen therapy: a possible treatment for cancer. *Science* 1975; **190**: 152-4.
8. Ge L, Yang M, Yang NN, Yin XX, Song WG. Molecular hydrogen: a preventive and therapeutic medical gas for various diseases. *Oncotarget* 2017; **8**: 102653-73.
9. Yuan J, Wang D, Liu Y, Chen X, Zhang H, Shen F, et al. Hydrogen-rich water attenuates oxidative stress in rats with traumatic brain injury via Nrf2 pathway. *J surg res* 2018; **228**: 238-46.
10. Martinez-Sanchez G, Schwartz A, Donna VD. Potential cytoprotective activity of ozone therapy in SARS-CoV-2/COVID-19. *Antioxidants (Basel)* 2020; **9**: 389.
11. Sawalha AH, Zhao M, Coit P, Lu Q. Epigenetic dysregulation of ACE2 and interferon-regulated genes might suggest increased COVID-19 susceptibility and severity in lupus patients. *Clin immunol* 2020; **215**: 108410.
12. Xiong Y, Liu Y, Cao L, Wang D, Guo M, Jiang A, et al. Transcriptomic characteristics of bronchoalveolar lavage fluid and peripheral blood mononuclear cells in COVID-19 patients. *Emerg Microbes Infect* 2020; **9**: 761-70.
13. Yang Y, Li B, Liu C, Chuai Y, Lei J, Gao F, et al. Hydrogen-rich saline protects immunocytes from radiation-induced apoptosis. *Med sci monit* 2012; **18**: BR144-8.
14. Guo SX, Fang Q, You CG, Jin YY, Wang XG, Hu XL, et al. Effects of hydrogen-rich saline on early acute kidney injury in severely burned rats by suppressing oxidative stress induced apoptosis and inflammation. *J Transl Med* 2015; **13**: 183.
15. Conti P, Ronconi G, Caraffa A, Gallenga CE, Ross R, Frydas I, et al. Induction of pro-inflammatory cytokines (IL-1 and IL-6) and lung inflammation by Coronavirus-19

(COVI-19 or SARS-CoV-2): anti-inflammatory strategies. *J Biol Regul Homeost Agents*

2020; **34**: 327-31.