Peer

Manual restrictions on Palaeolithic technological behaviours

Alastair J.M. Key and Christopher J. Dunmore

School of Anthropology and Conservation, University of Kent, Canterbury, Kent, United Kingdom

ABSTRACT

The causes of technological innovation in the Palaeolithic archaeological record are central to understanding Plio-Pleistocene hominin behaviour and temporal trends in artefact variation. Palaeolithic archaeologists frequently investigate the Oldowan-Acheulean transition and technological developments during the subsequent million years of the Acheulean technocomplex. Here, we approach the question of why innovative stone tool production techniques occur in the Lower Palaeolithic archaeological record from an experimental biomechanical and evolutionary perspective. Nine experienced flintknappers reproduced Oldowan flake tools, 'early Acheulean' handaxes, and 'late Acheulean' handaxes while pressure data were collected from their non-dominant (core-holding) hands. For each flake removal or platform preparation event performed, the percussor used, the stage of reduction, the core securing technique utilised, and the relative success of flake removals were recorded. Results indicate that more heavily reduced, intensively shaped handaxes with greater volumetric controls do not necessarily require significantly greater manual pressure than Oldowan flake tools or earlier 'rougher' handaxe forms. Platform preparation events do, however, require significantly greater pressure relative to either soft or hard hammer flake detachments. No significant relationships were identified between flaking success and pressure variation. Our results suggest that the preparation of flake platforms, a technological behaviour associated with the production of late Acheulean handaxes, could plausibly have been restricted prior to the emergence of more forceful precision-manipulative capabilities than those required for earlier lithic technologies.

Subjects Anthropology, Evolutionary Studies

Keywords Manual Dexterity, Manipulation, Force, Oldowan—Acheulean transition, Stone tool innovation, Flint knapping

INTRODUCTION

The production and use of flaked stone tools were likely important to the survival of Palaeolithic hominins. The potential influence of these manually demanding behaviours on the evolution of the human hand has long been recognised (*Napier*, 1962; *Marzke*, 1983; *Marzke*, 1997; *Marzke*, 2013; *Williams*, *Gordon & Richmond*, 2010; *Rolian*, *Lieberman & Zermeno*, 2011; *Key & Lycett*, 2011; *Kivell*, 2015; *Almécija & Sheerwood*, 2017; although see *Almécija & Alba*, 2014). Recent research has also demonstrated how the manual anatomy and associated biomechanical capabilities of different hominin species may have influenced the nature of the Palaeolithic archaeological record (*Marzke & Shackley*, 1986; *Rolian*, *Lieberman & Zermeno*, 2011; *Domalain*, *Bertin & Daver*, 2017; *Key et al.*, 2017; *Patiño et al.*,

Submitted 14 March 2018 Accepted 14 July 2018 Published 16 August 2018

Corresponding author Alastair J.M. Key, a.j.m.key@kent.ac.uk

Academic editor William Jungers

Additional Information and Declarations can be found on page 23

DOI 10.7717/peerj.5399

Copyright 2018 Key and Dunmore

Distributed under Creative Commons CC-BY 4.0

OPEN ACCESS

2017; Key & Lycett, in press). That is, the types, forms and technological strategies of stone tool artefacts may have been limited by, or preferentially selected for, as a result of how effectively hominins could use the hand when manipulating or securing lithic objects. Research concerning how the evolution of the hominin hand may have been influenced by stone tool production and use has been reviewed in detail elsewhere (*Marzke, 1997; Marzke, 2013; Kivell, 2015; Almécija & Sheerwood, 2017*). The present article reciprocally focuses on the influence that hominin manual capabilities may have had on the types and forms of stone tools produced during the Lower Palaeolithic.

The earliest intentionally flaked stone tools are currently from the 3.3 million-yearold site of Lomekwi 3, West Turkana (Kenya), and appear to have been directed towards producing large flake cutting tools through passive-hammer or bipolar percussive strategies (Harmand et al., 2015; Lewis & Harmand, 2016). Subsequent to ~2.6 million years ago (Mya) Oldowan flake and core technologies, typically characterised by the expedient production of variably sized flake cutting tools from hand-held cores using hard-hammer percussion, appear more widely across East Africa (Kimbel et al., 1996; Roche et al., 1999; Semaw et al., 2003; Rogers & Semaw, 2009; Hovers, 2012; Reti, 2016; Proffitt, 2018). Simple flake and core stone tools are thereafter ubiquitous throughout the Palaeolithic. After \sim 1.75 Mya large bifacially flaked core tools ('bifaces') appear in the archaeological record across East Africa as part of the Acheulean techno-complex (Lepre et al., 2011; De la Torre & Mora, 2014; Diez-Martín et al., 2015). These early Acheulean tools, often characterised by handaxes and cleavers, are typically thought to have been produced using hard-hammer percussion. Bifaces go on to typify the next >1 million years of the archaeological record across the Old World (Lycett & Gowlett, 2008; Gowlett, 2015; Moncel et al., 2015) until the onset of Middle Palaeolithic technologies ~300 Kya (Moncel et al., 2011; Tryon & Faith, 2013; Adler et al., 2014). The nature and extent of any chronological changes to stone technology during the Acheulean are debated (e.g., Vaughan, 2001; Chauhan, 2009; Gowlett, 2011; McNabb & Cole, 2015; Moncel et al., 2015; Gallotti, 2016), however, there are indications that later Acheulean bifacial tools (handaxes in particular) were at times produced using soft-hammer percussion, became thinner relative to their width (more 'refined'), displayed greater evidence of intentional thinning, volume control (mass distribution), investment (e.g., time, skill), shaping and symmetry (Gowlett, 1986; Saragusti et al., 1998; Schick & Clark, 2003; Grosman, Goldsmith & Smilansky, 2011; Beyene et al., 2012; García-Medrano et al., 2014; Li et al., 2018; Moncel et al., 2016; Gallotti & Mussi, 2017; Iovita et al., 2017; Shimelmitz et al., 2017), and at times displayed evidence of platform preparation prior to a flake's removal (Stout et al., 2014). Together, these technologies describe \sim 3 million years of stone tool production and use during the Lower Palaeolithic.

Relationships between technological or morphological aspects of Lower Palaeolithic stone tools and hominin manual capabilities are often mentioned, but rarely tested, in archaeological literature (e.g., *Crompton & Gowlett, 1993; Delagnes & Roche, 2005; Machin, 2009; Lycett & Von Cramon-Taubadel, 2015*). Although paleoanthropologists frequently debate whether fossil hominin hand anatomy could facilitate stone tool related precision grips, it is rarely the case that specific technological or morphological aspects of these tools are discussed (although see *Tocheri et al. (2008)* for an example). Therefore, there are only

a few instances where hypothesised relationships between technological or morphological features of Lower Palaeolithic stone tools and hominin manual capabilities have actually been investigated.

Regarding the origin of the first flaked stone tools, *Rolian, Lieberman & Zermeno (2011)* used a metal 'simulated flake tool' to calculate the external moments, internal flexion moments and joint stresses of tool users. Their data suggested that efficient flake tool use with low biomechanical stresses may not have been possible prior to the evolution of the derived pollical anatomy observed in later *Homo (Rolian, Lieberman & Zermeno, 2011)*. Recently, *Key & Lycett (in press)* demonstrated the significant impact that tool user biometric variation can have on stone tool-use efficiency across the Lower Palaeolithic, revealing that relationships between biometric parameters and tool-use efficiency depend on the type of tool being used and the biometric variable under consideration. Their results suggest that the effective use of flakes and handaxes is not only dependent on hominins displaying relatively strong hands, but that the onset of Acheulean handaxes may have been linked to the evolution of more anatomically modern manual dimensions (*Key & Lycett, in press*). *Williams-Hatala et al.*'s (*2018*) investigation of manual pressure variation during flake and handaxe use may also indicate there to be differences in grip loading levels dependent on the size of the tool gripped.

These results are, in part, due to the variable grips required when securing different Lower Palaeolithic tools, as described by Marzke & Shackley (1986). Manual demands and grip choices have also been demonstrated to vary during different stone tool production sequences (Marzke & Shackley, 1986). Comparisons between flake and handaxe production, for example, identified differences in the motion of the dominant arm, with the latter requiring smaller, more precise flaking actions. The authors also suggest that a 'lighter grip' could be used to secure an Oldowan flake core relative to a handaxe or pick when detaching flakes (Marzke & Shackley, 1986). As cores become smaller over a reduction sequence, Marzke and colleagues (Marzke & Shackley, 1986; Marzke et al., 1998) describe how the distal aspects of digits are increasing heavily recruited and the palm is used less. An early experiment also suggested that lower thumb to finger length ratios may have precluded early hominin's ability to firmly secure handaxes during production, in turn resulting in "very crude handaxes" during the early Acheulean (Krantz, 1960: 116). Key et al. (2017) found that experienced knappers gripped hammerstones with high pressure when detaching particularly large flakes. In turn, large stone flakes within Lower Palaeolithic archaeological sequences (Sharon, 2010; Shipton et al., 2014) plausibly indicate that hominins were capable of exerting and resisting high manual pressures during precision (hammerstone) manipulation.

Aside from manual requirements, other studies emphasise the increased cognitive demands of handaxe production relative to Oldowan flakes (*Stout et al., 2008; Muller, Clarkson & Shipton, 2017*), while *Mateos, Terradillos-Bernal & Rodriguez (in press)* have recently experimentally compared the energetic cost of soft and hard hammer handaxe production. Only *Faisal et al. (2010)*, however, have empirically examined Lower Palaeolithic technological transitions from a manipulative perspective. Joint angles on, and abduction angles between, the digits of the non-dominant hand of a skilled flint knapper

indicated that, at least for the individual under investigation, Acheulean and Oldowan stone tool production are "indistinguishable" in terms of manipulative complexity (*Faisal et al.*, 2010: 6). *Faisal et al.*'s (2010) study also highlights key manipulative differences between these two reduction sequences, including the unique need to properly and securely brace a handaxe as it becomes increasing thin relative to its width.

Together, these studies emphasise the distinct manual demands required by the type and form of stone tool being used or produced. These demands must be facilitated by effective grips, which are, in turn, facilitated by anatomical adaptations. Without this anatomy it is unlikely that the respective tool forms would be found in associated archaeological deposits. Yet, there is still relatively little known about hand recruitment during the production of different types and forms of stone tool. Further, there is limited information about the effect biomechanical variation in a tool producer's hand has on the efficacy of different stone tool production behaviours. Certainly, the onset and adoption of certain technological or morphological features in the Palaeolithic archaeological record could have been restricted by biomechanical capabilities, including the forceful precision grip capabilities of the hominin upper limb.

The non-dominant hand is known to experience high loading levels and perform complex manipulative tasks during the production of stone tools (*Marzke & Shackley, 1986*; *Faisal et al., 2010; Key & Dunmore, 2015*), perhaps to a greater extent than the dominant hand. Differences in manipulative requirements between stone tool production behaviours might, then, be more readily detected in this hand relative to the dominant hand. Here, we test the null hypothesis that the pressures experienced across the non-dominant hand of stone tool producers during a series of Lower Palaeolithic technological activities, including a range of tool types produced and percussors used, are not significantly different. Further, we assess how flake removal success is related to the pressure used to secure cores and whether manual pressures vary according to the stage of a core's reduction, or the technique used to support a core against hammerstone impact reaction forces.

METHODS

Reduction strategies and technological differences

Three Lower Palaeolithic reduction strategies are examined here: (1) the production of replica Oldowan flake tools ('flake'), (2) bifacial flake removals while shaping an 'Early Acheulean' handaxe (EAH), and (3) bifacial flake removals while shaping a 'Late Acheulean' handaxe (LAH) (Figs. 1 and 2). Both flake and EAH tools were produced via hard hammer percussion while LAH were produced with soft hammer percussion as well. The latter strategy also employed specialist grinding stones during the preparation of flake platforms. The terms EAH and LAH used here refer to general increases in flaking extent, shaping, volume control, symmetry, the use of intentional 'thinning' flakes, soft-hammer percussion and prepared flake platforms in later Acheulean handaxes (*Saragusti et al., 1998; Schick & Clark, 2003; Grosman, Goldsmith & Smilansky, 2011; Diez-Martín et al., 2014; Stout et al., 2014; Gallotti & Mussi, 2017; Iovita et al., 2017; Shimelmitz et al., 2017).* While these differences are often clearest when tools produced >1 Mya are compared to




Figure 1 The 'early Acheulean' and 'late Acheulean' handaxes produced by knappers 6 (A), 9 (B), 5 (C), 4 (D), 3 (E) and 2 (F). Handaxes are not presented to scale in order to emphasise shape differences. Source: A Key.

Full-size DOI: 10.7717/peerj.5399/fig-1



Figure 2 A replica Oldowan flake core knapped by the lead author. The original unmodified core (A), a flake after its removal from the core at a late stage of the reduction (B), and the refitted core (C) are depicted on the left. The sequence of flake removals can be seen on the right (D). The first flake removed is highlighted on the bottom right hand side of the image, with subsequent flake removals spiralling clockwise into the centre and ending with the core. Source: A Key.

Full-size DOI: 10.7717/peerj.5399/fig-2

those produced after \sim 0.5 Mya, we do not mean to imply uniform linear progression of forms across regional records (*Vaughan, 2001; Gowlett, 2013; Moncel et al., 2015; McNabb* \Leftrightarrow *Cole, 2015*). Rather, we seek to investigate if handaxe forms produced using distinct techniques may be limited by biomechanical capabilities, as inferred from manual pressure records (see below).

Although the translation and rotation of cores are manually demanding behaviours (*Marzke et al., 1998; Key & Dunmore, 2015*), the present analysis focuses only on manual pressure while securing cores during flake removals or platform preparation activities (edge grinding, retouching and trimming). As these behaviours remove mass from a core, they shape a lithic artefact and have the potential to be identified from the archaeological record.

Nine skilled flint knappers, each with at least five years experience, took part in the study. At a minimum, all individuals were capable of consistently producing replica Acheulean handaxes of predetermined form when required. Notably, some of the participants exceeded this lower skill threshold by a considerable margin (*cf. Eren et al., 2014*). All had previously



Figure 3 Four of the knappers during the three reduction sequences. Oldowan flake and core (A, D, G, J), early Acheulean handaxe (B, E, H, K) and late Acheulean handaxe (C, F, I, L) reduction sequences are depicted. Note image F, where the knapper is grinding an edge in preparation for a flake removal. Images used with permission. Source: A Key.

Full-size 🖾 DOI: 10.7717/peerj.5399/fig-3

knapped while connected to manual pressure sensors and are familiar with producing tools within other experimental conditions (*Winton, 2005; Williams, Gordon & Richmond, 2010; Key & Dunmore, 2015; Key et al., 2017*). Additionally, most knap on a professional and frequent basis (e.g., academic, craftsman etc.) and likely provide the best possible sample available for providing natural, unfettered, pressure data. For these reasons, we are confident in the use of a single trial per reduction strategy for each knapper (collected within a single day) and the repeatability of the data collected. Each individual undertook the flake reduction first, followed by the EAH and then LAH sequence (Fig. 3). British flint from Suffolk and Kent was used in all reductions. All tool production sequences




Figure 4 Platform preparation events. Two edge grinding (A, B) and retouching (C, D) events are depicted. These behaviours are undertaken to remove edge 'lipping' (i.e., peaks at the apex of an edge that prevent a direct blow to the intended point of impact), to round the edge, to alter the flake platform's angle or to shape and isolate platforms. Source: A Key.

Full-size DOI: 10.7717/peerj.5399/fig-4

were recorded using a HD video camera. Ethical approval was granted by the School of Anthropology and Conservation Ethics Committee (University of Kent; Ref. Ares 19065). All individuals gave informed consent.

Each knapper used their own hammerstones and soft hammers, without restriction, although red deer (*Cervus eleghus*) and moose (*Alces alces*) billets were typically used. No wooden or copper billets were used. Knappers were free to use grinding stones during platform preparation events in the LAH reduction, although in many instances soft and hard hammers were also used for grinding and trimming (Figs. 3 and 4). Knappers produced flakes at their own pace and supported the core in whatever way they preferred (this varied between the core resting in the hand or on the leg). Every attempted flake removal was coded as successful if the flake detached or unsuccessful if it did not. In instances where a fracture had clearly propagated through the core but required additional minor taps to remove it, the original hammer strike was considered successful and the small taps were not

included in the study. Small (micro) flake removals undertaken when preparing platforms for large flake's removals are considered as distinct to 'flake removals' in this study.

Pressure sensors

A wireless Novel Pliance[®] sensor system was used to record the pressures (kPa) experienced across the non-dominant hand of knappers during all three reductions (Fig. 5). The system was comprised of 10 17 ×17 mm² and two 10 ×10 mm² sensors. The larger sensors were attached to the distal and proximal phalanges of digits 1–4 as well as the intermediate phalanges of digits 2 and 3. The two smaller sensors were attached to the distal and proximal phalanges of digit 5 (Fig. 5). All sensors were attached to the palmar surfaces of digits using double-sided tape and Velcro straps. Latex finger cots were used to protect the sensors and help keep them in place. The sensors were 'zeroed out' prior to data collection starting to account for any potential pressure caused by the finger cots. In all instances data were collected at a rate of 50 Hz.

Data extraction

Reduction sequences ranged between 5 to 34 min in duration. The number of individual data points collected from sensors ranged from \sim 12,000 to \sim 102,000. To identify individual behavioural instances within data streams it was necessary to align the pressure data output with the video records of each reduction sequence. Knappers were asked to free their non-dominant hand of any loads prior the reduction sequence starting and forcefully pinch their thumb and index finger. This created a known behaviour that was clearly identifiable at the start of the pressure data and the video record, after which, the two outputs could be accurately aligned.

Every time one of the behaviours under investigation was performed the peak pressure (kPa) experienced on each sensor was identified and recorded. For an attempted flake removal, peak pressures were identified from 2-second-long segments of the data stream (1 second either side of the point of impact; Fig. 6). Platform preparation behaviours could occur for substantially longer periods, therefore peak pressures were extracted from across their entire duration. Every manual activity recorded here, and therefore every peak pressure value, was assigned a technological strategy (flake, EAH, LAH), an indenture type (hard hammer, soft hammer, grinding stone), a removal type (successful flake, unsuccessful flake, platform preparation), a core-support position (leg, hand), and a sequence number.


Pressure data from all 12 sensors were summed to produce a record of the digital peak pressures experienced at a whole-hand level during individual technological behaviours. For each statistical comparison the peak pressures from all nine participants were combined. Participant seven's distal sensor on the first digit became detached during his flake reduction sequence. To make this discrepancy equal across all conditions examined here, no data for this sensor from this participant were included in the analyses.


To control for inter-knapper differences in pressure, records were normalised to a 0-1 scale by dividing the difference between each peak pressure record and minimum record of that reduction sequence, by the range of values in that reduction. Since all reductions begin in a similar manner this scaling should not preclude the identification of significant differences between groups.



Figure 5 The Novel Pliance[®] pressure system attached to the hand of knapper #1. Note the 12 sensors secured underneath the finger cots. Source: A Key.

Full-size 🖾 DOI: 10.7717/peerj.5399/fig-5





Full-size 🖾 DOI: 10.7717/peerj.5399/fig-6

Statistical analyses

Pressure differences between flake, EAH, and LAH reduction strategies

Both successful and unsuccessful flake removal data were used to investigate how pressure varies between the three core reduction strategies. Shapiro–Wilk tests revealed that normalised peak pressure data were not normally distributed in any of the three reduction strategies ($p \le .0001$). As reduction sequence lengths varied between knappers, each was sub-sampled to n peak pressure records evenly spaced over that sequence length, where n was the minimum length of sequence data analysed (n = 30) (File S1). This step ensured that knappers that produced longer sequences were not over-represented in the data, while still yielding reasonable statistical power with a sample of 270 peak pressure records in each reduction type. A Friedman test and post-hoc pairwise Wilcoxon signed rank tests were used to test for significant differences between normalized median pressure values between each reduction type. Significant values were identified at p < .017 as a Bonferroni correction was applied.

Pressure according to flake removal success

Average pressure was compared between flake removals depending on whether they were successful or not, within each reduction strategy. Hard and soft hammer percussion were included in the LAH analyses, but platform preparation events were not. Shapiro–Wilk tests confirmed that all three data sets were not normally distributed ($p \le .040$). Mann–Whitney U tests were repeated individually for Flake, EAH and LAH reductions as these data were not repeated measures. Significance was assumed in-line with the Bonferroni correction ($p \le .017$).

Pressure differences between core support strategies

As the present investigation is one of a few to consider core securing events with the non-dominant hand, we also analysed how different core support strategies may influence manual pressures. Two methods of core support were naturally used by knappers during reductions. Cores were either secured and supported solely in the hand, with the palm and fingers working to support their weight, or by the hand bracing tools against the leg. Pressure differences between these two core support strategies were compared individually within the three reduction strategies using Mann–Whitney U tests as Shapiro–Wilk tests identified that all data sets were not normally distributed ($p \le .0003$). Significant values were identified at p < .017 as a Bonferroni correction was applied. The LAH data does include platform preparation events using both core support strategies.

Pressure according to mass removal method

Only the LAH reduction displayed multiple mass removal (core shaping) methods; namely, hard and soft hammer flake removals, and platform preparation events. To examine how pressure varies between each of these three mass removal strategies LAH data were separated and then compared by technique used. Shapiro–Wilk tests confirmed that the three data sets were not normally distributed ($p \le .0001$). In turn, peak pressures were statistically compared between the three strategies using sub-sampled data as for testing differences between reduction strategies, though here the lowest number of mass removals in a

sequence of a given type was 11 and so each removal type pressure sample was constituted of 99 records evenly spaced over reduction sequences (File S1). A Friedman test and post-hoc pairwise Wilcoxon signed rank tests were used to test for significant differences between normalized median pressure values between each mass removal type.

Pressure differences dependent on reduction stage

To examine whether core reduction stage significantly influences the pressure exerted and resisted by the non-dominant hand, flake sequence numbers were regressed on summed peak pressure data for each respective reduction type. This analysis of the influence of a core's stage of reduction, as defined by the number of flakes removed, on manual pressure does not use normalized or sub-setted data since it is the covariance of these variables that is under investigation. Due to the influence that core form, knapping mistakes, raw material inclusions, and participant enthusiasm could have on the duration of tool production sequences, there is potential for later trends within shorter sequences to be concurrent with earlier stages of longer reduction sequences. In turn, if there is only an increase in pressure during the final stages of a handaxe's production, for example, then this trend in the shorter sequence numbers of equal range that were proportionally normalised to the shortest sequence length (out of the nine) for each reduction type. This allows assessment of manual pressure from the start of a reduction sequence relative to its end (as determined by the tool producer) irrespective of any variation in the number of flake removals.

Both sets of regressions are performed with all nine participants' data. Regressions were repeated individually for each of the three reduction strategies. Only hard and soft hammer flake removals were included in these first analyses for the LAH data. Pressure data from platform preparation event sequences were independently investigated using both types of regression. Significance was assumed in-line with the Bonferroni correction ($p \le .0125$) in each instance.

RESULTS

Descriptive data for the pressure values used in each analysis are detailed in Tables 1–5. Between the three types of tool production sequence there were substantially more mass removal events when producing LAHs (n = 1,503), relative to flakes and EAHs (n = 506 and 777 respectively; Table 1). Around twice as many flake removals were required during the production of LAHs relative to EAHs. Mean, summed peak pressure records across the non-dominant hand during the production of LAHs were also greater than the flake and EAH sequences by ~ 50 kPa (Table 1; Fig. 7). The Friedman test did not reveal significant differences between median pressures used in the three types of reduction (p = 0.22138) and so post-hoc tests were not conducted. Although the production of 'Late Acheulean Handaxes' required greater mean pressures to be exerted and resisted by the non-dominant hand across all data collected, compared to the production of Oldowan flake tools or 'early Acheulean handaxes', these differences were not significant.

Ratios of successful to unsuccessful flake removals varied only slightly between the three reduction strategies (ranging between 7:2 and 9:2) (Table 2). In each strategy, successful

 Table 1
 Descriptive data outlining the differences in combined peak pressure data recorded on the non-dominant hand during flake and core, 'early Acheulean handaxe', and 'late Acheulean handaxe' stone tool production sequences.

All manual behaviours combined	n	Mean (kPa)	Median (kPa)	S.D. (kPa)	Min (kPa)	Max (kPa)
Flake	506	214.3	205	114.2	25	722.5
EAH	777	203.5	192.5	104.5	20	617.5
LAH	1,503	261.8	235	155.8	17.5	930

Table 2Data describing combined peak pressure differences between successful and unsuccessfulflake removals within the three types of stone tool production sequence examined.

Flake removal success		n	Mean (kPa)	Median (kPa)	S.D. (kPa)	Min (kPa)	Max (kPa)
Flake	Successful	393	210.7	205	111.5	25	722.5
	Unsuccessful	113	227.1	205	122.8	25	525
EAH	Successful	636	200.5	188.8	103.7	22.5	617.5
	Unsuccessful	141	217.5	212.5	107.1	20	535
LAH	Successful	991	246.4	220	151.1	17.5	930
	Unsuccessful	243	256.5	225	137.7	25	705

Table 3Differences in combined peak pressure recorded on the non-dominant hand of the nine knappers during flake, EAH, and LAH reduction sequences, dependent on whether hand or leg core supportstrategies were used.

Core suppor	rt strategies	n	Mean (kPa)	Median (kPa)	S.D. (kPa)	Min (kPa)	Max (kPa)
Flake	Hand	315	220.7	217.5	114.8	25	577.5
	Leg	191	203.8	190	112.6	25	722.5
EAH	Hand	367	187	180	85.3	25	465
	Leg	410	218.3	205	117.2	20	617.5
LAH	Hand	503	291	260	152.3	20	802.5
	Leg	1,000	247.2	200	155.5	17.5	930

flake removals reported pressure values $\sim 10-15$ kPa below unsuccessful removals (Table 2). Mann–Whitney *U* tests identified that these differences were not significant in any of the three sequences (p = .069-.249). In turn, the success of flake removals does not seem to be a consequence of variation in pressure exerted by the non-dominant hand during stone tool production, although there is consistency in successful flake removal recording marginally lower pressure values.

Core support strategies varied between the leg and hand in all three reductions. In terms of data frequency there is a split between flake production, which reports greater use of hand support, the EAH reductions which are broadly equal between the two, and the LAH reductions where there were clear preferences for cores being supported by the leg (Table 3). While no significant pressure difference is recorded between the hand and

Table 4Data describing the combined peak pressure recorded on the non-dominant hand of knapperswhile producing 'late Acheulean handaxes' (see definition provided in the main text), dependent on thetype of technique used to remove mass from the core.


Mass removal strategy	n	Mean (kPa)	Median (kPa)	S.D. (kPa)	Min (kPa)	Max (kPa)
LAH Hard hammer	617	264.9	235	159.5	17.5	930
Soft hammer	617	231.8	215	134.8	17.5	785
Platform preparation	269	323.5	297.5	172.8	17.5	802.5

Table 5 Des	criptive data for the combined peak pressure records used in the four regression analyses
with flake ren	moval numbers.

Reduction stage (flake removal number)	n	Mean (kPa)	S.D. (kPa)	Min (kPa)	Max (kPa)
Flake	506	214.3	114.2	25	722.5
EAH	777	203.5	104.5	20	617.5
LAH	1,234	248.4	148.5	17.5	930
LAH Platform Preparation	269	323.5	172.8	17.5	802.5

leg support techniques during flake production (p = .060), both of the handaxe sequences report significant differences ($p = \le .001$; Table 3). However, during the EAH reduction greater pressure values are reported during leg support while LAHs report greater values during hand support (Table 3). The technique used to support a stone core therefore appears related to the pressures required to secure it during flake removals and platform preparation events, however, differences appear dependent on the type of tool being produced.

It was only possible to compare hard hammer flake removals, soft hammer flake removals, and platform preparation events during the LAH reduction sequence. Across the nine participants there were equal numbers of hard and soft hammer flake removals (n = 617 for each removal type), suggesting that both types of percussor are equally important during LAH production sequences (Table 4). There were, however, 4.6 times as many flake removals relative to platform preparation events, indicating that only ~one in five flakes required its platform to be prepared prior to its removal. When only soft hammer percussion is considered, where platform preparation may more normally be expected, every other flake was removed without its platform being prepared (i.e., one in two flakes had its platform prepared). Soft hammer percussion returned, on average, the lowest peak pressure records across the hand (Table 4; Fig. 7). Hard hammer percussion required an additional 33 kPa of pressure to be exerted and resisted by the non-dominant hand. An additional 59 and 92 kPa were recorded, on average, across the non-dominant hand of knappers during platform preparation events compared to hard and soft hammer percussion, respectively (Table 4; Fig. 7). The Friedman test between normalised median pressures used in the three types of mass removal was significant (p = .0001). Subsequent pairwise Wilxcoxon signed rank tests indicated that platform preparation events required significantly more pressure than both hard (p = 0.0002) and soft hammer (p = .0043)



production strategies (n = 506, 777, and 1,503 for the Oldowan flake, EAH, and LAH data, respectively) and the three mass removal strategies utilised in the late Acheulean handaxe reduction sequence (n = 617, 617, and 269 for the hard hammer, soft hammer, and platform preparation data, respectively) are shown. Full-size \square DOI: 10.7717/peerj.5399/fig-7

removals, while there was no significant difference between the latter two mass removal types. Platform preparation events do, therefore, appear to require significantly greater pressure to be exerted and resisted by the non-dominant hand compared to both hard and soft hammer flake removals.

The LAH data values used during the regression analyses were, on average, greater than both the flake and EAH reductions (by 34 and 45 kPa, respectively) despite the absence of platform preparation events (Table 5), demonstrating that even in the absence of this uniquely late Acheulean behaviour, the production of LAH forms requires greater manual pressures. Of the eight linear regressions undertaken all identified significant relationships between flake removal sequence numbers and manual pressure (Table 6). Flake and EAH reduction sequences displayed negative relationships, whereby pressure decreased as reduction sequences progressed. LAH sequences and LAH platform preparation events displayed positive relationships, indicating that later mass removal events required greater manual pressures (Table 6). In all but one instance R^2 values were \leq .090, indicating that

	p	<i>R</i> ²
Original flake removal numbers		
Flake	.0001	029
EAH	<.0001	030
LAH	<.0001	.066
LAH platform preparation	<.0001	.416
Standardised flake removal numbers		
Flake	.0007	023
EAH	<.0001	090
LAH	.0035	.007
LAH platform preparation	.0078	.026


Table 6Regressions between both the original and 'standardised' flake removal or platform prepara-tion sequence event numbers and combined peak pressures experienced on the non-dominant hand.


limited (\leq 9%) pressure variation could be attributed to a core's stage of reduction. The single exception was the regression between LAH platform preparation sequence numbers and their respective pressure values, where 42% of the observed pressure variation could be attributed to the stage of a handaxe's production (Table 6; Fig. 8). This indicates that as late Acheulean handaxes progress further through production sequences (i.e., as they become smaller, increasingly shaped and thin relative to their thickness) the pressure required to stabilise them during platform preparation events increases significantly. The fact that this relationship is not similarly repeated in the normalised flake removal sequence numbers indicates that this relationship is unlikely to be driven by how close a handaxe is to being considered finished by the knapper, but by how long the sequence goes on for, how many flakes have been removed, and how 'refined' a biface becomes.

DISCUSSION

The present work investigates the origin of technological innovation during the Lower Palaeolithic from a biomechanical and evolutionary perspective, and asks whether the onset of new stone tool forms and production techniques may have been restricted by hominin manual capabilities. Our results demonstrate that although later Acheulean handaxes (LAH) required the exertion and resistance of greater manual pressure during their production relative to either Oldowan flake and core tools or early 'rougher' Acheulean handaxes (EAH) (by an average of 22% and 29%, respectively, when all data were considered), these differences were not found to be significant and may have been driven by a few individuals. It is, therefore, not possible to state that manual pressure requirements during flake detachments vary significantly between the three tools examined here.

However, the preparation of LAH flake platforms, through retouching and edge grinding, elicited the greatest loads in this study. Indeed, the action of preparing a flake's platform prior to its removal required significantly (22–40%) more pressure than soft or hard hammer flake removals in the same reduction sequences (Table 4; Fig. 7). Compared to Oldowan or EAH flake removals, mean pressures are 55–59% (>110 kPa) greater during LAH platform preparation events (Tables 1 and 4; Fig. 7). This result suggests that





platform preparation techniques may only have been possible for hominins capable of performing particularly forceful precision grips. These grips would have required greater force than those needed for earlier stone tool types. Arguably, only once hominins evolved enhanced manipulative capabilities in response to selective pressure exerted by earlier manual behaviours, would the innovation of later Acheulean handaxe forms, produced using the preparation of flake platforms, have been possible. Such behaviours include flake tool use, hammerstone use, and Oldowan/EAH core manipulation (*Marzke, 1997; Marzke, 2013; Kivell, 2015; Key & Dunmore, 2015; Williams-Hatala et al., 2018*). As highlighted by *Tocheri et al. (2008)*, fossil hand anatomy indicates the continued derivation of hominin manual capabilities subsequent to the onset of the Acheulean, which may have facilitated the forceful grips used for securing the core during platform preparation events, required for LAH production.

During platform preparation events edges are modified either via the removal of very small flakes when isolating as well as reshaping platforms or altering their angles, or they

can be reduced, bevelled, reshaped and isolated through forceful grinding actions. In each case, these actions require the precise but forceful application of stone or antler against the handaxe's edge. In turn, it is essential for handaxes to remain stable throughout this process so that the percussor or grinding stone is applied only to the specific area being shaped (for refined bifaces flake platforms are often $<10 \times 5$ mm). Regarding small flake removals, it is the highly precise nature of the removals that necessitates a particularly firm and steady grip on the handaxe.

The act of grinding a handaxe's edge in preparation for a flake removal, however, also requires the input of substantial and prolonged forces through an abrasive stone onto the biface's edge. In addition to their extended duration, it is likely that the dominant hand at times creates forces in excess of those observed during flake detachments. Certainly, during edge grinding the palm contributes substantially to the loads transferred onto a core, something that is impossible during most hammerstone strikes (and therefore flake detachments). While previous biomechanical studies of the dominant hand have tended to overlook edge grinding events (although see: *Marzke & Shackley, 1986*), and thus these claims cannot yet be substantiated, our pressure data clearly identifies a requirement to oppose substantial reaction forces during platform preparation events. More specifically, these pressures are significantly greater than those observed during flake removals.

When LAHs are secured during platform preparation events up to 42% of the pressure variation recorded here can be attributed to the stage of a handaxe's production, demonstrating proportionally greater force is required to prepare platforms for progressively refined flake removals (Fig. 8). This relationship cannot be straightforwardly attributed to participant fatigue, as platform preparation events and flake removals were undertaken throughout reductions and no fatiguing was reported or observed. Rather the form of the handaxe (core) being supported and secured is likely responsible for this result.

As any reduction sequence progresses, cores become smaller (*Clarkson, 2013*; *Douglass et al., 2018*) and handaxe size has been experimentally demonstrated to have a strong negative relationship with reduction intensity (*Shipton & Clarkson, 2015a*; *Shipton & Clarkson, 2015b*). *Marzke & Shackley (1986)* found that as reduction sequences progress the thumb and distal aspects of the fingers are increasingly used in isolation when gripping the core to secure it against hammerstone strikes (see also: *Pouydebat et al., 2009*). As a corollary, both the greater surface area of the palm and the most ulnar digits (fourth and fifth) are used progressively less (*Marzke et al., 1998*), which concentrates manual forces on the radial three digits. This concentration of force thereby increases the pressures required to produce, typically smaller, LAH's.

The stage of a handaxe's reduction also has potential to impact its volumetric distribution and shape (*Crompton & Gowlett, 1993*). *Archer & Braun (2010)* demonstrated that as reduction sequences progress, a handaxe's centre of mass moves first to the centre of the tool and subsequent thinning flakes move it to the tool's base. As highlighted by *Faisal et al. (2010)*, this results in an increased requirement to properly secure and brace the tool during flake removals and platform preparation events. Certainly, during the latter stages of LAH production there is increased risk that a biface will break (i.e., fracture in an unintended way) when flake removals are instigated. This may be through the intended fracture 'diving' through the biface when searching for the route of least resistance, or by reaction forces propagating through the tool and creating stress enough to fracture in additional locations (often the tip). In both cases, the principle means for a knapper to prevent these mistakes (other than choosing suitable flakes to remove) is by forcefully bracing the length of the biface. While most effect sizes were small, the other regression analyses support this idea as flake and EAH regressions display negative relationships with pressure but LAH sequences show positive relationships. During flake and EAH reductions the reducing core mass requires less support and stabilisation, resulting in lower manual pressure. While this may also characterise early stages of LAH production, as sequences progress, pressure increases substantially. It is likely that the production of bifacially flaked tools with even lower thickness to width ratios, such as Solutrean or Clovis points (e.g., *Smallwood, 2010; Eren et al., 2013*), would require even greater pressures.

Wider implications

Stout and colleagues (Stout et al., 2008; Stout et al., 2015), and more recently Muller, Clarkson & Shipton (2017), have demonstrated that Acheulean handaxe production requires increased visuomotor coordination, hierarchical organisation and is more cognitively demanding than Oldowan flake tool production. Wynn (2002) and Muller, Clarkson & Shipton (2017) further suggest late Acheulean handaxe production sequences to be more complex than those required for early Acheulean handaxes. When combined with the present study, the production of later Acheulean handaxes could, therefore, also be considered a biomechanically and cognitively more demanding behaviour than earlier types of stone tool production. Although earlier research hinted at how manually demanding later handaxes were to produce (e.g., Krantz, 1960; Marzke & Shackley, 1986), it is only now that there are empirical data in support of this conclusion. Earlier work by Faisal et al. (2010) investigated the manipulative complexity (variation) of Oldowan and late Acheulean handaxe reduction strategies did not find any notable differences in digit joint or abduction angles. Our platform preparation results may, at first, appear in contrast to those reported by Faisal et al. (2010) insofar as we did find significant manual differences between Oldowan flake and late Acheulean handaxe production. Each study, however, investigates or infers a distinct biomechanical element of stone tool production. That is, the manual demands associated with joint angle *complexity* are not tantamount to demands associated with *loading* levels. So while the complexity of these behaviours have not been demonstrated to be different (Faisal et al., 2010), the production of late Acheulean is still a more demanding manual behaviour, but only in terms of the manual pressure levels resisted and exerted.

Key and colleagues (*Key et al., 2017; Key & Lycett, in press*) have argued that the production of large flakes (e.g., >10 cm) via hard hammer percussion and the effective use of handaxes, which are both characteristic features of early Acheulean tool assemblages (*De la Torre & Mora, 2014*), required manual biomechanical prerequisites prior to their widespread adoption by hominin populations. The present study suggests that the removal of bifacial flakes from a core when shaping an EAH is no more demanding, in terms of loading on the non-dominant hand, than the removal of flakes from a core during more

straightforward Oldowan core reduction strategies. So, while there may be other manual prerequisites prior to the adoption of early Acheulean technologies (*Key et al., 2017; Key & Lycett, in press*), the loads required to secure cores do not appear to be one. As far as the present study demonstrates, we can attribute the specific technological development of core shaping through bifacial flake removals (*n.b.* not large flake production or the effective use of these tools (*Key et al., 2017; Key & Lycett, in press*)) to be more likely linked to changes in hominin cognitive, cultural, or linguistic capabilities (*Wynn, 2002; Uomini & Meyer, 2013; Stout et al., 2014; Morgan et al., 2015; Schillinger, Mesoudi & Lycett, 2015; Stout et al., 2015; Lycett et al., 2016*), or increased functional and ecological demands for large tools with scalloped cutting edges (*Jones, 1980; Key & Lycett, 2017a; Key & Lycett, 2017b; Wynn & Gowlett, 2018*), than biomechanical restrictions.

Further technological considerations

Our finding that flaking success cannot be attributed to pressure levels when securing cores demonstrates that, for skilled knappers at least, other factors are more important in determining flake detachment success. We are not suggesting that a secure and forceful grip on stone cores is not essential to the successful removal of flakes. Neither do we mean to imply that the loads required to secure a core do not change in response to different morphological or technological aspects of a tool production sequence (e.g., flake and core size, platform angle, percussor type). The high but variable loads exhibited here attest to these requirements, as do results reported in previous studies (Marzke et al., 1998; Key & Dunmore, 2015). Rather, our results demonstrate that the visuomotor control of skilled flint knappers during stone tool production is such that they can appropriately judge manual pressure requirements during flake detachments with equal success across the three types of reduction strategies examined here. Although, of course, there is potential for considerable variation in appropriate or necessary pressure outputs (cf. Rein, Nonaka & Bril, 2014; Key et al., 2017). Given the experience of the knappers used in this study, indications of advanced motor-skills during flake detachments are not surprising (Nonaka, Bril & Rein, 2010). Nonetheless, it is interesting that the success of flake removals by skilled flintknappers cannot be attributed to the use of higher or lower than required loading through the non-dominant, core securing, hand. It is beyond the scope of the present study to comment on whether the success of flake removals by novice knappers can, at least in part (Nonaka, Bril & Rein, 2010; Stout et al., 2015), be attributed to an inability to appropriately judge the loads required to secure a core. Interestingly, the ratio of \sim 4:1 successful to unsuccessful flake removals (991 successful and 243 unsuccessful flake) across the LAH reductions was repeated when only flake removals performed immediately after platform preparation events were considered (160 successful and 38 unsuccessful flaking attempts). Indicating that, at least for expert knappers, the preparation of flake platforms does not increase the success of flake removals.

Both handaxe reduction sequences demonstrated significant pressure differences between the hand and leg core support strategies. The EAHs required greater values during the leg support technique while the LAH required greater values during the hand condition. The cause of this difference may relate to the disproportionate use of each support strategy at different stages of a reduction sequence, changes in grip choice and pressure requirements as reductions progress, and the inclusion of platform preparation data in the LAH reduction. All reduction types used the leg support strategy more frequently during the earlier stages of a reduction sequence. This was likely because the most comfortable way to support a particularly heavy core's weight was by using the leg, with the hand chiefly being used to stabilise the core against hammerstone strikes. As sequences progressed cores became smaller, meaning that it was easier to support and secure cores using only the hand. A shift to the more frequent use of a hand support strategy also coincided with the already discussed need for greater pressure as cores become more 'refined' during platform preparation events. The greater duration of LAH reductions would have created increased opportunity for high loading. The greater frequency of the leg support technique during handaxe reductions, but most notably the LAH sequence, is likely due to the greater stability of this technique. As handaxes become thinner relative to their thickness they are more likely to break during flake removals. The use of the leg as a supportive structure allows for greater areas of the biface to be firmly secured by the body, decreasing the likelihood of it breaking during flake removals. Such comprehensive support is rarely required during 'simple' flake production strategies, hence, the leg support technique is more frequently being used in early stages of flake production.

Although soft hammer percussion was used more frequently during the later stages of LAH sequences, this percussive technique did not contribute to greater pressures values during the hand support strategy, nor the greater pressures recorded in the later stages of LAH reduction sequences. Indeed, soft hammer percussion required similar loads to hard hammer percussion. This is despite soft hammers being more frequently used to remove smaller flakes (in terms of mass, if not length), in turn requiring lower impact forces (*Dibble & Rezek, 2009*) and creating lower reaction forces to be resisted. Irrespective of the cause, our data indicates that the seemingly delayed onset and adoption of soft hammer percussion during the later stages of the Lower Palaeolithic (*Copeland, 1991; Schick & Clark, 2003; Stout et al., 2014*) cannot be attributed to biomechanical limitations in the non-dominant hand of hominins.

Limitations

It is important to note that the pressures recorded here are not likely representative of the total forces exerted and resisted by the non-dominant hand during stone tool production. As past research demonstrates (*Marzke & Shackley, 1986*; *Key & Dunmore, 2015*), the palm plays an important role in supporting cores during flake removals (e.g., Figs. 4A and 4B) and the sensor array used here did not take this into account. It is hard to say whether the inclusion of palmar pressure data would have altered any of the present results, but indications of an increased reliance on distal aspect of digits during later stages of reductions highlights the need for future research to take this into consideration. Further, although the number of behaviours analysed here is, as far as we know, the largest yet recorded during an investigation into stone tool related manual loading (n = 2786), only nine skilled flintknappers were able to take part in the study. In turn, and as already discussed, there is potential for our data to be significantly influenced by a few individuals. This includes

differences caused by variable grinding and core securing techniques learnt as each knappers first developed their knapping capabilities, and the possibility of an individual not providing 'natural' nor repeatable data on the specific day data were collected. Although there does not appear to be any indication that this has happened, we cannot rule this possibility out in totality. Hence, we would welcome the publication of similar studies in the future that are able to examine increased numbers of knappers.

CONCLUSION

The Lower Palaeolithic artefact record represents the largest and most detailed record of the minimum technological capabilities of hominins during the Plio-Pleistocene. As such the Oldowan and Acheulean periods track significant shifts in the behaviour of hominins, which have been investigated in terms of cognition, social transmission, environmental factors and others. Here we investigate these transitions from a biomechanical perspective, as inferred from manual loading data. Our results demonstrate that the digital pressures required to forcefully secure later Acheulean handaxes during their production are not significantly greater than those required when knapping earlier Acheulean handaxe forms or Oldowan flakes. However, the novel LAH associated behaviour of preparing flake platforms would have required significantly stronger grips in the non-dominant hand compared to earlier stone tool production behaviours. Therefore, we contend that the behavioural shift marked by the onset of platform preparation behaviours, as observed in later Acheulean handaxe forms, may be intrinsically linked to the biomechanical capabilities of hominins, among other factors, in a co-evolutionary manner.

ACKNOWLEDGEMENTS

We are indebted to Tracy Kivell for use of the Novel pressure system, Erin-Marie Williams-Hatala for advice on using the Novel system, and the knappers for their participation in the study. For helpful comments on an earlier draft of this paper we are grateful to Tomos Proffitt. We thank the three reviewers and editor for their detailed comments, which helped to strengthen the article, and for their time spent reviewing our article.

ADDITIONAL INFORMATION AND DECLARATIONS

Funding

This research was supported by a British Academy Postdoctoral Fellowship awarded to Alastair Key. Christopher Dunmore is supported by ERC Starting Grant #336301. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Grant Disclosures

The following grant information was disclosed by the authors: British Academy Postdoctoral Fellowship. ERC Starting Grant: #336301.

Competing Interests

The authors declare there are no competing interests.

Author Contributions

- Alastair J.M. Key conceived and designed the experiments, performed the experiments, analyzed the data, contributed reagents/materials/analysis tools, prepared figures and/or tables, authored or reviewed drafts of the paper, approved the final draft.
- Christopher J. Dunmore performed the experiments, analyzed the data, authored or reviewed drafts of the paper, approved the final draft.

Human Ethics

The following information was supplied relating to ethical approvals (i.e., approving body and any reference numbers):

All research conducted was approved by the University of Kent's School of Anthropology and Conservation Ethics Committee (June 2015, University of Kent; Ref. Ares 19065).

Data Availability

The following information was supplied regarding data availability: The raw data are provided in Data S1.

Supplemental Information

Supplemental information for this article can be found online at http://dx.doi.org/10.7717/ peerj.5399#supplemental-information.

REFERENCES

- Adler DS, Wilkinson KN, Blockley S, Mark DF, Pinhasi R, Schmidt-Magee BA, Nahapetyan S, Mallol C, Berna F, Glauberman PJ, Raczynski-Henk Y, Wales N, Frahm E, Joris O, MacLeod A, Smith VC, Cullen VL, Gasparian B. 2014. Early Levallois technology and the Lower to Middle Paleolithic transition in the Southern Caucasus. Science 345(6204):1609–1613 DOI 10.1126/science.1256484.
- Almécija S, Alba DM. 2014. On manual proportions and pad-to-pad precision grasping in *Australopithecus afarensis*. *Journal of Human Evolution* 73:88–92 DOI 10.1016/j.jhevol.2014.02.006.
- Almécija S, Sheerwood C. 2017. Hands, brains, and precisions grips: origins of tool use behaviors. In: Kaas J, ed. *Evolution of nervous systems*. Vol. 3. Amsterdam: Elsevier, 299–315.
- Archer W, Braun DR. 2010. Variability in bifacial technology at Elandsfontein, Western cape, South Africa: a geometric morphometric approach. *Journal of Archaeological Science* 37:201–209 DOI 10.1016/j.jas.2009.09.033.
- Beyene Y, Katoh S, WoldeGabriel G, Hart WK, Uto K, Sudo M, Kondo M, Hyodo M, Renne PR, Suwa G, Asfaw B. 2012. The characteristics and chronology of the earliest Acheulean at Konso, Ethiopia. *Proceedings of the National Academy of Sciences of the United States of America* 110(5):1584–1591.

- **Chauhan PR. 2009.** The lower palaeolithic of the Indian subcontinent. *Evolutionary Anthropology* **18**:62–78 DOI 10.1002/evan.20199.
- **Clarkson C. 2013.** Measuring core reduction using 3D flake scar density: a test case of changing core reduction at Klasies River Mouth, South Africa. *Journal of Archaeological Science* **40**(12):4348–4357 DOI 10.1016/j.jas.2013.06.007.
- **Copeland L. 1991.** The late Acheulean knapping-floor at C-Spring, Azraq oasis, Jordan. *Levant* **23**(1):1–6 DOI 10.1179/lev.1991.23.1.1.
- **Crompton RH, Gowlett JAJ. 1993.** Allometry and multidimensional form in Acheulean bifaces from Kilombe, Kenya. *Journal of Human Evolution* **25**:175–199 DOI 10.1006/jhev.1993.1043.
- **De la Torre I, Mora R. 2014.** The transition to the Acheulean in east Africa: an assessment of paradigms and evidence from Olduvai Gorge (Tanzania). *Journal of Archaeological Method and Theory* **21(4)**:781–823 DOI 10.1007/s10816-013-9176-5.
- **Delagnes A, Roche H. 2005.** Late Pliocene hominid knapping skills: the case of Lokalalei 2C, West Turkana, Kenya. *Journal of Human Evolution* **48**:435–472 DOI 10.1016/j.jhevol.2004.12.005.
- **Dibble HL, Rezek Z. 2009.** Introducing a new experimental design for controlled studies of flake formation: results for exterior platform angle, platform depth, angle of blow, velocity, and force. *Journal of Archaeological Science* **36**:1945–1954 DOI 10.1016/j.jas.2009.05.004.
- Diez-Martín F, Sanchez Yustos P, De la Rua DG, Gonzalez JAG, De Luque L, Barba R. 2014. Early Acheulean technology at Es2-Lepolosi (ancient MHS-Bayasi) in Peninj (Lake Natron, Tanzania). *Quaternary International* 322–323:209–236 DOI 10.1016/j.quaint.2013.08.053.
- Diez-Martín F, Sanchez Yustos P, Uribelarrea D, Baquedano E, Mark DF, Mabulla A, Fraile C, Duque J, Diaz I, Perez-Gonzalez A, Yravedra J, Egeland CP, Organista E, Dominguez-Rodrigo M. 2015. The origin of the Acheulean: the 1.75 million-year-old site of FLK West, Olduvai Gorge (Tanzania). *Scientific Reports* 5:17839 DOI 10.1038/srep17839.
- **Domalain M, Bertin A, Daver G. 2017.** Was *Australopithecus afarensis* able to make the Lomekwian stone tools? Towards a realistic biomechanical simulation of hand force capability in fossil hominins and new insights on the role of the fifth digit. *Comptes Rendus Palevol* **16(5–6)**:572–584 DOI 10.1016/j.crpv.2016.09.003.
- **Douglass MJ, Lin SC, Braun DR, Plummer TW. 2018.** Core use-life distributions in lithic assemblages as a means for reconstructing behavioural patterns. *Journal of Archaeological Method and Theory* **25**(1):254–288 DOI 10.1007/s10816-017-9334-2.
- **Eren MI, Patten RJ, O'Brien MJ, Meltzer DJ. 2013.** Refuting the technological cornerstone of the Ice-Age Atlantic crossing hypothesis. *Journal of Archaeological Science* **40(7)**:2934–2941 DOI 10.1016/j.jas.2013.02.031.
- **Eren MI, Roos CI, Story BA, Von Cramon-Taubadel N, Lycett SJ. 2014.** The role of raw material differences in stone tool shape variation: an experimental assessment. *Journal of Archaeological Science* **49**:472–487 DOI 10.1016/j.jas.2014.05.034.

- **Faisal A, Stout D, Apel J, Bradley B. 2010.** The manipulative complexity of Lower Paleolithic stone toolmaking. *PLOS ONE* **5**(11):e13718 DOI 10.1371/journal.pone.0013718.
- **Gallotti R. 2016.** The East African origin of the Western European Acheulean technology: fact or paradigm? *Quaternary International* **411**:9–24 DOI 10.1016/j.quaint.2015.10.115.
- Gallotti R, Mussi M. 2017. Two Acheuleans, two humankinds: from 1.5 to 0.85 Ma at Malka Kunture (Upper Awash, Ethiopian highlands). *Journal of Anthropological Sciences* 95:137–181 DOI 10.4436/JASS.95001.
- García-Medrano P, Ollé A, Mosquera M, Caceres I, Diez C, Carbonell C. 2014. The earliest Acheulean technology at Atapuerca (Burgos, Spain): oldest levels of the Galeria site (GII Unit). *Quaternary International* **353**:170–194 DOI 10.1016/j.quaint.2014.03.053.
- **Gowlett JAJ. 1986.** Culture and conceptualisation: the Oldowan-Acheulian gradient. In: Bailey GN, Callow P, eds. *Stone age prehistory*. Cambridge: Cambridge University Press, 243–260.
- **Gowlett JAJ. 2011.** The empire of the Acheulean strikes back. In: Sept J, Pilbeam D, eds. *Casting the net wide: studies in honor of Glynn Isaac and his approach to human origins research.* Oxford: Oxbox, 93–114.
- **Gowlett JAJ. 2013.** Elongation as a factor in artefacts of humans and other animals: an Acheulean example in comparative context. *Philosophical Transactions of the Royal Society of London. Series B* **368**:Article 20130114 DOI 10.1098/rstb.2013.0114.
- **Gowlett JAJ. 2015.** Variability in an early hominin percussive tradition: the Acheulean versus cultural variation in modern chimpanzee artefacts. *Philosophical Transactions of the Royal Society of London. Series B* **370**(1682):Article 20140358 DOI 10.1098/rstb.2014.0358.
- **Grosman L, Goldsmith Y, Smilansky U. 2011.** Morphological affinities of Nahal Zihor handaxes: a chronological perspective. *PaleoAnthropology* **2011**:203–215.
- Harmand S, Lewis JE, Feibel CS, Lepre CJ, Prat S, Lenoble A, Boes X, Quinn RL, Brenet M, Arroyo A, Taylor N, Clement S, Daver G, Brugal J-P, Leakey L, Mortlock RA, Wright JD, Lokorodi S, Kirwa C, Kent DV, Roche H. 2015. 3.3-million-yearold stone tools from Lomekwi 3, West Turkana, Kenya. *Nature* 521:310–315 DOI 10.1038/nature14464.
- **Hovers E. 2012.** Invention, reinvention and innovation: the makings of Oldowan lithic technology. In: Elias S, ed. *Origins of human innovation and creativity*. Amsterdam: Elsevier, 51–68.
- **Iovita R, Tuvi-Arad I, Moncel M-H, Despriée J, Voinchet P, Bahain J-J. 2017.** High handaxe symmetry at the beginning of the European Acheulian: the data from la Noira (France) in context. *PLOS ONE* **12**(5):e0177063 DOI 10.1371/journal.pone.0177063.
- Jones P. 1980. Experimental butchery with modern stone tools and its relevance for Palaeolithic archaeology. *World Archaeology* 12(2):153–165 DOI 10.1080/00438243.1980.9979789.

- **Key A, Dunmore CJ. 2015.** The evolution of the hominin thumb and the influence exerted by the non-dominant hand during stone tool production. *Journal of Human Evolution* **78**:60–69 DOI 10.1016/j.jhevol.2014.08.006.
- Key A, Dunmore CJ, Hatala KG, Williams-Hatala EM. 2017. Flake morphology as a record of manual pressure during stone tool production. *Journal of Archaeological Science: Reports* 12:43–53 DOI 10.1016/j.jasrep.2017.01.023.
- Key A, Lycett SJ. Investigating interrelationships between Lower Palaeolithic stone tool effectiveness and tool user biometric variation: implications for technological and evolutionary changes. *Archaeological and Anthropological Sciences* In Press DOI 10.1007/s12520-016-0433-x.
- Key A, Lycett SJ. 2011. Technology based evolution? A biometric test of the effects of handsize versus tool form on efficiency in an experimental cutting task. *Journal of Archaeological Science* **38**(7):1663–1670 DOI 10.1016/j.jas.2011.02.032.
- **Key A, Lycett SJ. 2017a.** Reassessing the production of flakes versus handaxes from a functional perspective. *Archaeological and Anthropological Sciences* **9**(**5**):737–753 DOI 10.1007/s12520-015-0300-1.
- **Key A, Lycett SJ. 2017b.** Form and function in the Lower Palaeolithic: history, progress, and continued relevance. *Journal of Anthropological Sciences* **95**:67–108 DOI 10.4436/JASS.95017.
- Kimbel WH, Walter RC, Johansen DC, Reed KE, Aronson JL, Assefa Z, Marean CW, Eck GG, Bobe R, Hovers E, Rak Y, Vondra C, Yemane T, York D, Chen Y, Evensen NM, Smith PE. 1996. Late Pliocene Homo and Oldowan tools from the Hadar formation (Kada Hadar Member), Ethiopia. *Journal of Human Evolution* 31(6):549–561 DOI 10.1006/jhev.1996.0079.
- **Kivell TL. 2015.** Evidence in hand: recent discoveries and the early evolution of human manual manipulation. *Philosophical Transactions of the Royal Society of London. Series B* **379(1682)**:Article 20150105 DOI 10.1098/rstb.2015.0105.
- **Krantz GD. 1960.** Evolution of the human hand and the great hand-axe tradition. *Kroeber Anthropological Society Papers* **32**:114–128.
- Lepre CJ, Roche H, Kent DV, Harmand S, Quinn RL, Brugan J-P, Texier PJ, Lenoble A, Feibel CS. 2011. An earlier origin for the Acheulian. *Nature* 477:82–85 DOI 10.1038/nature10372.
- Lewis JE, Harmand S. 2016. An earlier origin for stone tool making: implications for cognitive evolution and the transition to *Homo. Philosophical transactions of the Royal Society of London. Series B* 371(1698):Article 20150233 DOI 10.1098/rstb.2015.0233.
- Li H, Kuman K, Leader GM, Couzens R. 2018. Handaxes in South Africa: two case studies in the early and later Acheulean. *Quaternary International* **480**:29–42 DOI 10.1016/j.quaint.2016.08.025.
- Lycett SJ, Gowlett JAJ. 2008. On questions surrounding the Acheulean 'tradition'. *World Archaeology* **40**(3):295–315 DOI 10.1080/00438240802260970.
- Lycett SJ, Schillinger K, Eren MI, Von Cramon Taubadel N, Mesoudi A. 2016. Factors affecting Acheulean handaxe variation: experimental insights, microevolutionary

processes, and macroevolutionary outcomes. *Quaternary International* **411(Part B)**:386–401 DOI 10.1016/j.quaint.2015.08.021.

- Lycett SJ, Von Cramon-Taubadel. 2015. Toward a "quantitative genetic" approach to lithic variation. *Journal of Archaeological Method and Theory* 22:646–675 DOI 10.1007/s10816-013-9200-9.
- Machin A. 2009. The role of the individual agent in Acheulean biface variability. *Journal of Social Archaeology* 9(1):35–58 DOI 10.1177/1469605308099370.
- Marzke MW. 1983. Joint functions and grips of the *Australopithecus afarensis* hand, with special reference to the region of the capitate. *Journal of Human Evolution* 12(2):197–211 DOI 10.1016/S0047-2484(83)80025-6.
- Marzke MW. 1997. Precision grips, hand morphology, and tools. American Journal of Physical Anthropology 102(1):91–110 DOI 10.1002/(SICI)1096-8644(199701)102:1<91::AID-AJPA8>3.0.CO;2-G.
- Marzke MW. 2013. Tool making, hand morphology and fossil hominins. *Philosophical Transactions of the Royal Society of London. Series B* 368(1630):Article 20120414 DOI 10.1098/rstb.2012.0414.
- Marzke MW, Shackley MS. 1986. Hominid hand use in the Pliocene and Pleistocene: evidence from experimental archaeology and comparative morphology. *Journal of Human Evolution* 15:439–460 DOI 10.1016/S0047-2484(86)80027-6.
- Marzke MW, Toth N, Schick K, Reece S, Steinberg B, Hunt K, Linscheid RL, An K N. 1998. EMG study of hand muscle recruitment during hard hammer percussion manufacturing of Oldowan tools. *American Journal of Physical Anthropology* 105:315–332

DOI 10.1002/(SICI)1096-8644(199803)105:3<315::AID-AJPA3>3.0.CO;2-Q.

- Mateos A, Terradillos-Bernal M, Rodriguez J. Enery cost of stone knapping. *Journal of Archaeological Method and Theory* In Press DOI 10.1007/s10816-018-9382-2.
- McNabb J, Cole J. 2015. The mirror cracked: symmetry and refinement in the Acheulean handaxe. *Journal of Archaeological Science: Reports* 3:100–111 DOI 10.1016/j.jasrep.2015.06.004.
- Moncel M-H, Ashton N, Lamotte A, Tuffreau A, Cliquet D, Despriée J. 2015. The Early Acheulian of north-western Europe. *Journal of Anthropological Archaeology* 40:302–331 DOI 10.1016/j.jaa.2015.09.005.
- Moncel M-H, Despriee J, Voinchet P, Courcimault G, Hardy B, Bahain J-J, Puaud S, Gallet X, Falgueres C. 2016. The Acheulean workshop of la Noira (France, 700 ka) in the European technological context. *Quaternary International* 393:112–136 DOI 10.1016/j.quaint.2015.04.051.
- Moncel M-H, Moigne A-M, Sam Y, Combier J. 2011. The emergence of Neanderthal technical behavior: new evidence from Orgnac 3 (Level 1, MIS 8), southeastern France. *Current Anthropology* **52**:37–75 DOI 10.1086/658179.
- Morgan TJH, Uomini NT, Rendell LE, Chouinard-Thuly L, Street SE, Lewis HM, Cross CP, Evans C, Kearney R, De la Torre I, Whiten A, Laland KN. 2015. Experimental evidence for the co-evolution of hominin tool-making teaching and language. *Nature Communications* 6:Article 6029 DOI 10.1038/ncomms7029.

- Muller A, Clarkson C, Shipton C. 2017. Measuring behavioural and cognitive complexity in lithic technology throughout human evolution. *Journal of Anthropological Archaeology* **48**:166–180 DOI 10.1016/j.jaa.2017.07.006.
- Napier J. 1962. Fossil hand bones from Olduvai Gorge. *Nature* 196(4853):409–411 DOI 10.1038/196409a0.
- Nonaka T, Bril B, Rein R. 2010. How do stone knappers predict and control the outcomes of flaking? Implications for understanding early Stone tool technology. *Journal of Human Evolution* **59**(2):155–167 DOI 10.1016/j.jhevol.2010.04.006.
- Patiño FY, Luque M, Terradillos-Bernal M, Martín-Loeches M. 2017. Biomechanics of microliths manufacture: a preliminary approach to Neanderthal's motor constrains in the frame of embodied cognition. *Journal of Anthropological Sciences* **96**:203–217 DOI 10.4436/JASS.95005.
- **Pouydebat E, Gorce P, Coppens Y, Bels V. 2009.** Biomechanical study of grasping according to the volume of the object: human versus non-human primates. *Journal of Biomechanics* **42(3)**:266–272 DOI 10.1016/j.jbiomech.2008.10.026.
- **Proffitt T. 2018.** Is there a developed Oldowan A at Olduvai Gorge? A diachronic analysis of the Oldowan in Bed I and Lower-Middle Bed II at Olduvai Gorge, Tanzania. *Journal of Human Evolution* **120**:92–113 DOI 10.1016/j.jhevol.2018.01.006.
- Rein R, Nonaka T, Bril B. 2014. Movement pattern variability in stone knapping: implications for the development of percussive traditions. *PLOS ONE* 9(11):e113567 DOI 10.1371/journal.pone.0113567.
- **Reti JS. 2016.** Quantifying Oldowan stone tool production at Olduvai Gorge, Tanzania. *PLOS ONE* **11(1)**:e0147352 DOI 10.1371/journal.pone.0147352.
- Roche H, Delagnes A, Brugel J-P, Feibel C, Kibunjia M, Mourrell V, Texier P-J. 1999. Early hominid stone tool production and technical skill 2.34 Myr ago in West Turkana, Kenya. *Nature* **399**:57–60 DOI 10.1038/19959.
- **Rogers MJ, Semaw S. 2009.** From nothing to something: the appearance and context of the earliest archaeological record. In: Camps M, Parth C, eds. *Sourcebook of paleolithic transitions: methods, theories, and interpretations.* New York: Springer, 151–171.
- Rolian C, Lieberman DE, Zermeno JP. 2011. Hand biomechanics during simulated stone tool use. *Journal of Human Evolution* 61:26–41 DOI 10.1016/j.jhevol.2011.01.008.
- Saragusti I, Sharon I, Katzenelson O, Avnir D. 1998. Quantitative analysis of the symmetry of artefacts: lower Paleolithic handaxes. *Journal of Archaeological Science* 25:817–825 DOI 10.1006/jasc.1997.0265.
- Schick K, Clark JD. 2003. Biface technological development and variability in the Acheulean industrial complex in the Middle Awash region of the Afar Rift, Ethiopia. In: Soressi M, Dibble HL, eds. *Multiple approaches to the study of bifacial technologies*. Philadelphia: University of Pennsylvania Press, 1–30.
- Schillinger K, Mesoudi A, Lycett SJ. 2015. The impact of imitative versus emulative learning mechanisms on artifactual variation: implications for the evolution of material culture. *Evolution and Human Behavior* **36(6)**:446–455 DOI 10.1016/j.evolhumbehav.2015.04.003.

- Semaw S, Rogers MJ, Quade J, Renne PR, Butler RF, Dominguez-Rodrigo M, Stout D, Hart WS, Pickering T, Simpson SW. 2003. 2.6-Million-year-old stone tools and associated bones from OGS-6 and OGS-7, Gona, Afar, Ethiopia. *Journal of Human Evolution* 45:169–177 DOI 10.1016/S0047-2484(03)00093-9.
- Sharon G. 2010. Large flake Acheulian. *Quaternary International* 223–224:226–223 DOI 10.1016/j.quaint.2009.11.023.
- Shimelmitz R, Bisson M, Weinstein-Evron M, Kuhn SL. 2017. Handaxe manufacture and re-sharpening throughout the Lower Paleolithic sequence of Tabun Cave. *Quaternary International* **428**:118–131 DOI 10.1016/j.quaint.2015.12.076.
- **Shipton C, Clarkson C. 2015a.** Handaxe reduction and its influence on shape: an experimental test and archaeological case study. *Journal of Archaeological Science: Reports* **3**:408–419 DOI 10.1016/j.jasrep.2015.06.029.
- Shipton C, Clarkson C. 2015b. Flake scar density and handaxe reduction intensity. *Journal of Archaeological Science: Reports* 2:169–175 DOI 10.1016/j.jasrep.2015.01.013.
- Shipton C, Parton A, Breeze P, Jennings R, Groucutt HS, White TS, Drake N, Crassard R, Alsharekh A, Petraglia MD. 2014. Large flake Acheulean in the Nefud Desert of Northern Arabia. *PaleoAnthropology* 2014:446–462.
- Smallwood AM. 2010. Clovis biface technology at the Topper site, South Carolina: evidence for variation and technological flexibility. *Journal of Archaeological Science* 37(1):2413–2425 DOI 10.1016/j.jas.2010.05.002.
- Stout D, Apel J, Commander J, Roberts M. 2014. Late Acheulean technology and cognition at Boxgrove, UK. *Journal of Archaeological Science* 41:576–590 DOI 10.1016/j.jas.2013.10.001.
- Stout D, Hecht E, Khreisheh N, Bradley B, Chaminade T. 2015. Cognitive demands of lower paleolithic toolmaking. *PLOS ONE* 10(4):e0121804 DOI 10.1371/journal.pone.0121804.
- Stout D, Toth N, Schick K, Chaminade T. 2008. Neural correlates of early stone age toolmaking: technology, language and cognition in human evolution. *Philosophical transactions of the Royal Society of London. Series B* 363:1939–1949
 DOI 10.1098/rstb.2008.0001.
- Tocheri MW, Orr CM, Jacofsky MC, Marzke MW. 2008. The evolutionary history of the hominin hand since the last common ancestor of *Pan* and *Homo. Journal of Anatomy* 212:544–562 DOI 10.1111/j.1469-7580.2008.00865.x.
- **Tryon CA, Faith JT. 2013.** Variability in the middle stone age of eastern Africa. *Current Anthropology* **54**:S234–S254 DOI 10.1086/673752.
- **Uomini NT, Meyer GF. 2013.** Shared brain lateralization patterns in language and Acheulean stone tool production: a functional transcranial Doppler ultrasound study. *PLOS ONE* **8(8)**:e72693 DOI 10.1371/journal.pone.0072693.
- **Vaughan CD. 2001.** A million years of style and function: regional and temporal variation in Acheulean handaxe. In: Hurt TD, Rakita GFM, eds. *Style and function: conceptual issues in evolutionary archaeology*. London: Bergin and Garvey, 141–163.

- Williams EM, Gordon AD, Richmond BG. 2010. Upper limb kinematics and the role of the wrist during stone tool production. *American Journal of Physical Anthropology* 143:134–145 DOI 10.1002/ajpa.21302.
- Williams-Hatala EM, Hatala KG, Gordon M, Key A, Kasper M, Kivell TL. 2018. The manual pressures of stone tool behaviors and their implications for the evolution of the human hand. *Journal of Human Evolution* 119:14–26 DOI 10.1016/j.jhevol.2018.02.008.
- **Winton V. 2005.** An investigation of knapping-skill development in the manufacture of Palaeolithic handaxes. In: Roux V, Bril B, eds. *Stone knapping: the necessary conditions for a uniquely hominin behaviour*. Oxford: Oxbow Books, 109–118.
- Wynn T. 2002. Archaeology and cognitive evolution. *Behavioural and Brain Sciences* 25:389–438.
- Wynn T, Gowlett J. 2018. The handaxe reconsidered. *Evolutionary Anthropology* 27:21–29 DOI 10.1002/evan.21552.