

## Erratum to: Assessment of the quality of fall detection and management in primary care in the Netherlands based on the ACOVE quality indicators

M. Askari<sup>1</sup> · S. Eslami<sup>1</sup> · M. van Rijn<sup>2</sup> · S. Medlock<sup>1</sup> · E. P. Moll van Charante<sup>3</sup> · N. van der Velde<sup>2</sup> · S. E. de Rooij<sup>2</sup> · A. Abu-Hanna<sup>1</sup>

Published online: 25 January 2016

© International Osteoporosis Foundation and National Osteoporosis Foundation 2016

### Erratum to: Osteoporos Int

DOI: 10.1007/s00198-015-3235-6

The name of the fifth author of this article was rendered wrongly in the original publication (since corrected). The correct name is E.P. Moll van Charante (not E.P. M. van Charante).

---

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00198-015-3235-6>.

---

✉ A. Abu-Hanna  
a.abu-hanna@amc.uva.nl

<sup>1</sup> Department of Medical Informatics, Academic Medical Center, University of Amsterdam, Amsterdam, The Netherlands

<sup>2</sup> Department of Internal Medicine, Section of Geriatric Medicine, Academic Medical Center, University of Amsterdam, Amsterdam, The Netherlands

<sup>3</sup> Department of General Practice, Academic Medical Center, University of Amsterdam, Amsterdam, The Netherlands