http://dx.doi.org/10.3348/kjr.2013.14.2.389 pISSN 1229-6929 · eISSN 2005-8330 Korean J Radiol 2013;14(2):389-389



## Image Reporting and Characterization System for Ultrasound Features of Thyroid Nodules: Multicentric Korean Retrospective Study

Jin Young Kwak, MD<sup>1</sup>, Inkyung Jung, PhD<sup>2</sup>, Jung Hwan Baek, MD<sup>3</sup>, Seon Mi Baek, MD<sup>4</sup>, Nami Choi, MD<sup>5</sup>, Yoon Jung Choi, MD<sup>6</sup>, So Lyung Jung, MD<sup>7</sup>, Eun-Kyung Kim, MD<sup>1</sup>, Jeong-Ah Kim, MD<sup>8</sup>, Ji-hoon Kim, MD<sup>9</sup>, Kyu Sun Kim, MD<sup>10</sup>, Jeong Hyun Lee, MD<sup>3</sup>, Joon Hyung Lee, MD<sup>11</sup>, Hee Jung Moon, MD<sup>1</sup>, Won-Jin Moon, MD<sup>5</sup>, Jeong Seon Park, MD<sup>12</sup>, Ji Hwa Ryu, MD<sup>13</sup>, Jung Hee Shin, MD<sup>14</sup>, Eun Ju Son, MD<sup>8</sup>, Jin Yong Sung, MD<sup>10</sup>, Dong Gyu Na, MD<sup>15</sup>, Korean Society of Thyroid Radiology (KSThR) and Korean Society of Radiology

<sup>1</sup>Department of Radiology, Severance Hospital, Research Institute of Radiological Science, Yonsei University College of Medicine, Seoul 120-752, Korea; <sup>3</sup>Department of Biostatistics, Yonsei University College of Medicine, Seoul 102-752, Korea; <sup>3</sup>Department of Radiology and Research Institute of Radiology, Asan Medical Center, University of Ulsan College of Medicine, Seoul 138-736, Korea; <sup>4</sup>Department of Radiology, Haeundae Healings Hospital, Busan 612-851, Korea; <sup>5</sup>Department of Radiology, Konkuk University Medical Center, Konkuk University School of Medicine, Seoul 143-729, Korea; <sup>6</sup>Department of Radiology, Kangbuk Samsung Hospital, Sungkyunkwan University, Seoul 143-729, Korea; <sup>7</sup>Department of Radiology, Kongy, Seoul St. Mary's Hospital, College of Medicine, The Catholic University of Korea, Seoul 137-710, Korea; <sup>8</sup>Department of Radiology, Gangnam Severance Hospital, Yonsei University College of Medicine, Seoul 135-720, Korea; <sup>9</sup>Department of Radiology, Seoul National University Hospital, Seoul 110-744, Korea; <sup>10</sup>Department of Radiology, Thyroid Center, Daerim St. Mary's Hospital, Seoul 150-822, Korea; <sup>11</sup>Department of Radiology, Haeundae Paik Hospital, Inje University Hospital, Hanyang University College of Medicine, Seoul 133-791, Korea; <sup>13</sup>Department of Radiology, Haeundae Paik Hospital, Inje University College of Medicine, Busan 612-862, Korea; <sup>14</sup>Department of Radiology and Center for Imaging Science, Samsung Medical Center, Sungkyunkwan University School of Medicine, Seoul 135-710, Korea; <sup>15</sup>Department of Radiology, Human Medical Imaging and Intervention Center, Seoul 137-902, Korea

http://dx.doi.org/10.3348/kjr.2013.14.1.110 Korean J Radiol 2013;14(1):110-117

The publisher and authors would like to draw the reader's attention to an error in the following article.

Image Reporting and Characterization System for Ultrasound Features of Thyroid Nodules: Multicentric Korean Retrospective Study. Korean J Radiol 2013;14(1):110-117

On page 110, the author (Won-Jin Moon)'s affiliation has been incorrectly marked as <sup>6</sup>Department of Radiology, Kangbuk Samsung Hospital, Sungkyunkwan University, Seoul 143-729, Korea. The correct affiliation is <sup>5</sup>Department of Radiology, Konkuk University Medical Center, Konkuk University School of Medicine, Seoul 143-729, Korea.