

## Retraction: Comparative Analysis of BIOCHIP Mosaic-Based Indirect Immunofluorescence With Direct Immunofluorescence in Diagnosis of Autoimmune Bullous Diseases: A Cross-Sectional Study

The original article titled “Comparative analysis of BIOCHIP mosaic-based indirect immunofluorescence with direct immunofluorescence in diagnosis of autoimmune bullous diseases: A cross-sectional study” published in Indian Dermatology Online Journal, on pages 105-109, Issue 1, Volume 12, 2021 <sup>[1]</sup>, is being retracted because it was re-published in error and is a duplicate of the same article published on pages 915-919, Issue 6, Volume 11, 2020 <sup>[2]</sup>.

It is important to note that this was publisher-editorial error and that the authors bear no fault. The publisher of Indian Dermatology Online Journal and its editorial team deeply regret this and sincerely apologizes the authors.

The editorial policy of Indian Dermatology Online Journal follows best practice guidelines given by the International Committee of Medical Journal Editors (ICMJE) and Committee on Publication Ethics (COPE) mentioned on the Information for Authors and as codified in the signed statements made by the authors regarding the copyright of their work.

### Indian Dermatology Online Journal and Wolters Kluwer Medknow Publications

#### References

1. Arunprasath P, Rai R, Venkataswamy C. Comparative analysis of BIOCHIP mosaic-based indirect immunofluorescence with direct immunofluorescence in diagnosis of autoimmune bullous diseases: A cross-sectional study. Indian Dermatol Online J 2021;12:105-9
2. Arunprasath P, Rai R, Venkataswamy C. Comparative analysis of BIOCHIP mosaic-based indirect immunofluorescence with direct immunofluorescence in diagnosis of autoimmune bullous diseases: A cross-sectional study. Indian Dermatol Online J 2020;11:915-9

DOI: 10.4103/2229-5178.325862