Palliative Medicine Reports Volume 3.1, 2022 DOI: 10.1089/pmr.2022.0001 Accepted January 14, 2022



Open camera or QR reader and scan code to access this article and other resources online.



## **LETTER TO THE EDITOR**

**Open Access** 

## Response to Pairojkul et al. Integration of Specialist Palliative Care into Tertiary Hospitals: A Multicenter Point Prevalence Survey from Thailand (DOI: 10.1089/pmr.2021.0003)

Rujittika Mungmunpuntipatip, PhD<sup>1,\*</sup> and Viroj Wiwanitkit, MD<sup>2</sup>

Dear Editor:

We would like to comment on "Integration of Specialist Palliative Care in Tertiary Hospitals: A Multicenter Point Prevalence Survey from Thailand."

Pairojkul et al. noted that "The prevalence of hospitalized palliative care patients in Thailand is comparable with that in developed countries; however, accessibility remains a significant gap, as specialist palliative care is associated with the quality of palliative care service." The authors noted that data came from tertiary care centers in different regions of a developing country and included data from several provincial and district hospitals. In Thailand, district hospitals are considered primary care centers and provincial hospitals are secondary centers. We worry that the nonhomogeneous sources of data might affect overall features of reported incidence.

In addition, the "Supportive and Palliative Care Indicators Tool (SPICT(TM)) version 2017" was employed. The reliability of the tool, however, is not clear for a non-English-speaking sample. We would encourage

data verification on a modified tool when translated into another language.<sup>2</sup>

## **Authors' Contributions**

R.M. and V.W. contributed substantially to study conception and design, acquisition of data, analysis and interpretation of data, drafting the article or revising it critically for important intellectual content, and final approval of the version of the article to be published.

## References

- Pairojkul S, Thongkhamcharoen R, Raksasataya A, et al.: Integration
  of specialist palliative care into Tertiary Hospitals: A Multicenter
  Point Prevalence Survey from Thailand. Palliat Med Rep 2021;2:272–279.
- Afshar K, Wiese B, Schneider N, Müller-Mundt G: Systematic identification
  of critically ill and dying patients in primary care using the German version
  of the Supportive and Palliative Care Indicators Tool (SPICT-DE). Ger
  Med Sci 2020;18:Doc02.

Cite this article as: Mungmunpuntipati R and Wiwanitkit V (2022) Response to Pairojkul et al. Integration of specialist palliative care into tertiary hospitals: A multicenter point prevalence survey from Thailand (DOI: 10.1089/pmr.2021.0003), *Palliative Medicine Reports* 3:1, 16, DOI: 10.1089/pmr.2022.0001.

<sup>©</sup> Rujittika Mungmunpuntipatip and Viroj Wiwanitkit, 2022; Published by Mary Ann Liebert, Inc. This Open Access article is distributed under the terms of the Creative Commons License [CC-BY] (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



<sup>&</sup>lt;sup>1</sup>Private Academic Consultant, Bangkok Thailand.

<sup>&</sup>lt;sup>2</sup>Honorary Professor, Dr DY Patil University, Pune, India.

<sup>\*</sup>Address correspondence to: Rujittika Mungmunpuntipatip, PhD, Private Academic Consultant, 26 Bangkok 111, Bangkok 1011020, Thailand, E-mail: rujittika@gmail.com