**Open Access** Research

# BMJ Open A systematic analysis of UK cancer research funding by gender of primary investigator

Charlie D Zhou, Michael G Head, Dominic C Marshall, Barnabas J Gilbert, Majd A El-Harasis, Rosalind Raine, Henrietta O'Connor, Rifat Atun, Mahiben Maruthappu<sup>9</sup>

To cite: Zhou CD. Head MG. Marshall DC. et al. A systematic analysis of UK cancer research funding by gender of primary investigator. BMJ Open 2018:8:e018625. doi:10.1136/ bmjopen-2017-018625

Prepublication history and additional material for this paper are available online. To view these files, please visit the journal online (http://dx.doi. org/10.1136/bmjopen-2017-018625)

RA and MM contributed equally.

RA and MM are Joint senior authors.

Received 10 July 2017 Revised 26 October 2017 Accepted 3 November 2017

#### **ABSTRACT**

**Objectives** To categorically describe cancer research funding in the UK by gender of primary investigator (Pls). **Design** Systematic analysis of all open-access data. Methods Data about public and philanthropic cancer research funding awarded to UK institutions between 2000 and 2013 were obtained from several sources. Fold differences were used to compare total investment, award number, mean and median award value between male and female Pls. Mann-Whitney U tests were performed to determine statistically significant associations between PI gender and median grant value.

**Results** Of the studies included in our analysis, 2890 (69%) grants with a total value of £1.82 billion (78%) were awarded to male PIs compared with 1296 (31%) grants with a total value of £512 million (22%) awarded to female Pls. Male Pls received 1.3 times the median award value of their female counterparts (P<0.001). These apparent absolute and relative differences largely persisted regardless of subanalyses.

Conclusions We demonstrate substantial differences in cancer research investment awarded by gender. Female Pls clearly and consistently receive less funding than their male counterparts in terms of total investment, the number of funded awards, mean funding awarded and median funding awarded.

## INTRODUCTION

Within the European Union (EU), women represent nearly half of the workforce and more than half of all university graduates; however, they are under-represented in senior positions in the workplace. In science, research and development, the attrition rate among women exceeds that of their male counterparts at every stage of career progression in a phenomenon termed the 'leaky pipeline', with women representing 46% of PhD graduates, 33% of career scientists and 22% of grade A researchers (the highest posts at which research is conducted-equivalent to professorships in the UK).<sup>2</sup> In the field of medical science, women represent 17.8% of grade A researchers.<sup>2</sup> This problem is not

# Strengths and limitations of this study

- ► This is the first study to present detailed quantifiable differences in cancer research funding between male and female primary investigators in the UK.
- Our study is dependent on the accuracy of original investment data from the funding bodies.
- We could not openly access data of private sector research funding, nor were we able to obtain disaggregated data from Cancer Research UK.
- While the gender discrepancies in cancer research funding observed in our study period are likely multifactorial, this study does not allow us to postulate any potential underlying mechanisms responsible for these observations.

limited to the EU, and several studies have similarly explored the gender imbalance in the USA.<sup>3–5</sup> Indeed data collected by Unesco suggest that just one in five countries worldwide has achieved gender parity in scientific research (defined as when 45% to 55% of researchers are women).<sup>6</sup> Previous studies have proposed a number of factors that may contribute towards this observed 'leaky pipeline' including societally defined traditional gender roles, attitudes towards career deviation and career breaks, lack of mentorship, institutional discrimination and sexual harassment.

This problem is an ongoing concern both to policy-makers and to the science community at large, particularly within the science, technology, engineering, maths and medicine (STEMM) fields.<sup>8</sup> A number of initiatives have sought to highlight and promote change in order to address this issue. Gender equality is a central component of Horizon 2020, a flagship initiative to secure Europe's global competitiveness.<sup>9</sup> Whereas previous campaigns 10 11 have had unclear impact and in some instances been described as offensive to gender equality, 12 this will be one of the first



For numbered affiliations see end of article.

**Correspondence to** Charlie D Zhou: chazhou@gmail.com



efforts to be legally enshrine gender equality into research and innovation. Three central objectives of Horizon 2020 include fostering gender balance in research teams, ensuring gender balance in decision-making panels and groups as well as integrating gender analysis in research and innovation content.

With regard to science research funding, men receive a 4.4% higher funding application success rate compared with women in the EU (31.8% success rate for men, 27.4% success rate for women). Previous research has shown that in general, it is harder for women to obtain high prestige awards and that female applicants have proportionately more success when applying for smaller grants.  $^{14}$ 

In the biomedical sciences, women receive smaller grants compared with their male counterparts both in the USA<sup>15</sup> and the UK.<sup>16</sup> Women are noticeably under-represented in UK clinical oncology research<sup>17</sup> and gender discrepancies exist in the success rates of grant applications to UK funders.<sup>18</sup> Subconscious bias has been demonstrated in the decision-making of academic science recruiters<sup>19</sup> and also reported by those who assess grant applications.<sup>18</sup> Although gender discrepancies do appear to vary across specific fields of research, it has been previously reported that women do not appear overtly disadvantaged in social science research.<sup>20</sup>

Our group has previously undertaken a systematic comparison of infectious disease research funding by gender within the UK, showing clear and consistent differences between the genders in total funding and median award size, across a range of diseases and types of science. Here we examine the distribution of cancer research funding awarded to men and women primary investigators (PIs) across specific cancers, funder categories and along the research and development (R&D) continuum.

# **MATERIALS AND METHODS**

Our methods build on those developed for previous analyses of infectious disease research investments, which are described in detail elsewhere, <sup>22–24</sup> and adapted in subsequent peer-reviewed publications (www.researchinvestments.org/publications).

We systematically examined funding awards from a number of public and philanthropic cancer research funding bodies (including the Medical Research Council, Department of Health, Biotechnology and Biological Sciences Research Council, Engineering and Physical Science Research Council, Wellcome Trust, European Commission, as well as nine members of the Association of Medical Research Charities) between 2000 and 2013. Information was obtained by downloading openly accessible information on the funder website, contacting the funder to request information or searching existing funding databases. For each award, the title and abstract, where available, were individually screened for relevance to cancer research. We excluded awards that were (1) not

obviously or immediately relevant to oncology; (2) led by a non-UK institution; (3) not considered to be for R&D activity. Studies that were completed without funding were also excluded. Private sector data were not available to evaluate at the same level of detail as public and philanthropic research award data and were therefore excluded from this analysis. Cancer Research UK (CRUK) would not provide their funding data at individual award level and so could not be included in the main analysis.

We assigned each study to one of 16 primary cancer site categories and also as many of 14 cross-cutting categories as appropriate. To reduce the impact of skew due to small sample size, we restricted our cancer site analysis to those site-specific cancers with at least 15 studies across both sexes. As a result, testicular (14 studies), bone (13 studies), bladder (10 studies), thyroid (4 studies) and cholangiocarcinoma (2 studies) were excluded from our site-specific cancer analysis.

The 14 cross-cutting categories were paediatric, geriatric, infection-associated, women's health, men's health, occupational health, pathogenesis, diagnostic/ screening/monitoring, drug therapy, radiotherapy, surgery, immunology, psychosocial and global health. The 'other' category was only used when none of the aforementioned categories were deemed to be appropriate. We allocated studies to one of five categories along the R&D continuum: preclinical; phase I, II or III clinical trials; product development (including phase IV activity); public health; and cross-disciplinary research. Cross-disciplinary awards were defined as studies that clearly considered research across two or more different types of science (eg, preclinical science leading into a phase I

Where the PI was named as the recipient of an award, the PIs were categorised as male or female. Where there was any uncertainty as to gender there was further scrutiny via review of the literature, institutional websites or publicly available publications and documents. Where we were finally unable to identify a PI's gender, the study was assigned as 'unclear'. Where the recipient PI of an award was not identified, the study was assigned as 'unspecified'.

Where awards were described in currencies other than UK pounds, these were converted to UK pounds using the mean exchange rate in the year of the award. All included awards were adjusted for inflation and reported in 2013 UK pounds.

We report descriptive statistics including median, IQR and percentages for categorical variables. Data were graphically inspected for normality using histograms. Mann-Whitney U tests were performed to test for univariate associations between gender and funding. Data were collated in Microsoft Excel 2010 and statistical analysis was performed using R studio (V.0.99.903) and Stata (V.13).

### **RESULTS**

In our analysis of cancer research investment awarded by public and philanthropic funding bodies to UK institutions

between 2000 and 2014, we identified 4299 funded studies suitable for inclusion. These studies represented a sum total monetary investment of almost £2.4 billion. Of these, 53 studies (1.2%, total investment of £33.2 million) did not specify PI name or gender, while we were unable to ascertain the gender of the named PI for a further 60 studies (1.4%, total investment of £21.8 million). Therefore, 4186 awards, totalling £2.33 billion, were included in our final gender analysis (table 1, figures 1 and 2).

There were 2890 grants (69%) with a total value of £1.82 billion (78%) awarded to male PIs, while female PIs received 1296 grants (31%) with a total value of £512 million (22%). The median grant value was greater for men (£252 647; IQR: £127 343–£553 560) than for women (£198 485; IQR: £99 317–£382 650). Men received statistically significant larger grants in terms of median value compared with women (P<0.001). Similarly, mean grant value was greater for men (£630 324; SD £1 662 559) than for women (£394 730; SD: £666 574). Across all cancer research funding grants awarded, male PIs received 3.6 times the sum investment value, 1.6 times the mean award value and 1.3 times the median award values compared with their female counterparts.

There was a statistically significant difference between the genders in median grant value for research funding in three specific cancer sites. Men received 2.9 times the funding of women PIs in cervical cancer (P<0.001). Women received 2.4 and 2.0 times the funding of men in liver cancer (P<0.05) and mesothelioma (P<0.01), respectively. The differences in median funding for all other cancer sites were not statistically significant.

Some of the greatest apparent gender discrepancies in cancer funding by site are observed in awards for sex-specific cancers. For prostate cancer, male PIs receive 13.8, 3.5 and 2.0 times the investment of their female counterparts in total, mean and median funding, respectively. In cervical cancer research, men receive 9.9, 6.6 and 2.9 times the funding of women PIs in total, mean and median funding, respectively. In ovarian cancer research, there was a 4.6-fold, 5.7-fold and 1.2-fold difference between men and women in total, mean and median funding, respectively. And similarly in breast cancer, there was a 1.6-fold, 1.1-fold and 1.4-fold difference between men and women in total, mean and median funding, respectively.

Men received more total investment than women across all disease themes. A statistically significant difference in median grant value between the genders was present for 6 of the 14 disease themes included in our analysis. Men received greater median funding in all six of these disease themes: pathogenesis (1.2-fold difference, P<0.001); drug therapy (1.3-fold difference, P<0.001); diagnostic, screening and monitoring (1.6-fold difference, P<0.001); psychosocial (2.7-fold difference, P<0.01); men's health (2.1-fold difference, P<0.05); and surgery (2.1-fold difference, P<0.05).

In keeping with our findings in our site-specific analysis, there was a consistent trend of increased funding for

male PIs in sex-specific cancer research. In men's health, there was a 14.1-fold, 3.7-fold and 2.7-fold difference in favour of male PIs in terms of total, mean and median investment, respectively. In women's health, there was a 1.9-fold, 1.4-fold and 1.3-fold difference in favour of male PIs in total, mean and median investment, respectively.

Male PIs receive statistically significant greater median funding than women at all points of the R&D pipeline: preclinical (1.2-fold difference, P<0.001); phase I, II, or III clinical trials (1.9-fold difference, P<0.001); product development research (1.5-fold difference, P<0.01); cross-disciplinary research (1.2-fold difference, P<0.01); and public health (1.5-fold difference, P<0.001).

With the exception of the Biotechnology and Biological Sciences Research Council, all funding organisations on average awarded larger median awards to men than to women. These differences were statistically significant for four funding bodies: Medical Research Council (1.4-fold difference, P<0.001), charities—excluding Wellcome Trust (1.2-fold difference, P<0.001) and Wellcome Trust (1.3-fold difference, P<0.005).

#### DISCUSSION

In this first quantifiable systematic comparison of UK cancer research investment by PI gender for the period 2000–2013, we demonstrate that female PIs clearly and consistently receive less funding than their male counterparts in terms of total investment, the number of funded awards, mean funding awarded and median funding awarded. This apparent absolute and relative discrepancy in funding largely persisted regardless of analysis by cancer site, disease theme, research and development pipeline, or by funder.

Our study is a purely descriptive analysis which does not and cannot assess any potential explanatory mechanism that might underlie our observed gender discrepancy in cancer research funding. It cannot for example account for any potential influence of conscious or subconscious gender bias in cancer research funding decisions, and there is no evidence here of any bias on the part of funding bodies. We would caution against drawing conclusions regarding factors that may influence our reported observations from this study alone. Instead, we would advocate that these results be interpreted within the context of the existing scientific body of evidence on the topic. Nevertheless, this study provides further evidence into the apparent funding gap between the sexes in biomedical research. <sup>15 16 21</sup>

The attrition rate among women exceeds that of their male counterparts at every stage of scientific career progression.<sup>2</sup> Existing data show that women are under-represented at the highest research posts in the UK, accounting for 23.2% of professors as of 2010, <sup>13</sup> who would likely represent the great majority of PIs, particularly in larger awards. The lack of information on seniority and track record of funding applicants is an important

	Male PIs				Female PIs	S S			Fold difference	eo	
	Award number	Sum investment, £	Mean award (SD); £	Median award (IQR); £	Award	Sum investment, £	Mean award (SD); £	Median award (IQR); £	Sum investment	Mean award	Median award
All	2890	1 821 637 149	630324 (1 662 559)	252 647 (127 343–553 560)	1296	511 570 050	394 730 (666 574)	198485 (99317–382650)	3.6	1.6	1.3***
Cancer site											
Head and neck	16	17 490 769	1 093 173 (1 046 928)	637 418 (260 926–2 242 703)	4	759863	189 965 (148 630)	183250 (61937–317994)	23.0	5.8	3.5
Cervical	15	12 678 187	845 <i>2</i> 12 (1 070 241)	353754 (94896–1 574 367)	10	1 281 813	128181 (96 538)	123623 (30 <i>7</i> 32–206392)	6.6	9.9	2.9**
Prostate	71	125 769 548	1 771 402 (6 980 741)	377 700 (190 072–893 840)	18	9 090 234	505 013 (740 863)	188950 (103103–360595)	13.8	3.5	2.0
Colorectal	66	57 301 015	616139 (750 261)	287749 (112437–893840)	46	18 296 468	397 749 (522 529)	176320 (73736–404692)	3.1	1.6	1.6
Breast	325	82 761 091	254 649 (420 671)	166321 (53832–212298)	235	52 971 924	225 412 (414 352)	122721 (22583–220325)	1.6	1:	1.4
Upper gastrointestinal and oesophageal	.1 23	12 946 692	562 900 (650 867)	274268 (103500–918058)	13	8 736 139	672 01 1 (1 659 329)	190546 (75424–240704)	1.5	0.8	1.4
Lung	42	17 589 619	418800 (740 402)	159766 (88544–284718)	35	5 712 151	163 204 (192 192)	127698 (57173–174667)	3.1	5.6	1.3
Ovarian	21	36 259 818	1 812 991 (5 165 397)	266 344 (147 327–1 214 534)	25	7 974 217	318968 (372 325)	224595 (119951–276184)	4.5	2.7	1.2
Brain	0	3 223 573	358174 (170479)	406122 (215197–503831)	12	6 667 742	555 645 (651 240)	346 106 (162 573–702 297)	0.5	9.0	1.2
Haematological	791	263 742 072	333428 (446 336)	191 200 (122 138–279 643)	360	112 494 439	312 484 (530 741)	180 981 (112 896–250 059)	2.3	<del>-</del> -	1.
Skin	44	14 797 603	336309 (562 447)	89456 (70635–345581)	42	7 305 773	173 947 (292 287)	85375 (68113–215519)	2.0	1.9	1.0
Renal	<del>-</del>	7 727 390	702490 (675 521)	296 803 (90509–1 270 928)	∞	6 158 106	769763 (727 809)	542 768 (347 399–822 950)	1.3	6:0	9.0
Mesothelioma	17	2 267 977	133410 (117 199)	104 084 (65607–174 656)	10	2 013 884	201388 (49 059)	202 921 (165 605–248 573)	1.1	0.7	0.5**
Liver	24	11 279 988	469999 (516 869)	250892 (138579–687402)	12	13 515 306	1 126 276 (1 207 998)	598 732 (240 881–1 679 106)	0.8	0.4	0.4*
Pancreatic	0	4 566 168	507352 (568 171)	260 473 (150 980–650 203)	5	3 685 298	737 059 (461 259)	1 033 948 (236145–1 033 948)	1.2	0.7	0.3
Disease theme											
Psychosocial	43	11 524 430	268010 (422 656)	164 422 (43 523–274 442)	99	9 057 598	137 236 (251 616)	59 994 (20 803–209 699)	1.3	2.0	2.7**
Men's health	84	133 173 641	1 585 400 (6 430 067)	364 401 (186 031–855 034)	22	9 429 269	428 603 (687 483)	174513 (87844–318514)	14.1	3.7	2.1*
Surgery	54	33 398 798	618496 (722 494)	272279 (109099–977969)	4	3 723 997	265 999 (538 442)	131 481 (20000–243687)	0.6	2.3	2.1*

Amend Simple         Amend Simple<		Male PIs				Female PIs	SI.			Fold difference	ece	
277 275 628         (10 6266)         (20 677)         (20 727)         (10 62724-291384)         (20 7274-291384)         (10 62724-291384)		Award	Sum investment, £	Mean award (SD); £	Median award (IQR); £	Award	stment,	Mean award (SD); £	Median award (IQR); £	Sum investment	Mean award	Median award
CATACATA         CATACATACATA         CATACATACATA         CATACATACATACATACATA         CATACATACATACATACATACATACATACATACATACAT	Diagnostic, screening and monitoring	454	277 375 628	610959 (1353526)	248 793 (109 256–638 341)	201	71 024 311	353 354 (509 792)	155330 (75224–294584)	3.9	1.7	1.6***
489 185 281         Carbonano (176726-55560)         336         111111 280         300680         1753.44         4.4         2.0           129 487 266         388 600         168 502         266 60         67.078 971         253.728         131.248         1.9         1.4         2.0           141 667 62         368 600         166 702         140 467 20         244.441         1.8         50.38 500         177.248-26.658         2.6         1.3         1.4         1.0           141 667 62         368 702         140 66 502         140 502 402         140 502 402         2.6         1.3         1.4         1.0 <td>Radiotherapy</td> <td>68</td> <td>82 782 734</td> <td>930143 (2 689 204)</td> <td>283 654 (130 224-445 594)</td> <td>19</td> <td>5 123 806</td> <td>269674 (265 442)</td> <td>202125 (68219-357426)</td> <td>16.2</td> <td>3.5</td> <td>1.4</td>	Radiotherapy	68	82 782 734	930143 (2 689 204)	283 654 (130 224-445 594)	19	5 123 806	269674 (265 442)	202125 (68219-357426)	16.2	3.5	1.4
11 607 68 24 58 68 60         168 57 078 97 1 257 128         173 248 7 257         173 248 7 257         173 248 7 257         173 248 7 257         173 248 7 257         173 258 7 25	Drug therapy	736	488 185 281	663 295 (2 265 942)	221 228 (116 730–553 560)	336	111 111 295	330688 (510 148)	175374 (79949–253435)	4.4	2.0	1.3**
141 667 682   486 012   244741   143   143   143   145 050   117 099 430   117 099 430   117 099 63 849   130 741 432 849   130 741 432 849   130 741 432 849   130 741 432 849   130 741 432 849   130 741 432 849   130 743 849   140 74 849 4   141 824 4   141 82 82 84 84 88 81 81 81 81 81 81 81 81 81 81 81 81	Women's health	361	129 487 265	358 690 (1 320 959)	168 523 (64 649 – 222 843)	265	67 078 971	253128 (487 672)	131248 (22790–230625)	1.9	4.	1.3
989 693 849         589 282         286 883         775         355 08C 017         468 363 0         725 588         13           37 509 650         226 170         178 659         177 859         177 859         178 659         166 67         178 782-448 560         16 16 14 36 - 538 40         16 16 14 36 - 538 60         16 16 14 36 - 538 60         16 16 14 36 - 538 60         16 16 14 36 - 538 60         16 16 14 36 - 538 60         16 16 14 36 - 538 60         16 16 14 36 - 538 60         16 16 14 36 - 538 60         16 16 14 36 - 538 60         16 16 17 36 - 538 60         16 16 17 36 - 538 60         16 16 17 36 - 538 60         16 16 17 37 36 - 538 60         16 16 17 36 - 538 60         17 17	Immunology (inc biologics)	304	141 667 662	466 012 (885 702)	244741 (130741–483283)	143	50 385 497	352 346 (383 905)	206604 (117699–437074)	2.8	1.3	1.2
37 500 650         286 170         179839         57         23 804 132         417 616         182366         16         0.8           36 089 390         (465 395)         (161742-1810647)         40         18 326 629         445 65         (141785-318681)         1.6         0.8           36 089 390         (4827 771)         (131420-438590)         4         18 326 629         (706 653)         (140757-481060)         2.0         0.9           5 003 709         (1421 381)         (15226-54090)         4         18 326 623         (140757-481060)         3.5         2.5           921 777         307259         (140757-481080)         3         44 69461         173641         17864         178014         1.3         1.8           921 777         4008 653         (140777-481080)         3         549.40         (14364-205 6845)         3.6         2.5         2.5         2.5           1 55 553         (4210-778108)         3         5.49.40         (138 857)         (138 692-24886)         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6         3.6	Pathogenesis	1714	999 693 849	583252 (1 032 142)	269 893 (141 355–538 430)	775	355 962 017	459305 (765 925)	225586 (123782–448560)	2.8	1.3	1.2***
96 098 390         41 4924 4 92.1742         221742         40         18326 629         448165 (140157-481060)         2.44556         2.0         0.9           5 003 76         421 771         (14120-436899)         5         1431191         266238         (140157-481060)         3.5         2.5         2.5           921 77         402 650         (1421 939)         (58229-540990)         4         694617         17364         (140144         1.3         1.8           921 77         409 650         (42010-779108)         3         549492         17364         (14044-20584)         3.6         9.8           175 953 97         142386         142369         3         549492         17364         (143642-20584)         3.6         9.8           175 953 97         142369         25555-198249)         10         38 589 39         34445         (143642-20584)         3.6         3.6           175 953 97         4287 134)         (10492-20824)         14766 649         273437         (145642-20584)         3.6         4.6         7.7           162 533 58 86 87         486 70         230722         444444         444444         4.6         4.6         4.6         4.6         4.6         4.6         4.6	Paediatrics	115	37 509 650	326170 (465 935)	179839 (81614–310647)	22	23 804 132	417616 (693 945)	182305 (113785–318681)	1.6	0.8	1.0
5 003 769         71 4824 (147) 930         105132 (98229-54090)         5         1431191         286 238 (986 35)         154344 (986 35)         154344 (986 35)         154344 (986 35)         154344 (986 35)         154344 (986 35)         156 234 (986 35)         178044 (143 649-275 84)         178044 (143 649-275 84)         178044 (143 649-276 84)         178044 (143 649-276 84)         178044 (143 649-276 84)         178044 (143 649-276 84)         188 589 339 (143 649-276 84)         178049 (143 649-276 84)         188 589 339 (143 649-276 84)         187 6630 (143 649-27	Infection-associated	87	36 098 390	414924 (821771)	221742 (131430–436959)	40	18 326 629	458 165 (706 563)	244555 (140757–481060)	2.0	6:0	6.0
921777         307259         100269         4         694617         173654         178014         13         1.8           1993 492         142369         (42410-779108)         3         549492         183164         199022-248288)         3.6         0.8           155 953 897         (128 099)         (25355-198248)         10         38 598 339         354113         117699         4.6         2.7           175 953 897         966779         217248         10         38 598 339         354113         117699         4.6         2.7           162 533 528         53469         230722         54         14766 849         27347         150499         5.9         3.0           162 533 528         53469         236768         1818207         147013         35528-251035         3.7         1.6           162 533 528         534469         23678         181899         160 999         160 997-273731         3.2         1.6           115 550 16         578469         27442         144         144         144 85         3.7         1.6           237 828 47         115 60 31         115 60 31         118 899         118 899         118 899         118 899         118 899         118 8	Global health	7	5 003 769	714824 (1 421 938)	105132 (58229–540990)	5	1 431 191	286238 (308 533)	154344 (98 699–377 559)	3.5	2.5	0.7
1993 492         142392         123659         3 549492         183164         199988         3.6         0.8           175 953 897         (128 056)         (25355-198248)         217248         109         38 598 339         354113         (143649-205845)         4.6         2.7           86 729 963         41 287 134)         (100 493-700 972)         54         14766 649         273437         (160690-236145)         4.6         2.7           86 729 963         818207         230722         54         14766 649         273437         (160489         5.9         3.0           162 533 528         534649         236768         188         188         7444162)         186 5999         (160542-448477)         3.2         1.4           237 828 497         5343486         274409         (140073-528959)         80         315 115 408         322347         3.7         1.6           1154 505 166         578409         273251         26606         802         315 115 408         3264         3.7         1.5           236 888 815         99937         (140073-528959)         80         71189 261         474011         434487         3.7         1.5           416 888 787         1688 940 003         7	Geriatrics	ო	921777	307259 (409 655)	100259 (42410–779108)	4	694617	173654 (88 857)	178 014 (99 022 – 248 286)	1.3	8.	9.0
175 953 897         966779         217248         109         38 598 339         354113         117699         4.6         2.7           86 729 963         81 2877         217248         101 493-700 972         54         14765 649         27437         160469         4.6         2.7           86 729 963         81 8207         230 628         181         68 169 765         27437         160 465 600-236 145)         5.9         3.0           162 533 528         534649         236 768         181         68 169 765         376 628         160 166         2.4         1.4           162 533 528         534486         274442         146         74 822 967         512 486         523 617         3.2         1.6           237 828 497         687 531)         (136 009-806 082)         16 16 942         273 448         3.7         1.5           154 505 166         578 409         256 606         802         315 115 408         392 912         214876         3.7         1.5           326 868 815         369937         273 51         46         2.3         4.6         2.8           404 884 77 639         (109 256-85605)         258 5606         258 5606         258 5606         258 5606         258 5606<	Occupational health	41	1 993 492	142392 (128 096)	123 659 (25355–198248)	က	549492	183164 (34345)	199 998 (143 649–205 845)	3.6	0.8	9.0
INE         175 953 897         966779         217248         109         38598 399         354113         117699         46         2.7           Int         106         86 729 963         818207         217248         109         38593 39         35413         166500-236145)         4.6         2.7           106         304         162 533 58         818207         230722         54         1476 649         27347         160409-515734)         3.0         3.0           285         237 828 497         634649         234649         181         68 169 75         37628         160 166         2.7         1.4           1996         1154 505 166         578409         256 606         802         315 115 408         392 912         214 876         3.7         1.5           111         337         326 868 815         34069         360 372         361 879         361 879         37 14876         3.7         1.5           111         337         326 868 815         126 909         322 81         361 879         37 1486         322 817         3.7         1.5           112         337         328 868 815         328 868 815         328 868 815         328 81         323 81         36	Phase of research and de	evelopmen										
Indicated         86 729 963         818 207         230722         54         14 765 649         273437         150 469         5.9         3.0           304         162 533 528         534 649         230728         181         68 169 795         376 528         160 169         2.4         1.4           285         237 828 497         834 486         274442         146         74 822 967         512 486         214 876         2.4         1.4           1996         1154 505 166         578 409         256 606         802         315 115 408         332 912         214 876         3.7         1.5           111         337         326 868 815         969937         273 251         209         71189 261         340 618         175 000         3.7         1.5           111         116 887 787         1269 079         592 592         258         188 994 003         77 011         434 495         3.4         1.7           121         116 888 787         965775         250 8099         70         23 266 670         32 266 670         32 266 670         32 266 670         32 266 670         32 266 670         32 266 670         32 266 670         32 266 670         32 266 670         32 266 670         32 266 670 </td <td>Phase I-III</td> <td>182</td> <td>175 953 897</td> <td>966779 (4 287 134)</td> <td>217 248 (101 493–700 972)</td> <td>109</td> <td>38 598 339</td> <td>354113 (608 791)</td> <td>117 699 (66 500–236 145)</td> <td>4.6</td> <td>2.7</td> <td>1.9***</td>	Phase I-III	182	175 953 897	966779 (4 287 134)	217 248 (101 493–700 972)	109	38 598 339	354113 (608 791)	117 699 (66 500–236 145)	4.6	2.7	1.9***
304         162 533 528         534649         236768         181         68 169 795         376628         160 196         2.4         1.4           285         237 828 497         882 437         237 828 497         237 828 497         237 828 497         237 828 497         327 828 497         327 828 487         327 828 487         328 82 486         327 828 487         328 82 486         328 82 486         328 82 486         328 82 486         328 82 487         328 82 487         328 82 487         328 82 487         328 82 487         328 82 487         328 82 487         328 82 487         328 82 488         328 82 487         328	Product development	106	86 729 963	818207 (2 787 935)	230722 (109099–515754)	24	14 765 649	273437 (407 013)	150 469 (39 528–251 035)	5.9	3.0	1.5**
285         237 828 497         88486         274442         146         74 822 967         512 486         223617         3.2         1.6           1996         1154 505 166         578409         256 606         802         315 115 408         392912         214876         3.7         1.5           IIII         337         326 868 815         969937         273251         209         71189 261         340618         175000         4.6         2.8           IIII         337         326 868 815         1269 079         592 592         253         188 994 003         747011         434 495         3.4         1.7           121         116 858 787         965775         250 809         70         23 266 670         323 281         194 697         5.0         2.9           121         116 858 787         965775         250 809         70         23 266 670         323 281         194 697         5.0         2.9	Public health	304	162 533 528	534649 (882 173)	236768 (91284–484162)	181	68 169 795	376628 (886 999)	160 196 (59 973–273 731)	2.4	4.	1.5***
1996   1154 505 166   5784099   256606   802   315 115 408   392912   214876   3.7   1.5   1.5     11	Cross-disciplinary	285	237 828 497	834486 (1 879 331)	274442 (136009–806082)	146	74 822 967	512 486 (791 038)	223617 (105842-448477)	3.2	1.6	1.2**
Ith         337         326 868 815         969937         273251         209         71189 261         340618         175 000         4.6         2.8           505         640 884 752         1 269 079         592 592         253         188 994 003         747 011         434495         3.4         1.7           12 1         116 858 787         965 775         250 809         70         23 266 670         332 381         194 697         5.0         2.9           12 1         116 858 787         965 775         250 809         70         23 266 670         332 381         194 697         5.0         2.9	Preclinical	1996	1 154 505 166	578409 (1 131 681)	256 606 (140 073–528 959)	802	315 115 408	392 912 (602 354)	214876 (121572–435243)	3.7	1.5	1.2***
rtment of Health         357         326 868 815         969937         273251         209         71 189 261         340618         175 000         4.6         2.8           1 263         640 884 752         1269 079         592 592         253         188 994 003         747 011         434 495         3.4         1.7           1 263         1265 363)         (351 917-1 348 289)         70         23 266 670         332 381         194 697         5.0         2.9           1 263         1265 775         250 809         (165 274-689373)         70         23 266 670         (154 344-266487)         5.0         2.9	Funding organisation											
505         640 884 752         1 269 079         592 592         253         188 994 003         747011         434 495         3.4         1.7         1.7           ome         121         116 858 787         965 775         250 809         70         23 266 670         332 381         194 697         5.0         2.9           (2 035 860)         (165 274 –689 373)         (165 274 –689 373)         (165 274 –689 373)         260 662)         (154 344 –266 487)         5.0         2.9	Department of Health	337	326 868 815	969937 (3 477 639)	273251 (109256–858065)	509	71 189 261	340618 (513 879)	175 000 (75 424–281 131)	4.6	2.8	1.6***
121 116 858 787 965775 250809 70 23 266 670 332 381 194 697 5.0 2.9 (609 652) (154344-266 487) 5.0 2.9	MRC	505	640 884 752	1 269 079 (2 052 363)	592 592 (351 917–1 348 289)	253	188 994 003	747 011 (943 859)	434 495 (254 487–748 000)	3.4	1.7	1.4***
	Wellcome	121	116 858 787	965775 (2 035 860)	250 809 (165 274–689 373)	20	23 266 670	332 381 (609 652)	194 697 (154 344–266 487)	5.0	2.9	£.:

	Male PIs				Female PIs	ls			Fold difference	ce	
	Award number	Award Sum number investment, £	Mean award (SD); £	Median award (IQR); £	Award number	Award Sum number investment, £	Mean award (SD); £	Sum Median award (IQR); £ investment	Sum investment	Mean award	Median award
Charity (excluding Wellcome and CRUK)	1101	281 584 160	255753 (372 649)	163214 (90000–230289)	585	130 457 245	223 003 (427 557)	137865 (67135–206068)	2.2	11	1.2***
EPSRC	292	163 856 870	561 153 (939 912)	319486 (147583–605290)	63	37 693 709	598312 (1 126 384)	258057 (114605–600998)	4.3	6.0	1.2
BBSRC	416	186 189 724	447 571 (410 166)	373 556 (268 819–509 467)	88	35 754 106	406296 (277 730)	385328 (290 714–480 990)	5.2	<u> </u>	1.0
European Commission (inc ERC)	36	56 188 966	1 560 805 (426 113)	1 414 393 (1 261 751–1 768 211)	<b>o</b>	14 693 323	1 632 591 (395 550)	1 383 393 (1 361 130–2 063 706)	3.8	1.0	1.0
Other	82	49 205 075	600 061 (2 096 627)	144 907 (92 673–268 658)	19	9 521 733	501 143 (773 838)	50 403 (25 092-1 013 231)	5.2	1.2	2.9

Cancer sites with fewer than 15 total awards are not presented in this table. We were unable to identify the phase of research and development for 26 studies. \*P<0.05, \*\*P<0.01, \*\*\*P<0.01.

Council:

Biotechnology and Biological Sciences Research Council; CRUK, Cancer Research UK; EPSRC, Engineering and Physical Science Research Council; ERC, European Research Council; MRC, Medical Research Pl, primary investigator.

gap in this study and precludes the conclusion that gender bias is responsible for the observed differences in cancer research funding. Indeed, if gender equality were to be achieved in medical science, a generational lag effect may be expected before this was reflected in funding data.

However, there is mounting evidence to suggest that the existing gender imbalances in researcher numbers do not wholly explain the observable gender gap in funding. At all stages of career progression, female scientists tend to experience lower success rates compared with male scientists when applying for research funding. 25-27 Even when success rates are equal, female scientists tend to receive less in terms of award value. 16 28 This is reflected by internal annual reports by Research Councils UK which represents a strategic partnership between seven of the UK research councils, awards from three of which have been included in our analysis. Female researchers made up 24% of standard grant applications (shorter in duration than 4 years or less than £1 million in value) and experienced a success rate of 25% compared with 29% among male applicants.<sup>29</sup> This gender difference is even more pronounced for large grants (both longer than 4 years in duration and greater than £1 million in value) where women make up 17% of applicants and their success rate is 24% compared with 38% among their male counterparts.<sup>29</sup>

Within the UK, the Equality Challenge Unit set up the Athena SWAN charter in 2005. This scheme aims to tackle gender inequalities in STEMM by awarding bronze, silver or gold awards to universities, research institutions or departments which can demonstrate their commitment to reducing inequalities with measurable performance data. In 2011, the National Institute for Health Research (NIHR) decided that they would only consider application from research groups with at least a Silver Athena SWAN award, <sup>30</sup> thereby further incentivising engagement with this scheme. Recent evidence suggests that there has been an associated positive impact in the advancement of gender equality as reported by participants of the scheme.<sup>31</sup> Furthermore, in the latest call for research professorships, the NIHR guidance has specified a maximum of two nominations per institution at least one of which must be female.<sup>32</sup>

Further to those discussed, there are several additional limitations to our study. We are dependent on the accuracy of the original investment data sourced from the funding bodies. Private sector data was excluded from this study due to incompleteness of publicly available data from this sector. We were not able to include data on applicant success rate, the amount of funding initially requested, the gender co-applicants for each grant, the total gender pool of researchers in each disease area and within each type of science, or the proportion of awards made to clinical and non-clinical researchers, all of which would have provided a more holistic understanding of the research landscape. We lacked data on the academic rankings of PIs and were unable to adjust for seniority across both genders. Unfortunately, CRUK would not




Figure 1 Proportion of annual UK cancer research funding by gender.

provide disaggregated funding data and so could not be included in our full analysis. However, the proportion of CRUK studies awarded by PI gender was comparable to our reported results (online supplementary appendix 1).

While the gender discrepancies in cancer research funding observed over the 13-year study period are likely multifactorial, this study is fundamentally descriptive in nature and does not allow us to postulate the underlying mechanisms responsible for the observed gender differences. Nevertheless, this study demonstrates substantial gender imbalances in cancer research investment. We would strongly urge policy-makers, funders and the academic and scientific community to investigate the factors leading to our observed differences and seek to




Figure 2 Sum total of annual UK cancer research funding by gender.

ensure that women are appropriately supported in scientific endeavour.

#### **Author affiliations**

<sup>1</sup>Department of Nuclear Medicine, Royal Free NHS Foundation Trust, London, UK <sup>2</sup>Faculty of Medicine, Institute for Life Sciences, Global Health Research Institute, University of Southampton, Southampton, UK

<sup>3</sup>Oxford University Clinical Academic Graduate School, John Radcliffe Hospital, Oxford, UK

<sup>4</sup>Department of Economics, University of Oxford, Oxford, UK

<sup>5</sup>Faculty of Medicine, Imperial College London, London, UK

<sup>6</sup>Department of Applied Health Research, University College London, London, UK <sup>7</sup>School of Media, Communication and Sociology, University of Leicester, Leicester, UK

<sup>8</sup>Harvard T. H. Chan School of Public Health, Harvard University, Boston, Massachusetts. USA

<sup>9</sup>Department of Epidemiology and Public Health, University College London, London,

**Acknowledgements** We would like to thank Joseph Fitchett for his contributions to the Research Investments in Global Health Study.

Contributors CDZ, MM, MGH and RA conceived and designed the study. MGH, CDZ, BJG and MAE-H obtained the data. DCM and MGH conducted data formatting and statistical analysis. All authors helped interpret the findings. CDZ wrote the first draft of the manuscript with input from MM, MGH, RR, HO'C and RA. All authors provided input to subsequent drafts. All authors had full access to all of the data in the study and take responsibility for its integrity and the accuracy of data analysis.

**Funding** This research received no specific grant from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

**Data sharing statement** All data used are publicly available. Entire database and associated figures are permanently available with open access online (http://www.researchinvestments.org).

Open Access This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/

© Article author(s) (or their employer(s) unless otherwise stated in the text of the article) 2018. All rights reserved. No commercial use is permitted unless otherwise expressly granted.

# **REFERENCES**

- European Commission. More women in senior positions key to economic stability and growth. 2010. http://www.eubusiness.com/ topics/employment/women-senior.10/
- 2. European Commission. She Figures 2012. Gender in Research and Innovation. Statistics and Indicators. *Econ Soc* 2013;156.
- Burrelli J. Thirty-Three Years of Women in S&E Faculty Positions: US National Science Foundation, 2008.
- Pohlhaus JR, Jiang H, Sutton J. Sex differences in career development awardees' subsequent grant attainment. *Ann Intern Med* 2010;152:616.
- Lincoln AE, Pincus SH, Leboy PS. Scholars' awards go mainly to men. Nature 2011;469:472.
- UNESCO. UNESCO Women in Science Visualisation. 2017. http:// uis.unesco.org/apps/visualisations/women-in-science/
- European Commission. Meta-analysis of gender and science research. 2012;229. https://ec.europa.eu/research/swafs/pdf/pub\_

- gender\_equality/meta-analysis-of-gender-and-science-researchsynthesis-report.pdf
- Science D, Charman-Anderson S, Kane L, et al. Championing the Success of Women in Science, Technology, Engineering, Maths, and Medicine. 2017. https://doi.org/10.6084/m9.figshare.5463502.v1
- European Commission. Guidance on Gender Equality in Horizon 2020. 2016;14. http://ec.europa.eu/research/participants/data/ref/ h2020/grants\_manual/hi/gender/h2020-hi-guide-gender\_en.pdf
- Yong E. Edit-a-thon gets women scientists into Wikipedia. Nature 2012.
- 11. Donald A. Throw off the cloak of invisibility. Nature 2012;490:447.
- Swain F. Science: It's a girl thing. Excuse me while I die inside. SciencePunk. 2012. http://scienceblogs.com/sciencepunk/2012/06/ 22/science-its-a-girl-thing-excuse-me-while-i-die-inside/
- European Commission. She figures 2015. 2016;224. https://ec. europa.eu/research/swafs/pdf/pub\_gender\_equality/she\_figures\_ 2015-final.pdf
- Meulders D, O'Drochai S, Plasman R, et al. Gender wage gap and funding. Meta-analysis of gender and science research - Topic report. 2010;135. https://genderedinnovations.stanford.edu/images/ TR2 Payfunding.pdf
- Pohlhaus JR, Jiang H, Wagner RM, et al. Sex differences in application, success, and funding rates for NIH extramural programs. Acad Med 2011;86:759–67.
- Bedi G, Van Dam NT, Munafo M. Gender inequality in awarded research grants. Lancet 2012;380:474.
- Jagsi R, Motomura AR, Amarnath S, et al. Under-representation of women in high-impact published clinical cancer research. Cancer 2009;115:3293–301.
- Boyle P, O'Connor H, Holliday L. How should universities and Research Councils proactively respond to gender bias in success rates in grant applications? 2016. http://www.foundation.org.uk/ Events/pdf/20160622\_Summary.pdf
- Moss-Racusin CA, Dovidio JF, Brescoll VL, et al. Science faculty's subtle gender biases favor male students. Proc Natl Acad Sci U S A 2012;109:16474–9.
- Boyle PJ, Smith LK, Cooper NJ, et al. Gender balance: women are funded more fairly in social science. Nature 2015;525:181–3.
- Head MG, Fitchett JR, Cooke MK, et al. Differences in research funding for women scientists: a systematic comparison of UK investments in global infectious disease research during 1997-2010. BMJ Open 2013;3:e003362.
- Head MG, Fitchett JR, Cooke MK, et al. UK investments in global infectious disease research 1997-2010: a case study. Lancet Infect Dis 2013;13:55–64.
- Head MG, Fitchett JR, Nageshwaran V, et al. Research investments in global health: a systematic analysis of UK infectious disease research funding and global health metrics, 1997-2013. EBioMedicine 2016;3:180–90.
- Maruthappu M, Head MG, Zhou CD, et al. Investments in cancer research awarded to UK institutions and the global burden of cancer 2000-2013: a systematic analysis. BMJ Open 2017;7:e013936.
- Shen H. Inequality quantified: mind the gender gap. Nature 2013;495:22–4.
- van der Lee R, Ellemers N. Gender contributes to personal research funding success in The Netherlands. *Proc Natl Acad Sci U S A* 2015;112:12349–53.
- Wennerås C, Wold A. Nepotism and sexism in peer-review. Nature 1997;389:326.
- Ceci SJ, Ginther DK, Kahn S, et al. Women in academic science: a changing landscape. Psychol Sci Public Interest 2014;15:75–141.
- Research Councils UK. Research councils diversity data: trend data on grants awarded and success rates by age and gender. 2016;3. http://www.rcuk.ac.uk/documents/skills/grantsawardedandsuc cessrates-pdf/
- Medical Schools Council. Athena SWAN. 2017. https://www.medschools.ac.uk/our-work/equality-inclusivity/athena-swan
- Ovseiko PV, Chapple A, Edmunds LD, et al. Advancing gender equality through the Athena SWAN Charter for Women in Science: an exploratory study of women's and men's perceptions. Health Res Policy Syst 2017;15:12.
- 32. National Institute for Health Research. NIHR research professorships round 8. 2017. https://www.nihr.ac.uk/funding-and-support/funding-for-training-and-career-development/training-programmes/nihr-research-professorships/nihr-research-professorships-round-8.htm