


SCIENTIFIC REPORTS



OPEN

Corrigendum: Nosocomial and Community-Acquired Spontaneous Bacterial Peritonitis in patients with liver cirrhosis in China: Comparative Microbiology and Therapeutic Implications

Lei Shi, Dan Wu, Lei Wei, Suxia Liu, Peng Zhao, Bo Tu, Yangxin Xie, Yanan Liu, Xinhua Wang, Liying Liu, Xin Zhang, Zhe Xu, Fusheng Wang & Enqiang Qin

Scientific Reports 7:46025; doi: 10.1038/srep46025; published online 06 April 2017; updated on 27 July 2017

The original version of this Article contained errors. In the Abstract,

“The patients in the community-acquired SBP ($n = 311$) and the nosocomial SBP ($n = 264$) groups exhibited significant differences in clinical symptoms ($P < 0.01$)”.

now reads:

“The patients in the community-acquired SBP ($n = 264$) and the nosocomial SBP ($n = 311$) groups exhibited significant differences in clinical symptoms ($P < 0.01$)”.

In the Results section, under subheading ‘Basic patient information’,

“Patients were divided into either nosocomial ($n = 264$) or community-acquired groups ($n = 311$) according to the type of infection”.

now reads:

“Patients were divided into either nosocomial ($n = 311$) or community-acquired groups ($n = 264$) according to the type of infection”.

As a result, the values of the columns ‘Community-acquired ($n, \%$)’ and ‘Nosocomial ($n, \%$)’ in Table 2 were incorrect.

These errors have now been corrected in the PDF and HTML versions of the Article.

	Total (n, %)	Community-acquired (n, %)	Nosocomial (n, %)	P value
G-B	293	156	137	0.92
<i>Escherichia coli</i>	153 (26.6)	78 (50)	75 (54.7)	0.68
<i>Klebsiella pneumoniae</i>	75 (13.0)	35 (22.4)	40 (29.2)	0.66
<i>Acinetobacter baumannii</i>	7 (1.2)	5 (3.2)	2 (1.6)	0.15
<i>Pseudomonas aeruginosa</i>	4 (0.7)	2 (1.3)	2 (1.6)	0.82
<i>Enterobacter sp.</i>	17 (3.0)	12 (7.7)	5 (3.6)	0.03
<i>Serratia marcescens</i>	2 (0.3)	1 (0.6)	1 (0.7)	0.87
<i>Serratia fonticola</i>	2 (0.3)	2 (1.3)	0 (0.0)	0.11
<i>Stenotrophomonas maltophilia</i>	3 (0.5)	0 (0.0)	3 (2.2)	0.12
<i>Pseudomonas putida</i>	3 (0.5)	3 (1.9)	0 (0.0)	0.05
<i>Bacterium vulgare</i>	3 (0.5)	2 (1.3)	1 (0.7)	0.44
<i>Proteus mirabilis</i>	1 (0.2)	0 (0.0)	1 (0.7)	0.37
<i>Burkholderia cepacia</i>	3 (0.5)	2 (1.3)	1 (0.7)	0.44
<i>Acinetobacter lwoffii</i>	1 (0.2)	1 (0.6)	0 (0.0)	0.26
<i>Salmonella</i>	4 (0.7)	3 (1.9)	1 (0.7)	0.22
<i>Shigella spp</i>	5 (0.9)	4 (2.6)	1 (0.7)	0.11
<i>Morganella morganii</i>	3 (0.5)	1 (0.6)	2 (1.5)	0.70
<i>Citrobacter</i>	3 (0.5)	1 (0.6)	2 (1.5)	0.70
<i>Haemophilus influenzae</i>	2 (0.3)	2 (1.3)	0 (0.0)	0.11
<i>Achromobacter xylosoxidans</i>	2 (0.3)	2 (1.3)	0 (0.0)	0.11
G+C	279	107	172	0.04
<i>Coagulase-negative staphylococcus</i>	131 (22.8)	56 (52.3)	75 (43.6)	0.68
<i>Staphylococcus aureus</i>	30 (5.2)	9 (8.4)	21 (12.2)	0.10
<i>Staphylococcus lugdunensis</i>	1 (0.2)	0 (0.0)	1 (0.6)	0.37
<i>Faecalis</i>	52 (9.0)	15 (14.0)	37 (21.5)	<0.01
<i>Faecium</i>	18 (1.7)	5 (4.7)	13 (7.6)	<0.05
Other <i>Enterococcus</i>	6 (1.0)	1 (0.9)	5 (2.9)	<0.05
<i>Streptococcus Pneumoniae</i>	1 (0.2)	1 (0.9)	0 (0.0)	0.26
<i>Streptococcus</i> (other than <i>S. pneumoniae</i>)	40 (7.0)	20 (18.7)	20 (11.6)	0.46
G+B	1	1	0	
<i>Ochrobactrum Anthropic</i>	1 (0.17)	1	0	0.26
Anaerobic bacteria	0 (0.0)	0	0	—
<i>Fungus</i>	2	0	2	
<i>Candida glabrata</i>	2 (0.3)	0	2	0.21

Table 2. Bacteria distributions in ascitic fluid.

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>

© The Author(s) 2017