

Figure 1d





Figure 1e



7\*: free protein

Figure 1e: Note that mouse anti-CNOT3 antibody and anti-mouse secondary antibody were added after incubation with rabbit anti-eS7 and anti-CNOT4 antibodies and anti-rabbit secondary antibody, so eS7 and CNOT4 bands are also visible on the CNOT3 blot.

Figure 5c




Figure 5d




Figure 5e






Figure 5d, Note that mouse anti-CNOT3 antibody and anti-mouse secondary antibody were added after incubation with rabbit anti-eS7 and anti-CNOT4 antibodies and anti-rabbit secondary antibody, so eS7 and CNOT4 bands are also visible on the CNOT3 blot. Figure 5e, CNOT3, CNOT4 and eS7 were run on separate blots.



7\*: free protein

Figure 5f-g: Note that mouse anti-CNOT3 antibody and anti-mouse secondary antibody were added after incubation with rabbit anti-eS7 and anti-CNOT4 antibodies and anti-rabbit secondary antibody, so eS7 and CNOT4 bands are also visible on the CNOT3 blot.

Figure S1b




Figure S1a







Figure S1c



Samples were all run on the same gel and the membrane was cut after blotting and blocking. Membrane strips were then incubated with the respective antibodies

Figure S1d













Figure S1e



7\*: free protein






Figure S1d-e: Note that mouse anti-CNOT3 antibody and anti-mouse secondary antibody were added after incubation with rabbit anti-eS7 and anti-CNOT4 antibodies and anti-rabbit secondary antibody, so eS7 and CNOT4 bands are also visible on the CNOT3 blot.



7\*: free protein

Figure S1f-i: Note that mouse anti-CNOT3 antibody and anti-mouse secondary antibody were added after incubation with rabbit anti-eS7 and anti-CNOT4 antibodies and anti-rabbit secondary antibody, so eS7 and CNOT4 bands are also visible on the CNOT3 blot.





7\*: free protein

\* sample 9 is missing in this blot

Figure S7a: Note that mouse anti-CNOT3 antibody and anti-mouse secondary antibody were added after incubation with rabbit anti-eS7 and anti-CNOT4 antibodies and anti-rabbit secondary antibody, so eS7 and CNOT4 bands are also visible on the CNOT3 blot. Figure S7b, CNOT3, CNOT4 and eS7 were run on separate blots.

Figure S7c






Figure S7d



7\*: free protein

Figure S7c-d: Note that mouse anti-CNOT3 antibody and anti-mouse secondary antibody were added after incubation with rabbit anti-eS7 and anti-CNOT4 antibodies and anti-rabbit secondary antibody, so eS7 and CNOT4 bands are also visible on the CNOT3 blot.