Hypothermic Machine Perfusion Reduces Delayed Graft Function and Improves One-Year Graft Survival of Kidneys from Expanded Criteria Donors: A Meta-Analysis

Baoping Jiao, Shurong Liu, Hao Liu, Donghua Cheng, Ying Cheng, Yongfeng Liu*

Department of General Surgery, The First Hospital of China Medical University, Shenyang, China

Abstract

Background: Expanded criteria donors (ECDs) are currently accepted as potential sources to increase the donor pool and to provide more chances of kidney transplantation for elderly recipients who would not survive long waiting periods. Hypothermic machine perfusion (HMP) is designed to mitigate the deleterious effects of simple cold storage (CS) on the quality of preserved organs, particularly when the donor is in a marginal status.

Methods: We compared the transplant outcomes in patients receiving ECD kidneys with either HMP or CS graft preservation. Articles from the MEDLINE, EMBASE and Cochrane Library databases were searched and all studies reporting outcomes from HMP versus CS methods of kidney preservation were included in this meta-analysis. The parameters analyzed included the incidence of delayed graft function (DGF), primary non-function (PNF) and one-year graft and patient survival.

Results: A total of seven studies qualified for the review, involving 2374 and 8716 kidney grafts with HMP or CS preservation respectively, all from ECD donors. The incidence of delayed graft function (DGF) was significantly reduced with an odd ratio(OR) of 0.59 (95% CI 0.54–0.66, P<0.001) and one-year graft survival was significantly improved with an OR of 1.12 (95% CI 1.03–1.21, P = 0.005) in HMP preservation compared to CS. However, there was no difference in the incidence of PNF (OR 0.54, 95% CI 0.21–1.40, P = 0.20), and one-year patient survival (OR 0.98, 95% CI 0.94–1.02, P = 0.36) between HMP and CS preservation.

Conclusions: HMP was associated with a reduced incidence of DGF and an with increased one-year graft survival, but it was not associated with the incidence of PNF and one-year patient survival.

Citation: Jiao B, Liu S, Liu H, Cheng D, Cheng Y, et al. (2013) Hypothermic Machine Perfusion Reduces Delayed Graft Function and Improves One-Year Graft Survival of Kidneys from Expanded Criteria Donors: A Meta-Analysis. PLoS ONE 8(12): e81826. doi:10.1371/journal.pone.0081826

Editor: Valquiria Bueno, UNIFESP Federal University of São Paulo, Brazil

Received July 3, 2013; Accepted October 17, 2013; Published December 10, 2013

Copyright: © 2013 Jiao et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Funding: Special Fund for Health Sector Scientific Research of the Ministry of Health (No. 201002004) The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript."

Competing Interests: The authors have declared that no competing interests exist.

* E-mail: yfliu@mail.cmu.edu.cn

Introduction

Kidney transplantation is the optimal treatment for patients with end-stage renal disease(ESRD) [1]. Because of a persistent donor organ shortage, kidneys from expanded criteria donors (ECDs) are currently accepted by many centers and have been successfully transplanted to increase the donor pool [2,3], thereby facilitating timely kidney transplantation for elderly recipients who would not survive long waiting periods [4,5] ECDs are defined as allografts from deceased donors older than 60 years of age and those from donors aged 50-59 years old with at least two of the followings characteristics: history of hypertension, serum creatinine greater than 1.5 mg/dL or cerebrovascular as the cause of death[6]. Compared with standard criteria donor(SCD) kidneys, kidneys from ECDs can be associated with a higher rate of delayed graft function(DGF), primary non-function(PNF), acute rejection and a more complicated postoperative course, resulting in inferior long-term graft survival overall [7-10]. Although ECD kidneys have an overall 1.7 times greater risk for graft failure [3], it has also

been shown that transplantation of these kidneys has a significant survival benefit when compared with dialysis treatment[11], especially for elderly recipients [12].

To maximize the benefit of donated kidneys, two kidney preservation methods have been developed over the past 30 years, namely hypothermic machine perfusion (HMP) and static cold storage (CS)[13]. Static cold storage, with solutions designed in the 1980s, remains the gold standard in kidney transplantation. However, it has been reported that SC was unable to fully protect ECD kidneys, while HMP could mitigate the deleterious effects of CS, reducing the incidence of DGF for ECD kidney transplantations [14,15].

To better understand whether HMP could obtain better outcomes in ECD kidney transplantation compared to CS, We conducted a systematic review and meta-analysis of the available studies. We assessed the impact of HMP on rates of DGF, PNF and one-year graft and patient survival. These data could help clinical transplant professionals to decide the best way to preserve ECD kidneys.

Materials and Methods

Data sources and searches

A search of the PubMed/Medline, Embase and Cochrane library databases was performed. The search strategies are listed in Table 1, and the process of identifying papers for inclusion is shown in Figure 1. The search was conducted in March and April 2013. A manual search of the references of the relevant publications was also performed.

Selection criteria

Studies reporting outcomes of ECD kidney transplantation using HMP preservation versus CS were included in this metaanalysis. Exclusion criteria were: (1) overlapping studies from the same institution (avoid duplication);(2) studies that included kidneys from simultaneous kidney-pancreas (SKP)transplants and simultaneous kidney-liver(SLK) transplants; (3) HMP or SC solutions with additional drugs, e.g., PGE₁;(4) study that contain both ECD and other data, such as donation after cardiac death (DCD), but ECD data cannot be separated apart;and (5) animal studies, review articles, studies in languages other than English.

Quality assessment

The publications were reviewed and data were extracted by two independent investigators with disagreements resolved through discussion and consensus. The individual studies were evaluated by the Downs and Black quality assessment method[16], which is a list of 27 criteria for evaluating both randomized and nonrandomized comparative studies. Studies could divided into 5 different aspects:reporting, external validity, bias, confounding and power and reach a maximum of 24 points.

Data synthesis and analysis

Pooled odds ratios (ORs) were used to evaluate the event rates, and the results were reported with 95% confidence intervals (CIs).A P value <0.05 was considered a significant difference between the two groups. Heterogeneity in all of the included studies was evaluated by X^2 and I^2 statistical tests. A random effect



Figure 1. Flow chart illustrating papers selected for analysis. doi:10.1371/journal.pone.0081826.g001

Table 1. Search strategies.

Procedure	Contents
1	expanded criteria donors OR ECD
2	machine perfusion OR MP
3	pulsatile machine perfusion OR PMP
4	pulsive perfusion OR PP
5	hypothermic pulsatile perfusion OR HPP
6	pulsatile perfusion preservation OR PPP
7	pulsatile machine perfusion OR PMP
8	cold storage OR static cold storage OR CS
9	1 AND (2–7) AND 8

doi:10.1371/journal.pone.0081826.t001

model was adopted when $P < 0.05 \text{ or } I^2 > 50\%$, and a fixed-effect model was used when $P > 0.05 \text{ or } I^2 < 50\%$. However, taking into account the presence of non-RCTs and different sample size of the included studies, a sensitivity analysis was performed to compare the incidence of DGF and PNF between HMP and CS preservation. A funnel plot is designed to check the existence of publication bias in systematic reviews and meta-analyses. All statistical analyses were performed with Review Manager (Rev-Man version 5.1, 2008. The Nordic Cochrane Centre, Rigshospitalet).

Results

Search results and included studies

Based on the search strategies and selection criteria, we included seven studies comparing HMP to CS in this review [5,17–22], involving 2374 and 8716 kidney grafts with HMP and CS preservation respectively, all from ECD donors. Of these seven studies, two were randomized controlled trials(RCTs), one was a prospective study, and four were retrospective studies. Two of the

References	Institution	Study design	Study period	HMP model	Sample	size	Solution		CIT (hours)		Recipient a	ige (years)	Initial
	immunosuppression												
									Mean(range)		Mean(range)		
					HMP	CS	HMP	CS	HMP	S	HMP	CS	
Sedigh, A 2013[22]	Sweden, single-center	Retrospective	6.2010– 7.2012	LifePort	36	59	KPS-1	MU	12.8 (7.0–24.5)	11.7 (5.3–25.0)	61 (22–57)	58 (24–79)	Tacrolimus
Gallinat, A(2012)[17]	Germany, multicenter	RCT	NA	LifePort	85	85	KPS-1	UW or HTK	11 (4–22)	10.5 (3–24)	66 (39–79)	66 (37–79)	N/A
Treckmann, J (2011)[18]	Germany multicenter	RCT	11.2005– 10.2006	LifePort	91	91	KPS-1	UW or HTK	13 (3–23)	13 (4–29)	65 (20–79)	65 (32–79)	N/A
Abboud, I (2011)[5]	France, single-center	Prospective	2.2002– 9.2009	LifePort	22	22	KPS-1	MU	20.3 (12.2–28.4)	22.2 (12–32.4)	56.5±11.0	53.0±15.4	ALG
Stratta, R(2007)[20]	USA, single-center	Prospective	11.2001– 11.2006	RM3	114	27	KPS-1	KPS-1	24.5 (16.4–32.6)	19(13.3–24.7)	55.4±11.0	60.1±9.6	104 ALG; 37alemtuzumab
Matsuoka, L (2006)[21]	SONU	Prospective	01.2001– 12.2003	N/A	912	3706	N/A	N/A	20.1 (11.2–29)	18.9(10.8–27)	56±11.4	54.5±12.3	N/A
Buchanan, P. M (2008)[19]	USRDS	Prospective	1995–2004	N/A	1114	4726	N/A	N/A	19.9 (11.5–28.2)	20.9(12.2–29.6)	N/A	N/A	N/A
RCT, randomized c KPS-1, kidney pres doi:10.1371/journa	controlled trial; HMP, hypoth servation solution-1; UW, U, 1.pone.0081826.1002	nermic machine perfusi niversity of Wisconsin.	on; CS, cold sto	rage; CIT, co	old ischer	mic time; ł	HTK, histidin	e-tryptophan-	ketoglutarate;WIT, w	arm ischemic time	N/A, unavail	able; ALG, antily	nphocyte globulin;

Table 2. Characteristics of the included studies.

PLOS ONE | www.plosone.org

Table 3. Main outcomes of the included studies.

References	DGF			PNF			1-yr graft survival			1-yr pati	ent survi	val
	HMP(%)	CS(%)	р	HMP(%)	CS(%)	р	HMP(%)	CS(%)	р	HMP(%)	CS(%)	р
Gallinat, A (2012)[17]	29.4	34.1	0.58	3.5	12.9	0.02	89	81	0.139	94.1	95.2	0.79
Treckmann, J(2011)[18]	22	29.7	0.27	3	12	0.04	92.3	80.2	0.02	93.4	96.7	0.3
Abboud, I(2011)[5]	9	31.8	0.021	0	4.5	0.312	95	91	NS	95	95	NS
Matsuoka, L(2006)[21]	25.8	37.1	0.001	2.6	3.2	0.37	N/A	N/A	N/A	N/A	N/A	N/A
Stratta, R(2007)[20]	11	37	0.002	3	4	NS	N/A	N/A	N/A	N/A	N/A	N/A
Buchanan, P. M(2008)[19]	26.9	38	0.0001	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sedigh, A(2013)[22]	16.7	20.3	0.658	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

HMP, hypothermic machine perfusion; CS, static sold storage; DGF, delayed graft function; PNF, primary non-function; N/A, not-available; NS, not significant. doi:10.1371/journal.pone.0081826.t003

studies were from Germany, one was from France, one was from Sweden, while the remaining three were from the USA. The years of publication spanned from 2006 to 2013. The study characteristics are shown in Table 2, and the primary outcomes appear in Table 3.

Quality of included studies

The results of the evaluation criteria adapted from Downs and Black [16] are shown in Table 4. The scores were, on average, 16.7 points (SD = 3.0). The lowest score was 14 points[22], whereas one study reached the highest score of 22 points[18].

Outcomes

All seven studies reported the incidence of DGF. All of the studies defined DGF as the need for dialysis within the first week post-transplant. Heterogeneity was evident but not statistically significant among the studies ($X^2 = 7.33$, P = 0.29, $I^2 = 18\%$), thus a fixed-effect model was adopted. The incidence of DGF was significantly reduced in the HMP preservation compared with CS (OR = 0.59; 95% CI 0.54–0.66; P<0.001) (Figure 2). Due to heterogeneity in study design and sample size, sensitivity analyses were conducted using the two RCTs and larger sample size studies respectively. Evaluating the two larger size studies [19,21], the protective effect was still found with an OR of 0.60(95% CI 0.53–0.66), with no heterogeneity($X^2 = 0.04$, P = 0.84, $I^2 = 0\%$), fixed-effect model. However, we found that the incidence of DGF was not significantly different between HMP and CS preservation

using the two RCTs (OR = 0.74; 95% CI 0.46-1.17; P = 0.19) (Figure 2).

Five studies reported the incidence of PNF after transplantation[5,17,18,20,21]. One study defined PNF as a permanent lack of function of the allograft from the time of transplantation[5]. The other four studies did not provide a definition of PNF. Heterogeneity was identified ($X^2 = 11.45$, P = 0.02; $I^2 = 65\%$), thus a random-effect model was adopted. The incidence of PNF was not significantly different between HMP and CS preservations (OR = 0.54; 95% CI 0.21-1.40; P = 0.20) (Figure 3). Due to heterogeneity in sample size, a sensitivity analysis was conducted using the smaller size studies. However, we found that the incidence of PNF was significantly lower in HMP preservation compared to CS, with an OR of 0.28(95% CI 0.12-0.63), with no heterogeneity($X^2 = 0.69, P = 0.88,$ $I^2 = 0\%$), fixed-effect model(Figure 3). The same three studies reported the incidence one-year graft survival[5,17,18]. None of the study provided a definition of one-year graft survival. There was no heterogeneity $(X^2 = 0.86, P = 0.65, I^2 = 0\%)$; thus, a fixed-effect model was adopted. There was a trend favoring the use of HMP, the oneyear graft survival rate was significantly different between HMP and CS preservation (OR = 1.12; 95% CI 1.03–1.21; P = 0.005) (Figure 4). The same three studies reported the incidence of oneyear patient survival[5,17,18]. None of the study provided a definition of one-year patient survival. No heterogeneity was identified ($X^2 = 0.32$, P = 0.85, $I^2 = 0\%$);thus, a fixed-effect model was applied. However, the incidence of one-year patient survival

References	Reporting 0-10	External validity 0–2	Bias 0-7	Confounding 0-4	Power 0-1	Overall 0–24
Sedigh,A(2013)[22]	6	1	5	2	0	14
Gallinat, A (2012)[17]	8	1	6	5	0	20
Treckmann, J(2011)[18]	9	2	6	5	0	22
Abboud, I(2011)[5]	6	1	5	2	0	14
Stratta, R(2007)[19]	7	2	5	2	0	16
Matsuoka, L(2006)[21]	8	1	5	2	0	16
Buchanan, P. M(2008)[19]	7	1	5	2	0	15
Mean (SD)	7.3(1.1)	1.2(0.5)	5.2(0.49)	2.8(1.4)	0(0)	16.7(3.0)

Table 4. Evaluation criteria adapted from Downs and Black (1998).

doi:10.1371/journal.pone.0081826.t004

	Hypothermic machine	e perfusion	Cold st	orage		Odds Ratio	Odds Ratio
Study or Subgroup	Events	Total	Events	Total	Weight	M-H, Fixed, 95% CI	M-H, Fixed, 95% CI
All studies							
Abboud, I 2011	2	22	7	22	0.7%	0.21 [0.04, 1.18]	<
Buchanan, P. M 2008	300	1114	1795	4726	51.4%	0.60 [0.52, 0.70]	-
Gallinat, A 2012	25	85	29	85	2.1%	0.80 [0.42, 1.54]	
Matsuoka, L. 2006	235	912	1375	3706	41.4%	0.59 [0.50, 0.69]	-
Sedigh,A 2013	6	36	12	59	0.8%	0.78 [0.27, 2.31]	
Stratta, R. J. 2007	12	114	10	27	1.5%	0.20 [0.07, 0.53]	←
Treckmann, J 2011	20	91	27	91	2.2%	0.67 [0.34, 1.30]	
Total (95% CI)		2374		8716	100.0%	0.59 [0.54, 0.66]	•
Total events	600		3255				
Heterogeneity: Chi ² = 7.33, df	= 6 (P = 0.29); I ² = 18%						
Test for overall effect: Z = 9.78	(P < 0.00001)					r	0.2 0.5 1 2 5 Eavours experimental Eavours control
RCTs							avours experimental Tavours control
Gallinat, A 2012	25	85	29	85	49.3%	0.80 [0.42, 1.54]	
Treckmann, J 2011	20	91	27	91 9	50.7%	0.67 [0.34, 1.30]	
Total (95% CI)		176		176 1	00.0%	0 74 [0 46 1 17]	
Total events	45		56		001070		
Heterogeneity: $Chi^2 = 0.15$ df:	= 1 (P = 0.69)· P = 0%		50			-	
Test for overall effect: Z = 1.30	(P = 0.19)					-	0.2 0.5 1 2 5
N BOT / H						Fai	vours experimental Favours control
Non-RCIs(smaller sam	ple size studies)						
Abboud, I 2011	2	22	7	22 2	22.4%	0.21 [0.04, 1.18] *	
Sedigh,A 2013	6	36	12	59 2	26.7%	0.78 [0.27, 2.31]	
Stratta, R. J 2007	12	114	10	27 5	50.9%	0.20 [0.07, 0.53] 4	
Total (05% CI)		170		100 10	00.0%	0 36 [0 49 0 74]	
Total (95% CI)	20	112	20	100 1	00.0%	0.30 [0.16, 0.71]	
Hotorogonoity: Chiž - 2 71 df.	20 - 270 - 0.16\:18 - 460(29			_	
Test for overall effect: Z = 2.97	(P = 0.003)					5	0.2 0.5 1 2 5
Non-RCTs(larger samp	e size studies)					Fav	ours experimental Favours control
	,						
Buchanan, P. M. 2008	300	1114	1795	4726	55.4%	0.60 [0.52, 0.70]	I
Matsuoka, L. 2006	235	912	1375	3706	44.6%	0.59 (0.50, 0.69)	-
Total (95% CI)		2026		8432	100.0%	0.60 [0.53, 0.66]	♦
Total events	535		3170				
Heterogeneity: Chi ² = 0.04. df	= 1 (P = 0.84); I ² = 0%		12.0 5 51				
Test for overall effect: Z = 9.38	(P < 0.00001)						U.2 U.5 1 2 5 Eavours experimental Eavours control

Figure 2. DGF rates for ECD kidneys preserved by HMP versus CS.

doi:10.1371/journal.pone.0081826.g002

was not significantly different between HMP and CS preservation (OR = 0.98; 95% CI 0.94–1.02; P = 0.36) (Figure 5).

Publication bias

We took no formal steps to determine publication bias, such as plotting effect sizes or calculating test statistics, because any formal method would have had little power given the small number of studies.

Discussion

The use of ECD kidneys in older patients has become a common practice over the last decade, with recipients 50 years of age and older receiving 70% of these kidneys[23]. HMP can reduce warm-ischemia injury, and it provides an interesting opportunity to evaluate kidney graft quality before transplantation[15]. Recently three meta-analyses compared HMP with cold storage [24–26], finding that HMP could reduce the DGF rate, but the PNF incidence and one-year graft and patient survival rates were not different in patients using the two preservation methods. However, these articles focused on normal kidney donors, none of them was with regard to ECD kidney transplantation.

This meta-analysis showed that HMP significantly reduced the incidence of DGF, although the sensitivity analysis could not determine a significant difference using only the RCTs. In the multicenter RCT included in this meta-analysis, Treckmann, J et al concluded that HMP significantly reduced the risk of DGF compared with CS (OR 0.460, P = 0.047)[18]. No significant difference could be drawn using the only 2 RCTs because the sample size was small. DGF is an early indicator for organ quality and preservation. In 2009, Cyril Moers et al conducted an RCT using a paired design, in which both kidneys were from the same donor, with one kidney undergoing HMP and the other CS; they showed a significant reduction in the DGF rate of 26.5% in the HMP preservation group compared with 20.8% in CS [27]. In a retrospective single-center analysis of 141 ECD kidneys, Stratta et al reported a remarkable reduction in the rate of DGF with HMP preservation (11%) versus CS(37%)[11]. Schold et al. examined the Scientific Registry of Transplant Recipients (SRTR) database



Figure 3. PNF rates for ECD kidneys preserved by HMP versus CS. doi:10.1371/journal.pone.0081826.g003

from 1994 to 2003, compared HMP with CS in ECD kidneys transplantation and found that the rates of DGF were 20% with HMP preservation and 28% in CS. The study also examined paired transplanted kidneys, finding that HMP preservation significantly decreased the DGF rate compared with CS (19% vs. 26%, p<0.001) [28]. The incidence of DGF in ECD kidneys differed in each study; one important reason for this might be the length of cold ischemic times in each study [21,27]. Cold ischemia time was a risk factor for DGF in ECD kidney transplants [29].

DGF was shown to be a risk factor for graft failure after kidney transplantation[30]. The sensitivity analysis found that HMP had a protection effect in reducing the PNF rate using the smaller sample size studies. However, Matsuoka, L et al [21] retrospectively analyzed the data from United Network for Organ Sharing (UNOS), which contained 4618 ECD kidneys, and found that HMP could not decrease PNF rate compared to CS (2.6% versus 3.2%, p = 0.32). Taking the larger sample size study into account, we found that HMP preservation could not improve primary nonfunction(PNF)for recipients receiving HMP kidneys. Unlike other meta-analysis[24–26],we found that HMP preservation could improve one-year graft survival rate compared to CS preservation. Polyak et al. found that one-year graft survival was greater with ECD kidneys that were preserved by HMP compared with CS (88% vs. 79%, p = 0.02)[31]. Treckmann, J et al. conducted an international randomized controlled study and obtained similar conclusion (92.3% vs. 80.2%, P = 0.02) [18]. However, we found that HMP preservation was not associated with improvement of one-year patient survival. ECD kidneys often associated with deteriorated function and more frequent DGF, but these factors did not increase the mortality of the recipients[32].

A number of factors might have confounded the interpretation of this meta-analysis. First, there was heterogeneity between study

	Hypothermic machine	perfusion	Cold ste	orage		Odds Ratio	Odds Ratio
Study or Subgroup	Events	Total	Events	Total	Weight	M-H, Fixed, 95% Cl	M-H, Fixed, 95% CI
Abboud, I 2011	21	22	20	22	12.3%	1.05 [0.89, 1.23]	
Gallinat, A 2012	76	85	69	85	42.6%	1.10 [0.97, 1.25]	+=-
Treckmann, J 2011	84	91	73	91	45.1%	1.15 [1.02, 1.29]	
Total (95% CI)		198		198	100.0%	1.12 [1.03, 1.21]	◆
Total events	181		162				
Heterogeneity: Chi ² = 0.86, c	if = 2 (P = 0.65); I ² = 0%						
Test for overall effect: Z = 2.7	78 (P = 0.005)						Eavours experimental Eavours control

Figure 4. One-year graft survival for ECD kidneys preserved by HMP versus CS. doi:10.1371/journal.pone.0081826.g004



Figure 5. One-year patient survival for ECD kidneys preserved by HMP versus CS. doi:10.1371/journal.pone.0081826.g005

design, sample size and the years covered. This meta-analysis contained only two RCTs on this special subject. Although the nonrandomized studies were subject to lower quality, which might have resulted in an unbalanced selection of patients, they provided the best evidence available on this subject. Second, the pump parameters, such as perfusion pressure, type of perfusate used and cold storage solution, varied and were not always clearly reported(Table 2). Third, we observed that the recipient populations, the length of cold ischemic time and the use of immunosuppressive agents were variable and that the heterogeneity observed in clinical trials was correlated with the habits and preferences of individual institutions(Table 2).

Usage of HMP could reduce the discard rate of ECD kidneys from 40% to 30% and decrease DGF risk for ECD kidneys with longer cold ischemia time(>30 hours), minimizing postoperative complications and maximizing organ utilization[28]. HMP also provides a quantitative assessment of renal vasospasm due to the pump parameters that are generated during machine preservation [20]. In addition, rather than increasing direct costs to the transplant program, HMP was correlated with lower costs for transplant hospitalizations, likely due to the associated reduction in DGF[19]. Gómez, C conducted a cost-effectiveness assessment for

References

- Wolfe RA, Ashby VB, Milford EL, Ojo AO, Ettenger RE, et al. (1999) Comparison of mortality in all patients on dialysis, patients on dialysis awaiting transplantation, and recipients of a first cadaveric transplant. N Engl J Med 341: 1725–1730.
- Port FK, Bragg-Gresham JL, Metzger RA, Dykstra DM, Gillespie BW, et al. (2002) Donor characteristics associated with reduced graft survival: an approach to expanding the pool of kidney donors. Transplantation 74: 1281–1286.
- Metzger RA, Delmonico FL, Feng S, Port FK, Wynn JJ, et al. (2003) Expanded criteria donors for kidney transplantation. Am J Transplant 3 Suppl 4: 114–125.
 Smits JM, Persijn GG, van Houwelingen HC, Claas FH, Frei U (2002)
- Smits JM, Fersijn GG, van Houweingen HC, Claas FH, Frei U (2002) Evaluation of the Eurotransplant Senior Program. The results of the first year. Am J Transplant 2: 664–670.
- Abboud I, Antoine C, Gaudez F, Fieux F, Lefaucheur C, et al. (2011) Pulsatile perfusion preservation for expanded-criteria donors kidneys: Impact on delayed graft function rate. Int J Artif Organs 34: 513–518.
- UNOS Policy 3.5.1. Definition of Expanded Criteria Donor and Standard Donor. December 4, 2007; Available from http://optn.transplant.hrsa.gov/.
- McLaren AJ, Jassem W, Gray DW, Fuggle SV, Welsh KI, et al. (1999) Delayed graft function: risk factors and the relative effects of early function and acute rejection on long-term survival in cadaveric renal transplantation. Clin Transplant 13: 266–272.
- Troppmann C, Gillingham KJ, Benedetti E, Almond PS, Gruessner RW, et al. (1995) Delayed graft function, acute rejection, and outcome after cadaver renal transplantation. The multivariate analysis. Transplantation 59: 962–968.
- Pascual J, Zamora J, Pirsch JD (2008) A systematic review of kidney transplantation from expanded criteria donors. Am J Kidney Dis 52: 553–586.
- Barba J, Zudaire JJ, Robles JE, Rosell D, Berian JM, et al. (2012) Complications of kidney transplantation with grafts from expanded criteria donors. World J Urol.
- Ojo AO, Hanson JA, Meier-Kriesche H, Okechukwu CN, Wolfe RA, et al. (2001) Survival in recipients of marginal cadaveric donor kidneys compared with other recipients and wait-listed transplant candidates. J Am Soc Nephrol 12: 589–597.

ECD kidney transplantation and found that the introduction of HMP cost \$505, however, \$3,369 was savedin each DGF or PNF case[33].

The meta-analysis demonstrates that HMP is associated with a reduced incidence of DGF and increased one-year graft survival rate compared to CS for ECD kidney transplantations, but it was not associated with the incidence of PNF and one-year patient survival.

Supporting Information

Checklist S1

(DOC)

Prisma 2009 Flow Diagram S1 (DOC)

Author Contributions

Conceived and designed the experiments: BJ SL HL DC YC. Performed the experiments: BJ SL HL DC YC. Analyzed the data: BJ SL HL. Contributed reagents/materials/analysis tools: BJ SL HL DC YC YL. Wrote the paper: BJ SL.

- Kauffman HM, McBride MA, Cors CS, Roza AM, Wynn JJ (2007) Early mortality rates in older kidney recipients with comorbid risk factors. Transplantation 83: 404–410.
- Kosieradzki M, Rowinski W (2008) Ischemia/reperfusion injury in kidney transplantation: mechanisms and prevention. Transplant Proc 40: 3279–3288.
- Tesi RJ, Elkhammas EA, Davies EA, Henry ML, Ferguson RM (1993) Pulsatile kidney perfusion for preservation and evaluation: use of high-risk kidney donors to expand the donor pool. Transplant Proc 25: 3099–3100.
- Bon D, Chatauret N, Giraud S, Thuillier R, Favreau F, et al. (2012) New strategies to optimize kidney recovery and preservation in transplantation. Nat Rev Nephrol 8: 339–347.
- Downs SH, Black N (1998) The feasibility of creating a checklist for the assessment of the methodological quality both of randomised and nonrandomised studies of health care interventions. J Epidemiol Community Health 52: 377–384.
- Gallinat A, Moers C, Treckmann J, Smits JM, Leuvenink HG, et al. (2012) Machine perfusion versus cold storage for the preservation of kidneys from donors >=65 years allocated in the Eurotransplant Senior Programme. Nephrol Dial Transplant.
- Treckmann J, Moers C, Smits JM, Gallinat A, Maathuis MH, et al. (2011) Machine perfusion versus cold storage for preservation of kidneys from expanded criteria donors after brain death. Transpl Int 24: 548–554.
- Buchanan PM, Lentine KL, Burroughs TE, Schnitzler MA, Salvalaggio PR (2008) Association of lower costs of pulsatile machine perfusion in renal transplantation from expanded criteria donors. Am J Transplant 8: 2391–2401.
- Stratta RJ, Moore PS, Farney AC, Rogers J, Hartmann EL, et al. (2007) Influence of pulsatile perfusion preservation on outcomes in kidney transplantation from expanded criteria donors. J Am Coll Surg 204: 873–882; discussion 882–874.
- Matsuoka L, Shah T, Aswad S, Bunnapradist S, Cho Y, et al. (2006) Pulsatile perfusion reduces the incidence of delayed graft function in expanded criteria donor kidney transplantation. Am J Transplant 6: 1473–1478.

- Sedigh A, Tufveson G, Backman L, Biglarnia AR, Lorant T (2013) Initial experience with hypothermic machine perfusion of kidneys from deceased donors in the uppsala region in sweden. Transplant Proc 45: 1168–1171.
- Taylor MJ, Baicu SC (2010) Current state of hypothermic machine perfusion preservation of organs: The clinical perspective. Cryobiology 60: S20–35.
- Lam VW, Laurence JM, Richardson AJ, Pleass HC, Allen RD (2013) Hypothermic machine perfusion in deceased donor kidney transplantation: a systematic review. J Surg Res 180: 176–182.
- Deng R, Gu G, Wang D, Tai Q, Wu L, et al. (2013) Machine Perfusion versus Cold Storage of Kidneys Derived from Donation after Cardiac Death: A Meta-Analysis. PLoS One 8: e56368.
- Bathini V, McGregor T, McAlister VC, Luke PP, Sener A (2013) Renal perfusion pump vs cold storage for donation after cardiac death kidneys: a systematic review. J Urol 189: 2214–2220.
- Moers C, Smits JM, Maathuis MH, Treckmann J, van Gelder F, et al. (2009) Machine perfusion or cold storage in deceased-donor kidney transplantation. N Engl J Med 360: 7–19.

- Schold JD, Kaplan B, Howard RJ, Reed AI, Foley DP, et al. (2005) Are We Frozen in Time? Analysis of the Utilization and Efficacy of Pulsatile Perfusion in Renal Transplantation. American Journal of Transplantation 5: 1681–1688.
- Kayler LK, Magliocca J, Zendejas I, Srinivas TR, Schold JD (2011) Impact of cold ischemia time on graft survival among ECD transplant recipients: a paired kidney analysis. Am J Transplant 11: 2647–2656.
- Yarlagadda SG, Coca SG, Formica RN Jr., Poggio ED, Parikh CR (2009) Association between delayed graft function and allograft and patient survival: a systematic review and meta-analysis. Nephrol Dial Transplant 24: 1039–1047.
- Polyak MM, Arrington BO, Kapur S, Stubenbord WT, Kinkhabwala M (2000) Glutathione supplementation during cold ischemia does not confer early functional advantage in renal transplantation. Transplantation 70: 202–205.
- Glyda M, Włodarczyk Z, Czapiewski W (2012) Results of renal transplantation from expanded criteria deceased donors - a single-center experience. Ann Transplant 17: 35–42.
- Gomez V, Galeano C, Diez V, Bueno C, Diaz F, et al. (2012) Economic impact of the introduction of machine perfusion preservation in a kidney transplantation program in the expanded donor era: cost-effectiveness assessment. Transplant Proc 44: 2521–2524.