

Draft Genome Sequence of *Cupriavidus* UYMMa02A, a Novel Beta-Rhizobium Species

Andrés Iriarte,^{a,b} Raúl Platero,^a Valeria Romero,^b Elena Fabiano,^a José R. Sotelo-Silveira^b

Departamento de Bioquímica y Genómica Microbianas, IIBCE, Montevideo, Uruguay^a; Departamento de Genómica, IIBCE, Montevideo, Uruguay^b

A.I. and R.P. contributed equally to this article.

We present the draft genome of *Cupriavidus* UYMMa02A, a rhizobium strain isolated from root nodules of *Mimosa magentea*. The assembly has approximately 8.1 million bp with an average G+C of 64.1%. Symbiotic and metal-resistance genes were identified. The study of this genome will contribute to the understanding of rhizobial evolution.

Received 14 September 2016 Accepted 21 September 2016 Published 10 November 2016

Citation Iriarte A, Platero R, Romero V, Fabiano E, Sotelo-Silveira JR. 2016. Draft genome sequence of *Cupriavidus* UYMMa02A, a novel beta-rhizobium species. *Genome Announc* 4(6):e01258-16. doi:10.1128/genomeA.01258-16.

Copyright © 2016 Iriarte et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to José R. Sotelo-Silveira, jsotelosilveira@iibce.edu.uy.

The *Cupriavidus* genus is comprised of Gram-negative, flagellated, rod-shaped bacteria belonging to the *Burkholderiaceae* family in the beta subclass of *Proteobacteria*. *Cupriavidus* bacteria are model organisms for the study of heavy-metal resistance (1–6), degradation of aromatic compounds (7), and synthesis of polyhydroxybutyrate, making this genus an excellent candidate for biotechnological applications. Additionally, members of the *Beta-proteobacteria* class are able to form nitrogen-fixing nodules in symbiotic associations with legumes (8, 9). Beta-rhizobia have been subsequently shown to colonize plant hosts worldwide with preference for the *Mimosoideae* subfamily (8–10). The first genome of beta-rhizobia, *Cupriavidus taiwanensis*, was published in 2008 (10).

Here, we report the draft genome sequence of the rhizobium *Cupriavidus* sp. strain UYMMa02A isolated from root nodules of *Mimosa magentea* naturally occurring in Uruguay. Interestingly, *Cupriavidus* sp. UYMMa02A is not related to the previously described symbiotic species *C. taiwanensis* or *C. necator* (11). The symbiotic bacterial isolation technique has been described elsewhere (11).

The strain was grown to stationary phase in TY media (12), harvested, and genomic DNA was isolated using the ZR fungal/bacterial DNA MiniPrep kit (Zymo Research). Sequences were generated using an Ion Torrent personal genome machine (PGM—Life Technologies), at the sequencing facility of the Institute of Biological, Research “Clemente Estable,” Montevideo, Uruguay. Standard procedure and manufacturer’s instructions were followed in each step, as described elsewhere (13). In brief, 400 base-pair libraries were prepared using the IonXpress Plus fragment library kit (Life Technologies, Inc.), followed by a Pippin Prep (Sage Science) size selection. Controls were performed by means of a high-sensitivity Bioanalyzer 2100 (Agilent) and Ion Sphere quality control kit (Life Technologies, Inc.). Sequencing was performed using an Ion PGM 400 sequencing kit (Life Technologies, Inc.).

A total of 1,394,358 high-quality reads were produced. *De novo* assembly was performed with SPADES assembler version 3.5.0 (14), using a preassembly approach with Mira version 4.0 (15).

More than 98% of the generated reads, with an average length of 285 bp, were used in the assembly resulting in a mean nucleotide coverage of 341×. The final assembly has 8,184,499-bp length, distributed in 310 contigs. The N_{50} is 58,238, with a maximum contig length of 228,874 bp and a G+C content of 64.1%.

The genome was annotated using the RAST server with default search parameters (16, 17). As a result, 8,201 putative protein-coding sequences, 59 transfer RNA genes, and 17 rRNA genes were identified.

The draft genome of this beta-rhizobium strain will allow for testing of different hypotheses about the evolution of symbiosis in the genus as well as the study of the genetic basis of this complex and fundamental ecological process. A comparative genomic analysis will be included in future publications.

Accession number(s). The generated genome sequence has been deposited at GenBank under BioProject PRJNA306671. The version described in this paper is the first version under the accession no. [LRMT00000000](https://doi.org/10.1101/1000000).

ACKNOWLEDGMENTS

We thank Vanessa Amarelle and Daniela Costa for their invaluable help in field-nodule collections.

This work was supported by ANII (Agencia Nacional de Investigación e Innovación, Uruguay) research grants FCE-3-2013-1 to 100727 and FCE_1_2014_1_104338, and by PEDECIBA (Programa de Desarrollo de Las Ciencias Básicas, Uruguay). A.I., R.P., J.R.S.-S. and E.F. are researchers from the SNI (Sistema Nacional de Investigadores, Uruguay).

FUNDING INFORMATION

This work, including the efforts of Jose R. Sotelo-Silveira, was funded by PEDECIBA. This work, including the efforts of Andrés Iriarte, was funded by Agencia Nacional de Investigación e Innovación (ANII) (FCE-3-2013-1-100727). This work, including the efforts of Raúl Platero, was funded by Agencia Nacional de Investigación e Innovación (ANII) (FCE_1_2014_1_104338).

REFERENCES

1. Goris J, De Vos P, Coenye T, Hoste B, Janssens D, Brim H, Diels L, Mergeay M, Kersters K, Vandamme P. 2001. Classification of metal-

- resistant bacteria from industrial biotopes as *Ralstonia campinensis* sp. nov., *Ralstonia metallidurans* sp. nov. and *Ralstonia basilensis* Steinle et al. 1998 emend. *Int J Syst Evol Microbiol* 51:1773–1782. <http://dx.doi.org/10.1099/00207713-51-5-1773>.
2. Poehlein A, Kusian B, Friedrich B, Daniel R, Bowien B. 2011. Complete genome sequence of the type strain *Cupriavidus necator* N-1. *J Bacteriol* 193:5017. <http://dx.doi.org/10.1128/JB.05660-11>.
 3. Hong KW, Thinagaran D, Gan HM, Yin WF, Chan KG. 2012. Whole-genome sequence of *Cupriavidus* sp. strain BIS7, a heavy-metal-resistant bacterium. *J Bacteriol* 194:6324. <http://dx.doi.org/10.1128/JB.01608-12>.
 4. Li LG, Cai L, Zhang T. 2013. Genome of *Cupriavidus* sp. HMR-1, a heavy metal-resistant bacterium. *Genome Announc* 1(1):e00202-12. <http://dx.doi.org/10.1128/genomeA.00202-12>.
 5. Ray J, Waters RJ, Skerker JM, Kuehl JV, Price MN, Huang J, Chakraborty R, Arkin AP, Deutschbauer A. 2015. Complete genome sequence of *Cupriavidus basilensis* 4G11, isolated from the Oak Ridge Field Research Center Site. *Genome Announc* 3(3):e00322-15. <http://dx.doi.org/10.1128/genomeA.00322-15>.
 6. Janssen PJ, Van Houdt R, Moors H, Monsieurs P, Morin N, Michaux A, Benotmane MA, Leys N, Vallaeys T, Lapidus A, Monchy S, Médigue C, Taghavi S, McCorkle S, Dunn J, van der Lelie D, Mergeay M. 2010. The complete genome sequence of *Cupriavidus metallidurans* strain CH34, a master survivalist in harsh and anthropogenic environments. *PLoS One* 5:e10433. <http://dx.doi.org/10.1371/journal.pone.0010433>.
 7. Pérez-Pantoja D, De la Iglesia R, Pieper DH, González B. 2008. Metabolic reconstruction of aromatic compounds degradation from the genome of the amazing pollutant-degrading bacterium *Cupriavidus necator* JMP134. *FEMS Microbiol Rev* 32:736–794. <http://dx.doi.org/10.1111/j.1574-6976.2008.00122.x>.
 8. Chen WM, Laevens S, Lee TM, Coenye T, De Vos P, Mergeay M, Vandamme P. 2001. *Ralstonia taiwanensis* sp. nov., isolated from root nodules of mimosa species and sputum of a cystic fibrosis patient. *Int J Syst Evol Microbiol* 51:1729–1735. <http://dx.doi.org/10.1099/00207713-51-5-1729>.
 9. Moulin L, Munive A, Dreyfus B, Boivin-Masson C. 2001. Nodulation of legumes by members of the beta-subclass of *Proteobacteria*. *Nature* 411: 948–950. <http://dx.doi.org/10.1038/35082070>.
 10. Amadou C, Pascal G, Manganot S, Glew M, Bontemps C, Capela D, Carrère S, Cruveiller S, Dossat C, Lajus A, Marchetti M, Poinot V, Rouy Z, Servin B, Saad M, Schenowitz C, Barbe V, Batut J, Médigue C, Masson-Boivin C. 2008. Genome sequence of the beta-rhizobium *Cupriavidus taiwanensis* and comparative genomics of rhizobia. *Genome Res* 18:1472–1483. <http://dx.doi.org/10.1101/gr.076448.108>.
 11. Platero R, James EK, Rios C, Iriarte A, Sandes L, Zabaleta M, Battistoni F, Fabiano E. 2016. Novel *Cupriavidus* strains isolated from root nodules of native Uruguayan mimosa species. *Appl Environ Microbiol* 82: 3150–3164. <http://dx.doi.org/10.1128/AEM.04142-15>.
 12. Beringer JE. 1974. R factor transfer in *Rhizobium leguminosarum*. *Microbiology* 84:188–198. <http://dx.doi.org/10.1099/00221287-84-1-188>.
 13. Giorello FM, Romero V, Farias J, Scavone P, Umpiérrez A, Zunino P, Sotelo Silveira JR. 2016. Draft genome sequence and gene annotation of the uropathogenic bacterium *Proteus mirabilis* Pr2921. *Genome Announc* 4(4):e00564-16. <http://dx.doi.org/10.1128/genomeA.00564-16>.
 14. Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, Lesin VM, Nikolenko SI, Pham S, Pribelski AD, Pyshkin AV, Sirotkin AV, Vyahhi N, Tesler G, Alekseyev MA, Pevzner PA. 2012. SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. *J Comput Biol* 19:455–477. <http://dx.doi.org/10.1089/cmb.2012.0021>.
 15. Chevreur B, Pfisterer T, Drescher B, Driesel AJ, Müller WE, Wetter T, Suhai S. 2004. Using the miraEST assembler for reliable and automated mRNA transcript assembly and SNP detection in sequenced ESTs. *Genome Res* 14:1147–1159. <http://dx.doi.org/10.1101/gr.1917404>.
 16. Aziz RK, Bartels D, Best AA, DeJongh M, Disz T, Edwards RA, Formisano K, Gerdes S, Glass EM, Kubal M, Meyer F, Olsen GJ, Olson R, Osterman AL, Overbeek RA, McNeil LK, Paarmann D, Paczian T, Parrello B, Pusch GD, Reich C, Stevens R, Vassieva O, Vonstein V, Wilke A, Zagnitko O. 2008. The RAST server: Rapid Annotations using Subsystems Technology. *BMC Genomics* 9:75. <http://dx.doi.org/10.1186/1471-2164-9-75>.
 17. Overbeek R, Olson R, Pusch GD, Olsen GJ, Davis JJ, Disz T, Edwards RA, Gerdes S, Parrello B, Shukla M, Vonstein V, Wattam AR, Xia F, Stevens R. 2014. The SEED and the Rapid Annotation of microbial genomes using Subsystems Technology (RAST). *Nucleic Acids Res* 42: D206–D214. <http://dx.doi.org/10.1093/nar/gkt1226>.