



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

Committee on Cancer and European Neuroendocrine Tumor Society Systems. J Clin Oncol. 2017;35:274–80.

Noel Lorenzo-Villalba^{a,*}, Yasmine Maouche^a,
Maria Belén Alonso Ortiz^b y Abrar-Ahmad Zulfiqar^a

^a Service de Médecine Interne, Diabète et Maladies Métaboliques,
Hôpitaux Universitaires de Strasbourg, Estrasburgo, Francia

^b Servicio de Medicina Interna, Hospital Universitario de Gran Canaria Dr Negrín, Las Palmas de Gran Canaria, España

* Autor para correspondencia.

Correo electrónico: noellorenzo@gmail.com (N. Lorenzo-Villalba).

<https://doi.org/10.1016/j.regg.2020.09.005>

Domestic violence among the elderly during the COVID-19 pandemic



Violencia doméstica entre los ancianos durante la pandemia COVID-19

Dear Editor:

We would like to share the experience as doctors working in a small island nation, Malta, where, one of the first effective measures was that the elderly population (65+) were asked to self-isolate at home, being among the most vulnerable group.¹ In cases where the offspring, even as adults, especially if they are single, tend to live with their parents (for a number of reasons, including economic advantages), cases of domestic violence towards the elderly have increased.² This is especially the case where the elderly persons who were previously able to go out to work part-time or frequent their social circles, such as the church or other community support, then were not able to continue this 'for their own protection' in view of the risk of falling ill from COVID-19.

This does highlight that domestic violence, be it to the partner, the parents, grandparents or the children, is an extremely relevant risk during a pandemic and its socially disrupting response of self-isolation at home. Whilst the first incidence of domestic violence may have actually occurred during this particular situation, it is more likely that the underlying problem of domestic violence was actually already there, and was just aggravated by the fact that the victim no longer had access to the normal 'safety net'. In the initial phases of the pandemic, where everyone (including social workers, psychologists, support agency workers) was encouraged to tele-work and the systems to carry this out were not yet in place, telephone helplines and clinics were temporarily unmanned. The COVID-19 helpline was one of the first to be accessed by such abused elderly people, as a cry for help when faced with such

an inescapable situation. National statistics may fail to detect any rise in reporting, as victims may be more resilient and reluctant to come forward. A mobile application has been launched which the victims can use to call for help.³

As had been highlighted by Keynejad et al.,⁴ domestic violence becomes even more of an issue in low- and middle-income countries, besides in high income countries, calling for an urgent need for psychological interventions, especially to vulnerable groups like the elderly. COVID-19 pandemic has left many victims – not only those unfortunate ones who have died as a direct cause of the infection, but even those who lost their channels for getting help due to social isolation and disruption, even if temporary.

Bibliografía

- Government of Malta. Legal Notice 111/2020 Protection of Vulnerable Persons Order; March 2020. <http://www.justiceservices.gov.mt/DownloadDocument.aspx?app=lp&itemid=30044&l=1> [accessed 05.05.20].
- Van Gelder N, Peterman A, Potts A, O'Donnell M, Thompson K, Shah N, et al., on behalf of the Gender and COVID-19 Working Group. EClin Med (Lancet). 2020;21:100348.
- Government of Malta; March 2020. <https://www.gov.mt/en/Government/DOI/Press%20Releases/Pages/2020/March/20/pr200532en.aspx> [accessed 05.05.20].
- Keynejad RC, Hanlon C, Howard LM. Psychological interventions for common mental disorders in women experiencing intimate partner violence in low-income and middle-income countries: a systematic review and meta-analysis. Lancet Psychiatr. 2020;7:173–90.

Jean Calleja-Agius*, Neville Calleja

Faculty of Medicine and Surgery, University of Malta, Malta

* Corresponding author.

E-mail address: jean.calleja-agius@um.edu.mt (J. Calleja-Agius).

<https://doi.org/10.1016/j.regg.2020.05.002>